

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040620\
 Data File : BM025944.D
 Acq On : 06 Apr 2020 13:14
 Operator : CG/JU
 Sample : L2065-15
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DBF11

Manual Integrations
 APPROVED

mohammad
 4/7/2020 8:28:29 AM

Quant Time: Apr 06 13:47:42 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM040220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 02 10:49:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	2557	0.40	ng/ul	0.00
2) Naphthalene-d8	10.32	136	11318	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.20	164	8291	0.40	ng/ul	0.00
10) Phenanthrene-d10	16.95	188	18636m	0.40	ng/ul	0.00
16) Chrysene-d12	21.14	240	18625	0.40	ng/ul	0.00
20) Perylene-d12	23.28	264	21392	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.92	152	6417	0.32	ng/ul	0.00
14) Fluoranthene-d10	18.98	212	21614	0.37	ng/ul	0.00
Target Compounds				Ovalue		
3) Naphthalene	10.37	128	14452	0.434	ng/ul	99
5) 2-Methylnaphthalene	12.00	142	1709	0.073	ng/ul	98
8) Acenaphthene	14.26	153	636	0.022	ng/ul	96
12) Phenanthrene	16.99	178	2707	0.046	ng/ul	95
15) Fluoranthene	19.01	202	8864	0.122	ng/ul	96
17) Pyrene	19.37	202	6773	0.102	ng/ul#	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM040620\
Data File : BM025944.D
Acq On : 06 Apr 2020 13:14
Operator : CG/JU
Sample : L2065-15
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DBF11

Manual Integrations
APPROVED

mohammad
4/7/2020 8:28:29 AM

Quant Time: Apr 06 13:47:42 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\SOM-EPA-SIM-BM040220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 02 10:49:07 2020
Response via : Initial Calibration

