

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM040624\  
 Data File : BM044988.D  
 Acq On : 07 Apr 2024 02:14  
 Operator : MA/JU  
 Sample : P2013-04  
 Misc :  
 ALS Vial : 28 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :

Quant Time: Apr 08 05:06:11 2024  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM040524.MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Mon Apr 08 05:01:54 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.633  | 152  | 84802    | 20.000 | ng/ul | 0.00     |
| 20) Naphthalene-d8            | 10.404 | 136  | 373282   | 20.000 | ng/ul | 0.00     |
| 38) Acenaphthene-d10          | 14.280 | 164  | 224243   | 20.000 | ng/ul | 0.00     |
| 64) Phenanthrene-d10          | 17.039 | 188  | 457727   | 20.000 | ng/ul | 0.00     |
| 79) Chrysene-d12              | 21.244 | 240  | 425608   | 20.000 | ng/ul | 0.00     |
| 88) Perylene-d12              | 23.468 | 264  | 526573   | 20.000 | ng/ul | 0.00     |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.210  | 96   | 11974    | 5.273  | ng/uL | 0.00     |
| 4) Pyridine-d5                | 3.616  | 84   | 63018    | 10.204 | ng/ul | 0.00     |
| 7) Phenol-d5                  | 6.816  | 99   | 60672    | 8.439  | ng/ul | 0.00     |
| 9) Bis-(2-Chloroethyl)eth...  | 6.986  | 67   | 176393   | 41.183 | ng/ul | 0.00     |
| 11) 2-Chlorophenol-d4         | 7.169  | 132  | 184992   | 32.845 | ng/ul | 0.00     |
| 15) 4-Methylphenol-d8         | 8.345  | 113  | 112435   | 19.981 | ng/ul | 0.00     |
| 21) Nitrobenzene-d5           | 8.792  | 128  | 115977   | 40.448 | ng/ul | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.504  | 143  | 123757   | 40.893 | ng/ul | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.039 | 165  | 195694   | 35.268 | ng/ul | 0.00     |
| 31) 4-Chloroaniline-d4        | 10.563 | 131  | 260148   | 29.448 | ng/ul | 0.00     |
| 46) Dimethylphthalate-d6      | 13.710 | 166  | 651371   | 41.719 | ng/ul | 0.00     |
| 49) Acenaphthylene-d8         | 13.974 | 160  | 765819   | 41.518 | ng/ul | 0.00     |
| 54) 4-Nitrophenol-d4          | 14.539 | 143  | 16788    | 5.152  | ng/ul | 0.02     |
| 60) Fluorene-d10              | 15.286 | 176  | 589884   | 42.378 | ng/ul | 0.00     |
| 65) 4,6-Dinitro-2-methylph... | 15.421 | 200  | 78620    | 28.969 | ng/ul | 0.00     |
| 73) Anthracene-d10            | 17.139 | 188  | 951893   | 46.229 | ng/ul | 0.00     |
| 81) Pyrene-d10                | 19.445 | 212  | 1087302  | 51.883 | ng/ul | 0.00     |
| 92) Benzo(a)pyrene-d12        | 23.327 | 264  | 1197308  | 46.610 | ng/ul | 0.00     |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM040624\  
Data File : BM044988.D  
Acq On : 07 Apr 2024 02:14  
Operator : MA/JU  
Sample : P2013-04  
Misc :  
ALS Vial : 28 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :

Quant Time: Apr 08 05:06:11 2024  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM040524.MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Mon Apr 08 05:01:54 2024  
Response via : Initial Calibration

