

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM040819\
 Data File : BM019807.D
 Acq On : 08 Apr 2019 22:39
 Operator : JU/SJ
 Sample : K2254-22
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BFC68

Quant Time: Apr 09 07:18:16 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 09 07:14:39 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	160862	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	641578	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.22	164	334810	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.98	188	685325	20.00	ng/ul	0.00
78) Chrysene-d12	21.19	240	712889	20.00	ng/ul	0.00
86) Perylene-d12	23.39	264	821736	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.12	96	24627	5.99	ng/uL	0.00
5) Phenol-d5	6.75	99	176581	12.33	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.92	67	120562	12.57	ng/ul	0.00
9) 2-Chlorophenol-d4	7.09	132	156456	14.41	ng/ul	0.00
13) 4-Methylphenol-d8	8.28	113	110216	10.25	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	68875	15.05	ng/ul	0.00
22) 2-Nitrophenol-d4	9.44	143	78371	15.39	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	127816	13.30	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	126651	10.97	ng/ul	0.01
44) Dimethylphthalate-d6	13.64	166	416656	15.42	ng/ul	0.00
47) Acenaphthylene-d8	13.91	160	492494	14.58	ng/ul	0.00
52) 4-Nitrophenol-d4	14.50	143	25808	6.09	ng/ul	0.03
58) Fluorene-d10	15.22	176	353375	15.18	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.38	200	32066	7.08	ng/ul	0.00
71) Anthracene-d10	17.08	188	510263	15.52	ng/ul	0.00
79) Pyrene-d10	19.39	212	515026	15.64	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.25	264	578832	13.29	ng/ul	0.00

Target Compounds


					Qvalue	
45) Dimethylphthalate	13.69	163	87868	3.242	ng/ul#	96
81) Butylbenzylphthalate	20.33	149	29003	1.708	ng/ul	90
84) Bis(2-ethylhexyl)phthalate	21.09	149	100642	4.089	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM040819\
Data File : BM019807.D
Acq On : 08 Apr 2019 22:39
Operator : JU/SJ
Sample : K2254-22
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFC68

Quant Time: Apr 09 07:18:16 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 09 07:14:39 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 3.242 ng/ul

RT: 13.69 min Scan# 1819

Delta R.T. -0.01 min

Lab File: BM019807.D

Acq: 08 Apr 2019 22:39

Instrument :

BNA_M

ClientSampleId :

BFC68


Tgt Ion:163 Resp: 87868

Ion Ratio Lower Upper

163 100

194 3.5 4.0 6.0#




164 9.0 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#81

Butylbenzylphthalate

Concen: 1.708 ng/ul

RT: 20.33 min Scan# 2948

Delta R.T. -0.01 min

Lab File: BM019807.D

Acq: 08 Apr 2019 22:39


Tgt Ion:149 Resp: 29003

Ion Ratio Lower Upper

149 100

91 75.6 53.4 80.0



206 20.7 19.3 28.9




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 91.00 (90.70 to 91.70): BM0

Ion 206.00 (205.70 to 206.70): E






#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.089 ng/ul
 RT: 21.09 min Scan# 3078
 Delta R.T. -0.01 min
 Lab File: BM019807.D
 Acq: 08 Apr 2019 22:39

Instrument :
 BNA_M
 ClientSampleId :
 BFC68

Tgt Ion	Resp	Lower	Upper
149	100		
167	27.4	23.0	34.6
279	5.0	4.3	6.5



Abundance

Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E

