

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM040819\
 Data File : BM019800.D
 Acq On : 08 Apr 2019 18:22
 Operator : JU/SJ
 Sample : K2218-11
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BF612

Manual Integrations
 APPROVED

Sohil
 4/13/2019 6:05:45 AM

Quant Time: Apr 09 08:17:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Apr 09 07:14:39 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	112403	20.00	ng/ul	0.00
18) Naphthalene-d8	10.33	136	546478	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.22	164	333793	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.98	188	817380	20.00	ng/ul	0.00
78) Chrysene-d12	21.19	240	899441	20.00	ng/ul	0.00
86) Perylene-d12	23.39	264	801766	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.12	96	11301	3.94	ng/uL	0.00
5) Phenol-d5	6.75	99	139232	13.91	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.92	67	81166	12.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.09	132	110106	14.51	ng/ul	0.00
13) 4-Methylphenol-d8	8.28	113	73631	9.80	ng/ul	0.00
19) Nitrobenzene-d5	8.73	128	53979	13.85	ng/ul	0.00
22) 2-Nitrophenol-d4	9.45	143	62673	14.45	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	113364	13.85	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	103893m	10.57	ng/ul	0.02
44) Dimethylphthalate-d6	13.64	166	441371	16.39	ng/ul	0.00
47) Acenaphthylene-d8	13.91	160	498115	14.79	ng/ul	0.00
52) 4-Nitrophenol-d4	14.50	143	49917	11.82	ng/ul	0.03
58) Fluorene-d10	15.22	176	386913	16.67	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.38	200	51321	9.49	ng/ul	0.00
71) Anthracene-d10	17.08	188	625407	15.94	ng/ul	0.00
79) Pyrene-d10	19.39	212	715095	17.21	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.25	264	625445	14.71	ng/ul	0.00

Target Compounds					Qvalue	
45) Dimethylphthalate	13.69	163	117586	4.351	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM040819\
Data File : BM019800.D
Acq On : 08 Apr 2019 18:22
Operator : JU/SJ
Sample : K2218-11
Misc :
ALS Vial : 14 Sample Multiplier: 1




Instrument :
BNA_M
ClientSampleId :
BF612

Quant Time: Apr 09 08:17:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM032219MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Apr 09 07:14:39 2019
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
4/13/2019 6:05:45 AM





#45
 Dimethylphthalate
 Concen: 4.351 ng/ul
 RT: 13.69 min Scan# 1820
 Delta R.T. 0.00 min
 Lab File: BM019800.D
 Acq: 08 Apr 2019 18:22

Instrument :
 BNA_M
 ClientSampleId :
 BF612

Tgt Ion:	163	Resp:	117586
Ion Ratio	Lower	Upper	
163	100		
194	4.1	4.0	6.0
164	9.6	8.4	12.6

Manual Integrations
 APPROVED

Sohil
 4/13/2019 6:05:45 AM

