

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM041124\  
 Data File : BM045157.D  
 Acq On : 12 Apr 2024 05:38  
 Operator : MA/JU  
 Sample : P2014-10  
 Misc :  
 ALS Vial : 21 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 E0MD6

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 04/16/2024  
 Supervised By :mohammad ahmed 04/16/2024

Quant Time: Apr 12 06:10:55 2024  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM040524.MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Thu Apr 11 18:54:49 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.616  | 152  | 65533    | 20.000 | ng/u1 | 0.00     |
| 20) Naphthalene-d8            | 10.386 | 136  | 287415   | 20.000 | ng/u1 | 0.00     |
| 38) Acenaphthene-d10          | 14.263 | 164  | 197435   | 20.000 | ng/u1 | 0.00     |
| 64) Phenanthrene-d10          | 17.021 | 188  | 418362   | 20.000 | ng/u1 | 0.00     |
| 79) Chrysene-d12              | 21.233 | 240  | 366568   | 20.000 | ng/u1 | 0.00     |
| 88) Perylene-d12              | 23.450 | 264  | 417941   | 20.000 | ng/u1 | 0.00     |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.210  | 96   | 7233     | 4.121  | ng/uL | 0.00     |
| 4) Pyridine-d5                | 3.616  | 84   | 37604    | 7.880  | ng/u1 | 0.01     |
| 7) Phenol-d5                  | 6.804  | 99   | 34254    | 6.166  | ng/u1 | 0.00     |
| 9) Bis-(2-Chloroethyl)eth...  | 6.975  | 67   | 107576   | 32.501 | ng/u1 | 0.00     |
| 11) 2-Chlorophenol-d4         | 7.151  | 132  | 109274   | 25.106 | ng/u1 | 0.00     |
| 15) 4-Methylphenol-d8         | 8.328  | 113  | 66798    | 15.361 | ng/u1 | 0.00     |
| 21) Nitrobenzene-d5           | 8.781  | 128  | 74657    | 33.816 | ng/u1 | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.492  | 143  | 77594    | 33.299 | ng/u1 | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.022 | 165  | 120709   | 28.253 | ng/u1 | 0.00     |
| 31) 4-Chloroaniline-d4        | 10.551 | 131  | 172766   | 25.399 | ng/u1 | 0.00     |
| 46) Dimethylphthalate-d6      | 13.692 | 166  | 501522   | 36.483 | ng/u1 | 0.00     |
| 49) Acenaphthylene-d8         | 13.957 | 160  | 558277   | 34.376 | ng/u1 | 0.00     |
| 54) 4-Nitrophenol-d4          | 14.551 | 143  | 11800m   | 4.113  | ng/u1 | 0.05     |
| 60) Fluorene-d10              | 15.268 | 176  | 440551   | 35.947 | ng/u1 | 0.00     |
| 65) 4,6-Dinitro-2-methylph... | 15.410 | 200  | 66744    | 26.907 | ng/u1 | 0.00     |
| 73) Anthracene-d10            | 17.121 | 188  | 743010   | 39.480 | ng/u1 | 0.00     |
| 81) Pyrene-d10                | 19.427 | 212  | 855297   | 47.386 | ng/u1 | 0.00     |
| 92) Benzo(a)pyrene-d12        | 23.309 | 264  | 809889   | 39.723 | ng/u1 | 0.00     |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM041124\  
Data File : BM045157.D  
Acq On : 12 Apr 2024 05:38  
Operator : MA/JU  
Sample : P2014-10  
Misc :  
ALS Vial : 21 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
E0MD6

Quant Time: Apr 12 06:10:55 2024  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM040524.MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Thu Apr 11 18:54:49 2024  
Response via : Initial Calibration

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 04/16/2024  
Supervised By :mohammad ahmed 04/16/2024

04/16/2024  
Supervised By :mohammad  
ahmed

04/16/2024

