

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM041521\
 Data File : BM029483.D
 Acq On : 15 Apr 2021 02:47
 Operator : CG/JU
 Sample : M1958-04
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0B31

Quant Time: Apr 15 03:35:45 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Apr 15 03:22:59 2021
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	117085	20.00	ng/ul	0.00
18) Naphthalene-d8	10.46	136	456387	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.32	164	252374	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.06	188	422998	20.00	ng/ul	0.00
78) Chrysene-d12	21.23	240	284770	20.00	ng/ul	0.00
86) Perylene-d12	23.44	264	276841	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL
5) Phenol-d5	0.00	99	0	0.00	ng/ul
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul
44) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul
47) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
58) Fluorene-d10	0.00	176	0	0.00	ng/ul
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul
71) Anthracene-d10	0.00	188	0d	0.00	ng/ul
79) Pyrene-d10	0.00	212	0	0.00	ng/ul
90) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul


Target Compounds				Ovalue
70) Phenanthrene	17.10	178	24951	1.025 ng/ul 98
77) Fluoranthene	19.11	202	29345	1.065 ng/ul 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM041521\
Data File : BM029483.D
Acq On : 15 Apr 2021 02:47
Operator : CG/JU
Sample : M1958-04
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0B31

Quant Time: Apr 15 03:35:45 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM040721MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Apr 15 03:22:59 2021
Response via : Initial Calibration





#70

Phenanthrene

Concen: 1.025 ng/ul

RT: 17.10 min Scan# 2416

Delta R.T. -0.00 min

Lab File: BM029483.D

Acq: 15 Apr 2021 02:47

Instrument :

BNA_M

ClientSampleId :

C0B31


Tot Ion:178 Resp: 24951

Ion Ratio Lower Upper

178 100

179 15.8 12.2 18.2




176 20.4 15.4 23.2



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#77

Fluoranthene

Concen: 1.065 ng/ul

RT: 19.11 min Scan# 2758

Delta R.T. -0.01 min

Lab File: BM029483.D

Acq: 15 Apr 2021 02:47


Tgt Ion:202 Resp: 29345

Ion Ratio Lower Upper

202 100

101 13.8 9.8 14.6

100 8.5 7.4 11.0



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): E

