

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM041719\
 Data File : BM019936.D
 Acq On : 17 Apr 2019 13:45
 Operator : JU/SJ
 Sample : K2203-12
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SU-01-041519-B

Quant Time: Apr 17 17:55:32 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM041519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 15 16:16:29 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	111188	20.00	ng	0.00
21) Naphthalene-d8	10.31	136	402760	20.00	ng	0.00
39) Acenaphthene-d10	14.19	164	206026	20.00	ng	0.00
64) Phenanthrene-d10	16.96	188	385157	20.00	ng	0.00
76) Chrysene-d12	21.17	240	343928	20.00	ng	0.00
87) Perylene-d12	23.37	264	459135	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.15	112	1060094	154.52	ng	0.00
7) Phenol-d6	6.72	99	1218309	117.99	ng	0.00
23) Nitrobenzene-d5	8.70	82	1038355	115.30	ng	0.00
42) 2,4,6-Tribromophenol	15.70	330	474167	142.97	ng	0.00
45) 2-Fluorobiphenyl	12.80	172	1982960	119.95	ng	0.00
79) Terphenyl-d14	19.60	244	2279657	116.91	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM041719\
Data File : BM019936.D
Acq On : 17 Apr 2019 13:45
Operator : JU/SJ
Sample : K2203-12
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SU-01-041519-B

Quant Time: Apr 17 17:55:32 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM041519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 15 16:16:29 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.53 min Scan# 772
Delta R.T. -0.01 min
Lab File: BM019936.D
Acq: 17 Apr 2019 13:45

Instrument :
BNA_M
ClientSampleId :
SU-01-041519-B

Tgt Ion:152 Resp: 111188
Ion Ratio Lower Upper
152 100
150 159.5 122.1 183.1
115 64.7 50.0 75.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 154.517 ng
RT: 5.15 min Scan# 367
Delta R.T. 0.00 min
Lab File: BM019936.D
Acq: 17 Apr 2019 13:45

Tgt Ion:112 Resp: 1060094
Ion Ratio Lower Upper
112 100
64 61.1 49.1 73.7
63 31.9 26.5 39.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 117.993 ng

RT: 6.72 min Scan# 635

Delta R.T. -0.01 min

Lab File: BM019936.D

Acq: 17 Apr 2019 13:45

Instrument :

BNA_M

ClientSampleId :

SU-01-041519-B


Tgt Ion: 99 Resp: 1218309

Ion Ratio Lower Upper




99 100

42 14.9 11.8 17.8

71 39.4 32.0 48.0



Abundance Ion 99.00 (98.70 to 99.70): BM019936.D (-619) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.31 min Scan# 1245

Delta R.T. -0.00 min

Lab File: BM019936.D

Acq: 17 Apr 2019 13:45

Tgt Ion: 136 Resp: 402760


Ion Ratio Lower Upper

136 100



137 11.0 9.0 13.6


54 6.3 5.3 7.9

68 6.5 5.2 7.8



Abundance Ion 136.00 (135.70 to 136.70): BM019936.D (-1228) (-)









#23
 Nitrobenzene-d5
 Concen: 115.296 ng
 RT: 8.70 min Scan# 972
 Delta R.T. -0.00 min
 Lab File: BM019936.D
 Acq: 17 Apr 2019 13:45




Instrument :
 BNA_M
 ClientSampleId :
 SU-01-041519-B


Tgt Ion: 82 Resp: 1038355
 Ion Ratio Lower Upper
 82 100
 128 36.7 29.0 43.4
 54 37.4 30.2 45.4



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.19 min Scan# 1905
 Delta R.T. -0.01 min
 Lab File: BM019936.D
 Acq: 17 Apr 2019 13:45

Tgt Ion: 164 Resp: 206026
 Ion Ratio Lower Upper
 164 100
 162 105.4 83.0 124.4
 160 47.9 36.6 55.0









#42
 2,4,6-Tribromophenol
 Concen: 142.974 ng
 RT: 15.70 min Scan# 2162
 Delta R.T. -0.01 min
 Lab File: BM019936.D
 Acq: 17 Apr 2019 13:45

Instrument :
 BNA_M
 ClientSampleId :
 SU-01-041519-B

Tgt Ion:330 Resp: 474167
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.4 116.2
 141 37.2 29.0 43.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 119.947 ng
 RT: 12.80 min Scan# 1668
 Delta R.T. -0.01 min
 Lab File: BM019936.D
 Acq: 17 Apr 2019 13:45

Tgt Ion:172 Resp: 1982960
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.9 43.3
 170 23.5 19.0 28.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.96 min Scan# 2376
Delta R.T. -0.00 min
Lab File: BM019936.D
Acq: 17 Apr 2019 13:45




Instrument :
BNA_M
ClientSampleId :
SU-01-041519-B


Tgt Ion:188 Resp: 385157
Ion Ratio Lower Upper
188 100
94 9.3 7.6 11.4
80 11.5 9.4 14.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.17 min Scan# 3092
Delta R.T. -0.01 min
Lab File: BM019936.D
Acq: 17 Apr 2019 13:45

Tgt Ion:240 Resp: 343928
Ion Ratio Lower Upper
240 100
120 10.9 8.6 13.0
236 25.8 21.4 32.2





#79

Terphenyl-d14

Concen: 116.912 ng

RT: 19.60 min Scan# 2825

Delta R.T. -0.01 min

Lab File: BM019936.D

Acq: 17 Apr 2019 13:45

Instrument :

BNA_M

ClientSampleId :

SU-01-041519-B


Tgt Ion:244 Resp: 2279657

Ion Ratio Lower Upper

244 100

212 7.0 5.7 8.5




122 10.9 9.1 13.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.37 min Scan# 3465

Delta R.T. -0.01 min

Lab File: BM019936.D

Acq: 17 Apr 2019 13:45


Tgt Ion:264 Resp: 459135

Ion Ratio Lower Upper

264 100

260 23.8 19.2 28.8

265 22.3 17.2 25.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

