

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM041919\
 Data File : BM019994.D
 Acq On : 20 Apr 2019 06:05
 Operator : JU/SJ
 Sample : K2203-14
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SU-02-041819-A

Quant Time: Apr 21 22:25:36 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM041519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 19 00:56:08 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	98606	20.00	ng	0.00
21) Naphthalene-d8	10.29	136	371671	20.00	ng	0.00
39) Acenaphthene-d10	14.18	164	230497	20.00	ng	0.00
64) Phenanthrene-d10	16.94	188	546582	20.00	ng	0.00
76) Chrysene-d12	21.16	240	593415	20.00	ng	0.00
87) Perylene-d12	23.35	264	694094	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.12	112	815927	134.10	ng	0.00
7) Phenol-d6	6.70	99	993410	108.49	ng	0.00
23) Nitrobenzene-d5	8.68	82	776922	93.48	ng	0.00
42) 2,4,6-Tribromophenol	15.69	330	517410	139.45	ng	0.00
45) 2-Fluorobiphenyl	12.78	172	1640747	88.71	ng	0.00
79) Terphenyl-d14	19.59	244	3357200	99.79	ng	0.00


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM041919\
Data File : BM019994.D
Acq On : 20 Apr 2019 06:05
Operator : JU/SJ
Sample : K2203-14
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SU-02-041819-A

Quant Time: Apr 21 22:25:36 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM041519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 19 00:56:08 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.50 min Scan# 768
Delta R.T. -0.01 min
Lab File: BM019994.D
Acq: 20 Apr 2019 06:05

Instrument :
BNA_M
ClientSampleId :
SU-02-041819-A




Tgt Ion:152 Resp: 98606
Ion Ratio Lower Upper
152 100
150 155.4 122.1 183.1
115 64.0 50.0 75.0




#5

2-Fluorophenol
Concen: 134.103 ng
RT: 5.12 min Scan# 363
Delta R.T. -0.01 min
Lab File: BM019994.D
Acq: 20 Apr 2019 06:05

Tgt Ion:112 Resp: 815927
Ion Ratio Lower Upper
112 100
64 62.7 49.1 73.7
63 34.9 26.5 39.7





#7

Phenol-d6

Concen: 108.488 ng

RT: 6.70 min Scan# 632

Delta R.T. -0.01 min

Lab File: BM019994.D

Acq: 20 Apr 2019 06:05

Instrument :

BNA_M

ClientSampleId :

SU-02-041819-A


Tgt Ion: 99 Resp: 993410

Ion Ratio Lower Upper

99 100

42 14.9 11.8 17.8




71 42.0 32.0 48.0



Abundance Ion 99.00 (98.70 to 99.70): BM019994.D (-616) (-)

Ion 42.00 (41.70 to 42.70): BM019994.D (-616) (-)

Ion 71.00 (70.70 to 71.70): BM019994.D (-616) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.29 min Scan# 1241

Delta R.T. -0.00 min

Lab File: BM019994.D

Acq: 20 Apr 2019 06:05

Tgt Ion: 136 Resp: 371671


Ion Ratio Lower Upper

136 100

137 10.3 9.0 13.6

54 6.6 5.3 7.9

68 6.0 5.2 7.8






Abundance Ion 136.00 (135.70 to 136.70): BM019994.D (-1224) (-)

Ion 137.00 (136.70 to 137.70): BM019994.D (-1224) (-)

Ion 54.00 (53.70 to 54.70): BM019994.D (-1224) (-)

Ion 68.00 (67.70 to 68.70): BM019994.D (-1224) (-)









#23
 Nitrobenzene-d5
 Concen: 93.483 ng
 RT: 8.68 min Scan# 968
 Delta R.T. -0.01 min
 Lab File: BM019994.D
 Acq: 20 Apr 2019 06:05

Instrument :
 BNA_M
 ClientSampleId :
 SU-02-041819-A

Tgt Ion	Ratio	Lower	Upper
82	100		
128	36.8	29.0	43.4
54	39.4	30.2	45.4




Abundance Ion 82.00 (81.70 to 82.70): BM019994.D (-952) (-)






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.18 min Scan# 1903
 Delta R.T. 0.01 min
 Lab File: BM019994.D
 Acq: 20 Apr 2019 06:05

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.6	83.0	124.4
160	47.2	36.6	55.0



Abundance Ion 164.00 (163.70 to 164.70): BM019994.D (-1885) (-)









#42
 2,4,6-Tribromophenol
 Concen: 139.450 ng
 RT: 15.69 min Scan# 2159
 Delta R.T. -0.01 min
 Lab File: BM019994.D
 Acq: 20 Apr 2019 06:05

Instrument :
 BNA_M
 ClientSampleId :
 SU-02-041819-A

Tgt Ion:330 Resp: 517410
 Ion Ratio Lower Upper
 330 100
 332 96.3 77.4 116.2
 141 38.6 29.0 43.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 88.711 ng
 RT: 12.78 min Scan# 1665
 Delta R.T. -0.01 min
 Lab File: BM019994.D
 Acq: 20 Apr 2019 06:05

Tgt Ion:172 Resp: 1640747
 Ion Ratio Lower Upper
 172 100
 171 35.1 28.9 43.3
 170 23.4 19.0 28.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.94 min Scan# 2373
Delta R.T. -0.00 min
Lab File: BM019994.D
Acq: 20 Apr 2019 06:05




Instrument :
BNA_M
ClientSampleId :
SU-02-041819-A


Tgt Ion:188 Resp: 546582
Ion Ratio Lower Upper
188 100
94 8.7 7.6 11.4
80 11.1 9.4 14.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.16 min Scan# 3090
Delta R.T. -0.00 min
Lab File: BM019994.D
Acq: 20 Apr 2019 06:05

Tgt Ion:240 Resp: 593415
Ion Ratio Lower Upper
240 100
120 9.6 8.6 13.0
236 26.8 21.4 32.2









#79
 Terphenyl-d14
 Concen: 99.787 ng
 RT: 19.59 min Scan# 2822
 Delta R.T. -0.01 min
 Lab File: BM019994.D
 Acq: 20 Apr 2019 06:05

Instrument :
 BNA_M
 ClientSampleId :
 SU-02-041819-A

Tgt Ion:244 Resp: 3357200
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.7 8.5
 122 11.3 9.1 13.7



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.35 min Scan# 3462
 Delta R.T. -0.00 min
 Lab File: BM019994.D
 Acq: 20 Apr 2019 06:05

Tgt Ion:264 Resp: 694094
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.2 28.8
 265 21.0 17.2 25.8

