

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042825\
 Data File : BM050025.D
 Acq On : 28 Apr 2025 13:09
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC005

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 04/29/2025
 Supervised By :Jagrut Upadhyay 04/29/2025

Quant Time: Apr 28 17:53:22 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042825.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 28 17:38:08 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.769	152	222427	20.000	ng	0.00
21) Naphthalene-d8	10.563	136	815362	20.000	ng	0.00
39) Acenaphthene-d10	14.410	164	578294	20.000	ng	0.00
64) Phenanthrene-d10	17.157	188	1183325	20.000	ng	0.00
76) Chrysene-d12	21.403	240	1136162	20.000	ng	0.00
86) Perylene-d12	24.403	264	1149910	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.363	112	119473	9.406	ng	0.00
7) Phenol-d6	6.957	99	143453	8.985	ng	0.00
23) Nitrobenzene-d5	8.928	82	157222	9.502	ng	0.00
42) 2,4,6-Tribromophenol	15.910	330	73192	8.560	ng	0.00
45) 2-Fluorobiphenyl	13.033	172	459031	9.390	ng	0.00
79) Terphenyl-d14	19.780	244	668289	8.704	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.257	88	28163	5.171	ng	98
3) Pyridine	3.669	79	66766	4.771	ng	98
4) n-Nitrosodimethylamine	3.575	42	27060	4.930	ng	# 92
6) Aniline	7.098	93	92126	4.570	ng	97
8) 2-Chlorophenol	7.345	128	64999	4.733	ng	99
9) Benzaldehyde	6.916	77	52286m	4.900	ng	
10) Phenol	6.987	94	75011	4.641	ng	99
11) bis(2-Chloroethyl)ether	7.192	93	67447	4.998	ng	98
12) 1,3-Dichlorobenzene	7.657	146	82466	4.971	ng	98
13) 1,4-Dichlorobenzene	7.804	146	84400	5.064	ng	97
14) 1,2-Dichlorobenzene	8.122	146	78966	4.905	ng	99
15) Benzyl Alcohol	8.022	79	48180	4.352	ng	95
16) 2,2'-oxybis(1-Chloropr...	8.298	45	82711	5.042	ng	93
17) 2-Methylphenol	8.234	107	47632	4.474	ng	99
18) Hexachloroethane	8.845	117	30717	5.185	ng	97
19) n-Nitroso-di-n-propyla...	8.575	70	49455	4.830	ng	98
20) 3+4-Methylphenols	8.575	107	63223	4.397	ng	# 91
22) Acetophenone	8.598	105	98358	4.852	ng	98
24) Nitrobenzene	8.975	77	68598	4.795	ng	94
25) Isophorone	9.498	82	135828	4.816	ng	98
26) 2-Nitrophenol	9.692	139	30257	4.140	ng	95
27) 2,4-Dimethylphenol	9.763	122	53660	4.427	ng	99
28) bis(2-Chloroethoxy)met...	9.986	93	82947	4.758	ng	99
29) 2,4-Dichlorophenol	10.263	162	59828	4.406	ng	97
30) 1,2,4-Trichlorobenzene	10.428	180	81624	4.934	ng	97
31) Naphthalene	10.616	128	204133	4.944	ng	98
33) 4-Chloroaniline	10.751	127	73542	4.345	ng	97
34) Hexachlorobutadiene	10.898	225	51529	4.907	ng	98
35) Caprolactam	11.522	113	18349m	4.634	ng	
36) 4-Chloro-3-methylphenol	11.886	107	58843	4.690	ng	97
37) 2-Methylnaphthalene	12.233	142	133679	4.829	ng	97
38) 1-Methylnaphthalene	12.451	142	143332	4.892	ng	99
40) 1,2,4,5-Tetrachloroben...	12.604	216	90168	4.504	ng	98
43) 2,4,6-Trichlorophenol	12.863	196	53748	4.233	ng	96
44) 2,4,5-Trichlorophenol	12.951	196	59224	4.325	ng	98
46) 1,1'-Biphenyl	13.245	154	206296	4.799	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042825\
 Data File : BM050025.D
 Acq On : 28 Apr 2025 13:09
 Operator : RC/JU
 Sample : SSTDICC005
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC005

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 04/29/2025
 Supervised By :Jagrut Upadhyay 04/29/2025

Quant Time: Apr 28 17:53:22 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042825.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Apr 28 17:38:08 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
47) 2-Chloronaphthalene	13.286	162	162803	4.782	ng	98
48) 2-Nitroaniline	13.504	65	34348	4.299	ng	91
49) Acenaphthylene	14.133	152	259406	4.832	ng	100
50) Dimethylphthalate	13.869	163	208800	4.941	ng	100
51) 2,6-Dinitrotoluene	13.992	165	38453	4.395	ng	94
52) Acenaphthene	14.474	154	150042	4.829	ng	99
53) 3-Nitroaniline	14.339	138	33713	4.036	ng	# 94
55) Dibenzofuran	14.816	168	252898	4.892	ng	99
57) 2,4-Dinitrotoluene	14.798	165	48901	4.044	ng	# 87
58) Fluorene	15.463	166	200542	4.739	ng	95
59) 2,3,4,6-Tetrachlorophenol	15.057	232	52899	4.463	ng	97
60) Diethylphthalate	15.233	149	198362	4.981	ng	98
61) 4-Chlorophenyl-phenyle...	15.457	204	107081	4.607	ng	94
62) 4-Nitroaniline	15.515	138	30138m	3.737	ng	
63) Azobenzene	15.751	77	161662	4.844	ng	98
66) n-Nitrosodiphenylamine	15.674	169	171608	4.723	ng	97
67) 4-Bromophenyl-phenylether	16.351	248	66000	4.612	ng	95
68) Hexachlorobenzene	16.468	284	78506	4.759	ng	99
69) Atrazine	16.627	200	58110	4.433	ng	99
71) Phenanthrene	17.198	178	317954	4.764	ng	99
72) Anthracene	17.292	178	314149	4.651	ng	99
73) Carbazole	17.574	167	268774	4.586	ng	99
74) Di-n-butylphthalate	18.127	149	327178	4.688	ng	100
75) Fluoranthene	19.221	202	348593	4.449	ng	99
78) Pyrene	19.586	202	366473	4.593	ng	99
80) Butylbenzylphthalate	20.480	149	138827	4.646	ng	97
81) Benzo(a)anthracene	21.380	228	363641	4.648	ng	99
82) 3,3'-Dichlorobenzidine	21.315	252	123375	4.119	ng	# 95
83) Chrysene	21.445	228	343085	4.738	ng	98
84) Bis(2-ethylhexyl)phtha...	21.297	149	206231	4.620	ng	96
85) Di-n-octyl phthalate	22.427	149	346799	4.711	ng	98
87) Indeno(1,2,3-cd)pyrene	27.803	276	373944	4.364	ng	# 87
88) Benzo(b)fluoranthene	23.456	252	324395	4.338	ng	99
89) Benzo(k)fluoranthene	23.515	252	350374m	4.631	ng	
90) Benzo(a)pyrene	24.262	252	314608	4.492	ng	98
91) Dibenzo(a,h)anthracene	27.856	278	303557	4.346	ng	98
92) Benzo(g,h,i)perylene	28.862	276	306571	4.585	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM042825\
Data File : BM050025.D
Acq On : 28 Apr 2025 13:09
Operator : RC/JU
Sample : SSTDICC005
Misc :
ALS Vial : 3 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
SSTDICC005

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025


Quant Time: Apr 28 17:53:22 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM042825.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Apr 28 17:38:08 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.769 min Scan# 813
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion: 152 Resp: 22242
Ion Ratio Lower Upper
152 100
150 152.9 124.1 186.1
115 51.5 41.2 61.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#2
1,4-Dioxane
Concen: 5.171 ng
RT: 3.257 min Scan# 46
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion: 88 Resp: 28163
Ion Ratio Lower Upper
88 100
58 67.8 55.1 82.7
43 27.3 20.9 31.3





#3
Pyridine
Concen: 4.771 ng
RT: 3.669 min Scan# 114
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion: 79 Resp: 66760
Ion Ratio Lower Upper
79 100
52 60.5 48.6 72.8
51 34.0 24.6 37.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#4
n-Nitrosodimethylamine
Concen: 4.930 ng
RT: 3.575 min Scan# 100
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Tgt Ion: 42 Resp: 27060
Ion Ratio Lower Upper
42 100
74 144.5 120.2 180.2
44 32.5 6.2 9.2#









#5
2-Fluorophenol
Concen: 9.406 ng
RT: 5.363 min Scan# 403
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Instrument :
BNA_M
ClientSampleId :
SSTDICC005

Tgt Ion: 112 Resp: 11947
Ion Ratio Lower Upper
112 100
64 54.4 42.6 64.0
63 30.2 22.2 33.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#6
Aniline
Concen: 4.570 ng
RT: 7.098 min Scan# 699
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Tgt Ion: 93 Resp: 92126
Ion Ratio Lower Upper
93 100
66 38.9 29.9 44.9
65 20.5 14.5 21.7





#7

Phenol-d6

Concen: 8.985 ng

RT: 6.957 min Scan# 61

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005

Tgt Ion: 99 Resp: 14345

Ion Ratio Lower Upper

99 100

42 15.6 13.0 19.4





71 30.9 25.6 38.4

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#8

2-Chlorophenol

Concen: 4.733 ng

RT: 7.345 min Scan# 741

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09




Tgt Ion:128 Resp: 64999


Ion Ratio Lower Upper

128 100

130 32.3 12.8 52.8

64 42.0 21.2 61.2





#9

Benzaldehyde

Concen: 4.900 ng m

RT: 6.916 min Scan# 6

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005

Tgt Ion: 77 Resp: 5228

Ion Ratio Lower Upper

77 100

105 103.4 80.5 120.5





106 94.6 76.1 116.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#10

Phenol

Concen: 4.641 ng

RT: 6.987 min Scan# 680

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09




Tgt Ion: 94 Resp: 75011


Ion Ratio Lower Upper

94 100

65 28.6 7.6 47.6

66 35.3 15.8 55.8









#11
bis(2-Chloroethyl)ether
Concen: 4.998 ng
RT: 7.192 min Scan# 715
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Instrument :
BNA_M
ClientSampleId :
SSTDICC005

Tgt Ion: 93 Resp: 6744
Ion Ratio Lower Upper
93 100
63 69.8 52.3 92.3
95 32.0 12.8 52.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#12
1,3-Dichlorobenzene
Concen: 4.971 ng
RT: 7.657 min Scan# 794
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Tgt Ion:146 Resp: 82466
Ion Ratio Lower Upper
146 100
148 66.8 52.5 78.7
75 29.2 22.6 34.0









#13
1,4-Dichlorobenzene
Concen: 5.064 ng
RT: 7.804 min Scan# 819
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Instrument :
BNA_M
ClientSampleId :
SSTDICC005

Tgt Ion:146 Resp: 84400
Ion Ratio Lower Upper
146 100
148 61.6 52.2 78.2
111 37.2 29.3 43.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#14
1,2-Dichlorobenzene
Concen: 4.905 ng
RT: 8.122 min Scan# 873
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:146 Resp: 78966
Ion Ratio Lower Upper
146 100
148 66.0 52.4 78.6
111 39.0 31.0 46.6





#15
Benzyl Alcohol
Concen: 4.352 ng
RT: 8.022 min Scan# 855
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion: 79 Resp: 48180
Ion Ratio Lower Upper
79 100
108 75.4 66.0 99.0
77 66.1 51.6 77.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.042 ng
RT: 8.298 min Scan# 903
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion: 45 Resp: 82711
Ion Ratio Lower Upper
45 100
77 20.5 0.0 36.4
79 14.5 0.0 32.7





#17
2-Methylphenol
Concen: 4.474 ng
RT: 8.234 min Scan# 890
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion:107 Resp: 47632
Ion Ratio Lower Upper
107 100
108 112.6 91.1 136.7
77 45.6 36.2 54.4
79 45.8 35.8 53.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#18
Hexachloroethane
Concen: 5.185 ng
RT: 8.845 min Scan# 996
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:117 Resp: 30717
Ion Ratio Lower Upper
117 100
119 97.9 77.3 115.9
201 124.0 102.8 154.2





#19
n-Nitroso-di-n-propylamine
Concen: 4.830 ng
RT: 8.575 min Scan# 91
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion: 70 Resp: 4945
Ion Ratio Lower Upper
70 100
42 50.7 40.5 60.7
101 8.2 7.8 11.6
130 19.5 17.4 26.2

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#20
3+4-Methylphenols
Concen: 4.397 ng
RT: 8.575 min Scan# 950
Delta R.T. 0.018 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:107 Resp: 63223
Ion Ratio Lower Upper
107 100
108 92.4 72.4 112.4
77 55.1 13.6 53.6#
79 32.3 9.2 49.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.563 min Scan# 1288
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:136 Resp: 815362
Ion Ratio Lower Upper
136 100
137 11.2 8.9 13.3
54 6.3 5.1 7.7
68 5.3 4.4 6.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#22
Acetophenone
Concen: 4.852 ng
RT: 8.598 min Scan# 954
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:105 Resp: 98358
Ion Ratio Lower Upper
105 100
71 2.2 1.7 2.5
51 24.3 18.6 27.8
120 24.0 18.3 27.5





#23
Nitrobenzene-d5
Concen: 9.502 ng
RT: 8.928 min Scan# 1010
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion: 82 Resp: 15722
Ion Ratio Lower Upper
82 100
128 42.6 35.7 53.5
54 43.3 35.4 53.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#24
Nitrobenzene
Concen: 4.795 ng
RT: 8.975 min Scan# 1018
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion: 77 Resp: 68598
Ion Ratio Lower Upper
77 100
123 42.2 37.9 56.9
65 13.3 10.1 15.1





#25
Isophorone
Concen: 4.816 ng
RT: 9.498 min Scan# 1107
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion: 82 Resp: 135828
Ion Ratio Lower Upper
82 100
95 7.0 5.7 8.5
138 18.2 15.5 23.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#26
2-Nitrophenol
Concen: 4.140 ng
RT: 9.692 min Scan# 1140
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:139 Resp: 30257
Ion Ratio Lower Upper
139 100
109 25.8 21.9 32.9
65 48.0 35.4 53.2





#27
2,4-Dimethylphenol
Concen: 4.427 ng
RT: 9.763 min Scan# 1152
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion:122 Resp: 53660
Ion Ratio Lower Upper
122 100
107 112.5 89.0 133.6
121 57.0 45.6 68.4




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#28
bis(2-Chloroethoxy)methane
Concen: 4.758 ng
RT: 9.986 min Scan# 1190
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion: 93 Resp: 82947
Ion Ratio Lower Upper
93 100
95 31.5 26.1 39.1
123 11.8 9.5 14.3





#29
2,4-Dichlorophenol
Concen: 4.406 ng
RT: 10.263 min Scan# 1237
Delta R.T. 0.035 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion:162 Resp: 59828
Ion Ratio Lower Upper
162 100
164 67.0 45.4 85.4
98 28.1 11.3 51.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#30
1,2,4-Trichlorobenzene
Concen: 4.934 ng
RT: 10.428 min Scan# 1265
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:180 Resp: 81624
Ion Ratio Lower Upper
180 100
182 99.4 77.0 115.4
145 26.2 20.6 30.8





#31
Naphthalene
Concen: 4.944 ng
RT: 10.616 min Scan# 1296
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:128 Resp: 20413
Ion Ratio Lower Upper
128 100
129 10.8 8.8 13.2
127 12.0 10.4 15.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#33
4-Chloroaniline
Concen: 4.345 ng
RT: 10.751 min Scan# 1320
Delta R.T. 0.023 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09



Tgt Ion:127 Resp: 73542
Ion Ratio Lower Upper
127 100
129 36.4 26.3 39.5
65 28.6 22.5 33.7
92 18.0 14.5 21.7





#34
Hexachlorobutadiene
Concen: 4.907 ng
RT: 10.898 min Scan# 11
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :





SSTDICC005

Tgt Ion:225 Resp: 51529
Ion Ratio Lower Upper
225 100
223 63.4 50.2 75.2
227 65.9 50.6 76.0

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#35
Caprolactam
Concen: 4.634 ng m
RT: 11.522 min Scan# 1451
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:113 Resp: 18349
Ion Ratio Lower Upper
113 100
55 148.1 122.9 162.9
56 111.8 88.1 128.1





#36
4-Chloro-3-methylphenol
Concen: 4.690 ng
RT: 11.886 min Scan# 1513
Delta R.T. 0.018 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:107 Resp: 5884
Ion Ratio Lower Upper
107 100
144 29.8 23.8 35.6
142 86.0 71.9 107.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#37
2-Methylnaphthalene
Concen: 4.829 ng
RT: 12.233 min Scan# 1572
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:142 Resp: 133679
Ion Ratio Lower Upper
142 100
141 84.9 70.4 105.6
115 30.7 25.4 38.2





#38
1-Methylnaphthalene
Concen: 4.892 ng
RT: 12.451 min Scan# 1608
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion:142 Resp: 14333
Ion Ratio Lower Upper
142 100
141 88.7 72.1 108.1
116 3.5 2.7 4.1




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.410 min Scan# 1942
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:164 Resp: 578294
Ion Ratio Lower Upper
164 100
162 98.6 79.4 119.0
160 44.6 36.2 54.4





#40
1,2,4,5-Tetrachlorobenzene
Concen: 4.504 ng
RT: 12.604 min Scan# 1635
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:216 Resp: 90168
Ion Ratio Lower Upper
216 100
214 79.1 62.3 93.5
179 20.2 15.4 23.0
108 15.3 11.7 17.5

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#42
2,4,6-Tribromophenol
Concen: 8.560 ng
RT: 15.910 min Scan# 2197
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:330 Resp: 73192
Ion Ratio Lower Upper
330 100
332 96.1 77.3 115.9
141 32.6 22.5 33.7





#43
2,4,6-Trichlorophenol
Concen: 4.233 ng
RT: 12.863 min Scan# 1678
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:196 Resp: 53748
Ion Ratio Lower Upper
196 100
198 102.6 79.0 118.6
200 28.7 25.1 37.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#44
2,4,5-Trichlorophenol
Concen: 4.325 ng
RT: 12.951 min Scan# 1694
Delta R.T. 0.018 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:196 Resp: 59224
Ion Ratio Lower Upper
196 100
198 97.4 76.7 115.1
97 38.4 30.1 45.1
132 23.0 16.6 25.0





#45
2-Fluorobiphenyl
Concen: 9.390 ng
RT: 13.033 min Scan# 1708
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:172 Resp: 45903
Ion Ratio Lower Upper
172 100
171 34.4 27.8 41.6
170 23.5 18.6 28.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#46
1,1'-Biphenyl
Concen: 4.799 ng
RT: 13.245 min Scan# 1744
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:154 Resp: 206296
Ion Ratio Lower Upper
154 100
153 41.2 20.0 60.0
76 11.8 0.0 30.3





#47
2-Chloronaphthalene
Concen: 4.782 ng
RT: 13.286 min Scan# 1751
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:162 Resp: 16280
Ion Ratio Lower Upper
162 100
127 31.2 25.9 38.9
164 32.6 26.6 40.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#48
2-Nitroaniline
Concen: 4.299 ng
RT: 13.504 min Scan# 1788
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09



Tgt Ion: 65 Resp: 34348
Ion Ratio Lower Upper
65 100
92 67.1 57.1 85.7
138 109.2 97.0 145.4





#49

Acenaphthylene

Concen: 4.832 ng

RT: 14.133 min Scan# 1895

Delta R.T. -0.000 min

Lab File: BM050025.D


Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005



Tgt Ion:152 Resp: 259400

Ion Ratio Lower Upper

152 100

151 19.8 15.8 23.8




153 12.9 10.6 15.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#50

Dimethylphthalate

Concen: 4.941 ng

RT: 13.869 min Scan# 1850

Delta R.T. -0.000 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09




Tgt Ion:163 Resp: 208800


Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2


164 10.2 8.2 12.2





#51
2,6-Dinitrotoluene
Concen: 4.395 ng
RT: 13.992 min Scan# 1871
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:165 Resp: 3845
Ion Ratio Lower Upper
165 100
63 48.5 35.1 52.7
89 51.9 38.4 57.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#52
Acenaphthene
Concen: 4.829 ng
RT: 14.474 min Scan# 1953
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09



Tgt Ion:154 Resp: 150042
Ion Ratio Lower Upper
154 100
153 112.3 89.0 133.4
152 55.2 43.0 64.6









#53
3-Nitroaniline
Concen: 4.036 ng
RT: 14.339 min Scan# 1928
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Instrument :
BNA_M
ClientSampleId :
SSTDICC005

Tgt Ion:138 Resp: 3371
Ion Ratio Lower Upper
138 100
108 15.1 7.4 11.2
92 110.8 84.0 126.0




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#55
Dibenzofuran
Concen: 4.892 ng
RT: 14.816 min Scan# 2011
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:168 Resp: 252898
Ion Ratio Lower Upper
168 100
139 33.1 26.1 39.1
169 13.5 10.8 16.2





#57
2,4-Dinitrotoluene
Concen: 4.044 ng
RT: 14.798 min Scan# 2006
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion:165 Resp: 4890
Ion Ratio Lower Upper
165 100
63 46.6 29.0 43.6
89 69.6 49.4 74.2
182 2.5 2.2 3.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#58
Fluorene
Concen: 4.739 ng
RT: 15.463 min Scan# 2121
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:166 Resp: 200542
Ion Ratio Lower Upper
166 100
165 101.8 76.6 115.0
167 13.4 10.6 16.0





#59
2,3,4,6-Tetrachlorophenol
Concen: 4.463 ng
RT: 15.057 min Scan# 2052
Delta R.T. 0.012 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:232 Resp: 5289
Ion Ratio Lower Upper
232 100
131 38.0 28.2 42.4
130 1.6 1.5 2.3
166 28.6 22.6 34.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#60
Diethylphthalate
Concen: 4.981 ng
RT: 15.233 min Scan# 2082
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:149 Resp: 198362
Ion Ratio Lower Upper
149 100
177 22.6 19.1 28.7
150 12.0 9.6 14.4





#61
4-Chlorophenyl-phenylether
Concen: 4.607 ng
RT: 15.457 min Scan# 2120
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:204 Resp: 10708
Ion Ratio Lower Upper
204 100
206 31.7 26.3 39.5
141 48.5 34.0 51.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#62
4-Nitroaniline
Concen: 3.737 ng m
RT: 15.515 min Scan# 2130
Delta R.T. 0.023 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:138 Resp: 30138
Ion Ratio Lower Upper
138 100
92 57.3 25.9 65.9
108 84.6 52.4 92.4





#63
Azobenzene
Concen: 4.844 ng
RT: 15.751 min Scan# 2169
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion: 77 Resp: 161662
Ion Ratio Lower Upper
77 100
182 31.6 10.5 50.5
105 21.7 1.1 41.1
51 24.8 6.3 46.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.157 min Scan# 2409
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Tgt Ion:188 Resp: 1183325
Ion Ratio Lower Upper
188 100
94 7.3 5.7 8.5
80 7.9 6.2 9.4





#66

n-Nitrosodiphenylamine

Concen: 4.723 ng

RT: 15.674 min Scan# 2156

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005

Tgt Ion:169 Resp: 171608

Ion Ratio Lower Upper

169 100

168 70.0 53.4 80.2





167 36.7 29.4 44.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#67

4-Bromophenyl-phenylether

Concen: 4.612 ng

RT: 16.351 min Scan# 2272

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09




Tgt Ion:248 Resp: 66000


Ion Ratio Lower Upper

248 100

250 99.9 76.2 114.2


141 60.8 45.9 68.9





#68
Hexachlorobenzene
Concen: 4.759 ng
RT: 16.468 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:284 Resp: 78500
Ion Ratio Lower Upper
284 100
142 30.1 23.9 35.9
249 29.9 24.5 36.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#69
Atrazine
Concen: 4.433 ng
RT: 16.627 min Scan# 2319
Delta R.T. 0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09



Tgt Ion:200 Resp: 58110
Ion Ratio Lower Upper
200 100
173 24.8 4.3 44.3
215 49.5 30.6 70.6





#71

Phenanthrene

Concen: 4.764 ng

RT: 17.198 min Scan# 2416

Delta R.T. -0.000 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005

Tgt Ion:178 Resp: 317954





Ion	Ratio	Lower	Upper
178	100		
176	19.4	15.3	22.9
179	14.8	12.4	18.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#72

Anthracene

Concen: 4.651 ng

RT: 17.292 min Scan# 2432




Delta R.T. -0.000 min


Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Tgt Ion:178 Resp: 314149

Ion	Ratio	Lower	Upper
178	100		
176	19.3	15.0	22.4
179	15.0	12.2	18.4





#73

Carbazole

Concen: 4.586 ng

RT: 17.574 min Scan# 2479

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005

Tgt Ion:167 Resp: 268774

Ion Ratio Lower Upper

167 100

166 21.0 17.2 25.8





139 11.7 9.0 13.6

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#74

Di-n-butylphthalate

Concen: 4.688 ng

RT: 18.127 min Scan# 2574

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09




Tgt Ion:149 Resp: 327178


Ion Ratio Lower Upper

149 100

150 9.1 7.3 10.9


104 4.4 3.8 5.6





#75
Fluoranthene
Concen: 4.449 ng
RT: 19.221 min Scan# 21
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:202 Resp: 34859
Ion Ratio Lower Upper
202 100
101 8.5 0.0 28.0
203 17.6 0.0 37.7

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.403 min Scan# 3131
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Tgt Ion:240 Resp: 1136162
Ion Ratio Lower Upper
240 100
120 8.2 6.5 9.7
236 25.6 20.9 31.3





#78
 Pyrene
 Concen: 4.593 ng
 RT: 19.586 min Scan# 2822
 Delta R.T. 0.006 min
 Lab File: BM050025.D
 Acq: 28 Apr 2025 13:09




Instrument :
 BNA_M
 ClientSampleId :
 SSTDICC005




Tgt Ion:202 Resp: 36647
 Ion Ratio Lower Upper
 202 100
 200 20.5 16.7 25.1
 203 16.9 14.1 21.1

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 04/29/2025
 Supervised By :Jagrut Upadhyay 04/29/2025




#79
 Terphenyl-d14
 Concen: 8.704 ng
 RT: 19.780 min Scan# 2855
 Delta R.T. -0.000 min
 Lab File: BM050025.D
 Acq: 28 Apr 2025 13:09



Tgt Ion:244 Resp: 668289
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.6 8.4
 122 8.7 5.6 8.4#





#80
Butylbenzylphthalate
Concen: 4.646 ng
RT: 20.480 min Scan# 2974
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :





SSTDICC005

Tgt Ion:149 Resp: 13882
Ion Ratio Lower Upper
149 100
91 61.7 47.4 71.2
206 23.4 19.4 29.0

Manual Integrations




APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#81
Benzo(a)anthracene
Concen: 4.648 ng
RT: 21.380 min Scan# 3127
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09

Tgt Ion:228 Resp: 363641
Ion Ratio Lower Upper
228 100
226 26.9 22.1 33.1
229 20.1 15.7 23.5





#82

3,3'-Dichlorobenzidine

Concen: 4.119 ng

RT: 21.315 min Scan# 3115

Delta R.T. 0.012 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005

Tgt Ion:252 Resp: 123375

Ion Ratio Lower Upper

252 100

254 61.0 51.8 77.6





126 9.9 6.0 9.0

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#83

Chrysene

Concen: 4.738 ng

RT: 21.445 min Scan# 3138

Delta R.T. -0.000 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09




Tgt Ion:228 Resp: 343085


Ion Ratio Lower Upper

228 100

226 29.1 24.2 36.2


229 18.7 15.7 23.5





#84
Bis(2-ethylhexyl)phthalate
Concen: 4.620 ng
RT: 21.297 min Scan# 3113
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005



Tgt Ion:149 Resp: 20623
Ion Ratio Lower Upper
149 100
167 28.0 24.1 36.1
279 4.1 3.9 5.9




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025



#85
Di-n-octyl phthalate
Concen: 4.711 ng
RT: 22.427 min Scan# 3305
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09


Tgt Ion:149 Resp: 346799
Ion Ratio Lower Upper
149 100
167 1.8 1.3 1.9
43 8.0 5.8 8.8





#86
Perylene-d12
Concen: 20.000 ng
RT: 24.403 min Scan# 30
Delta R.T. -0.000 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09




Instrument :
BNA_M
ClientSampleId :
SSTDICC005




Tgt Ion:264 Resp: 1149910
Ion Ratio Lower Upper
264 100
260 23.7 18.8 28.2
265 22.2 17.0 25.4

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 04/29/2025
Supervised By :Jagrut Upadhyay 04/29/2025




#87
Indeno(1,2,3-cd)pyrene
Concen: 4.364 ng
RT: 27.803 min Scan# 4219
Delta R.T. 0.006 min
Lab File: BM050025.D
Acq: 28 Apr 2025 13:09



Tgt Ion:276 Resp: 373944
Ion Ratio Lower Upper
276 100
138 8.9 16.4 24.6#
277 25.9 19.8 29.8





#88

Benzo(b)fluoranthene

Concen: 4.338 ng

RT: 23.456 min Scan# 3479

Delta R.T. 0.006 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005





Tgt Ion:252 Resp: 324395
 Ion Ratio Lower Upper
 252 100
 253 21.8 17.7 26.5
 125 8.7 6.1 9.1

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#89

Benzo(k)fluoranthene

Concen: 4.631 ng m




RT: 23.515 min Scan# 3490


Delta R.T. -0.000 min

Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Tgt Ion:252 Resp: 350374
 Ion Ratio Lower Upper
 252 100
 253 22.3 17.4 26.2
 125 9.5 5.8 8.8#





#90

Benzo(a)pyrene

Concen: 4.492 ng

RT: 24.262 min Scan# 30

Delta R.T. -0.000 min

Lab File: BM050025.D


Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005



Tgt Ion:252 Resp: 314608




Ion	Ratio	Lower	Upper
252	100		
253	21.0	17.4	26.0
125	9.7	6.6	9.8

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025



#91

Dibenzo(a,h)anthracene

Concen: 4.346 ng

RT: 27.856 min Scan# 4228




Delta R.T. 0.006 min


Lab File: BM050025.D

Acq: 28 Apr 2025 13:09

Tgt Ion:278 Resp: 303557

Ion	Ratio	Lower	Upper
278	100		
139	13.5	10.5	15.7
279	22.8	19.4	29.0





#92

Benzo(g,h,i)perylene

Concen: 4.585 ng

RT: 28.862 min Scan# 41

Delta R.T. 0.012 min

Lab File: BM050025.D


Acq: 28 Apr 2025 13:09

Instrument :

BNA_M

ClientSampleId :

SSTDICC005



Tgt Ion: 276 Resp: 30657

Ion Ratio Lower Upper

276 100

277 22.1 19.1 28.7

138 18.1 14.3 21.5

Manual Integrations

APPROVED

Reviewed By :Rahul Chavli 04/29/2025

Supervised By :Jagrut Upadhyay 04/29/2025

