

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM050319\
 Data File : BM020117.D
 Acq On : 03 May 2019 18:16
 Operator : JU/SJ
 Sample : K2584-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SSSI-0419-S-DH-7

Quant Time: May 03 18:54:10 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM043019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 01 03:58:37 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	114421	20.00	ng	0.00
21) Naphthalene-d8	10.57	136	392220	20.00	ng	-0.01
39) Acenaphthene-d10	14.43	164	230519	20.00	ng	0.00
64) Phenanthrene-d10	17.17	188	539422	20.00	ng	0.00
76) Chrysene-d12	21.36	240	569440	20.00	ng	-0.01
87) Perylene-d12	23.64	264	663538	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	1167819	166.83	ng	0.00
7) Phenol-d6	6.95	99	1639006	171.39	ng	0.00
23) Nitrobenzene-d5	8.95	82	1170340	117.80	ng	0.00
42) 2,4,6-Tribromophenol	15.92	330	676623	189.10	ng	0.00
45) 2-Fluorobiphenyl	13.05	172	2069512	110.46	ng	-0.01
79) Terphenyl-d14	19.80	244	3308727	101.35	ng	-0.01
Target Compounds						
10) Phenol	6.97	94	89605	8.704	ng	99
50) Dimethylphthalate	13.89	163	197999	10.106	ng	99
75) Fluoranthene	19.23	202	123500	3.278	ng	98
78) Pyrene	19.59	202	117427	3.071	ng	99
88) Benzo(b)fluoranthene	22.94	252	100656	2.297	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM050319\
Data File : BM020117.D
Acq On : 03 May 2019 18:16
Operator : JU/SJ
Sample : K2584-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SSSI-0419-S-DH-7

Quant Time: May 03 18:54:10 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM043019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 01 03:58:37 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.79 min Scan# 816
Delta R.T. -0.01 min
Lab File: BM020117.D
Acq: 03 May 2019 18:16

Instrument :
BNA_M
ClientSampleId :
SSSI-0419-S-DH-7

Tot Ion:152 Resp: 114421
Ion Ratio Lower Upper
152 100
150 153.3 119.8 179.8
115 60.8 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
Concen: 166.832 ng
RT: 5.36 min Scan# 404
Delta R.T. -0.01 min
Lab File: BM020117.D
Acq: 03 May 2019 18:16

Tgt Ion:112 Resp: 1167819
Ion Ratio Lower Upper
112 100
64 68.1 53.8 80.6
63 39.1 32.3 48.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 171.391 ng

RT: 6.95 min Scan# 674

Delta R.T. 0.00 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16

Instrument :

BNA_M

ClientSampleId :

SSSI-0419-S-DH-7





Tot Ion: 99 Resp: 1639006

Ion Ratio Lower Upper

99 100

42 15.7 14.2 21.2

71 49.4 40.3 60.5



#10

Phenol

Concen: 8.704 ng

RT: 6.97 min Scan# 678

Delta R.T. 0.00 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16


Tgt Ion: 94 Resp: 89605


Ion Ratio Lower Upper

94 100

65 37.3 17.0 57.0

66 53.5 34.5 74.5









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.57 min Scan# 1290
Delta R.T. -0.01 min
Lab File: BM020117.D
Acq: 03 May 2019 18:16




Instrument :
BNA_M
ClientSampleId :
SSSI-0419-S-DH-7


Tot Ion:136	Resp:	392220	
Ion Ratio	Lower	Upper	
136 100			
137 11.1	9.6	14.4	
54 6.9	5.5	8.3	
68 6.1	4.6	6.8	



#23
Nitrobenzene-d5
Concen: 117.804 ng
RT: 8.95 min Scan# 1014
Delta R.T. -0.01 min
Lab File: BM020117.D
Acq: 03 May 2019 18:16

Tgt Ion: 82	Resp: 1170340
Ion Ratio	Lower Upper
82 100	
128 31.1	25.2 37.8
54 37.9	31.9 47.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.43 min Scan# 1945

Delta R.T. -0.01 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16

Instrument :

BNA_M

ClientSampleId :

SSSI-0419-S-DH-7





Tot Ion:164 Resp: 230519

Ion Ratio Lower Upper

164 100

162 105.0 82.2 123.2

160 45.6 37.6 56.4



#42

2,4,6-Tribromophenol

Concen: 189.102 ng

RT: 15.92 min Scan# 2198

Delta R.T. -0.01 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16




Tgt Ion:330 Resp: 676623


Ion Ratio Lower Upper

330 100

332 96.8 76.8 115.2

141 33.6 29.2 43.8









#45
 2-Fluorobiphenyl
 Concen: 110.457 ng
 RT: 13.05 min Scan# 1710
 Delta R.T. -0.01 min
 Lab File: BM020117.D
 Acq: 03 May 2019 18:16

Instrument :
 BNA_M
 ClientSampleId :
 SSSI-0419-S-DH-7

Tot Ion:172 Resp: 2069512




Ion	Ratio	Lower	Upper
172	100		
171	35.4	27.3	40.9
170	23.4	17.9	26.9




#50
 Dimethylphthalate
 Concen: 10.106 ng
 RT: 13.89 min Scan# 1853
 Delta R.T. -0.01 min
 Lab File: BM020117.D
 Acq: 03 May 2019 18:16

Tgt Ion:163 Resp: 197999

Ion	Ratio	Lower	Upper
163	100		
194	4.5	3.6	5.4
164	10.2	8.4	12.6





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.17 min Scan# 2412

Delta R.T. -0.01 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16

Instrument :

BNA_M

ClientSampleId :

SSSI-0419-S-DH-7



Tot Ion:188 Resp: 539422

Ion Ratio Lower Upper

188 100

94 7.3 5.8 8.6



80 9.5 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#75

Fluoranthene

Concen: 3.278 ng

RT: 19.23 min Scan# 2761

Delta R.T. -0.01 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16



Tgt Ion:202 Resp: 123500

Ion Ratio Lower Upper

202 100

101 8.3 0.0 28.4


203 18.5 0.0 37.4




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.36 min Scan# 3123
Delta R.T. -0.01 min
Lab File: BM020117.D
Acq: 03 May 2019 18:16




Instrument :
BNA_M
ClientSampleId :
SSSI-0419-S-DH-7


Tot Ion	Ratio	Lower	Upper
240	100		
120	6.4	5.6	8.4
236	25.9	20.9	31.3



#78
Pyrene
Concen: 3.071 ng
RT: 19.59 min Scan# 2823
Delta R.T. -0.01 min
Lab File: BM020117.D
Acq: 03 May 2019 18:16

Tgt Ion	Ratio	Lower	Upper
202	100		
200	19.9	16.5	24.7
203	17.5	13.9	20.9





#79

Terphenyl-d14

Concen: 101.348 ng

RT: 19.80 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16

Instrument :


BNA_M

ClientSampleId :

SSSI-0419-S-DH-7

Tot Ion:244 Resp: 3308727




Ion	Ratio	Lower	Upper
244	100		
212	7.1	5.7	8.5
122	7.7	6.2	9.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.64 min Scan# 3512


Delta R.T. -0.01 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16

Tgt Ion:264 Resp: 663538



Ion	Ratio	Lower	Upper
264	100		
260	23.2	19.2	28.8
265	21.6	16.9	25.3




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E





#88

Benzo(b)fluoranthene

Concen: 2.297 ng

RT: 22.94 min Scan# 3393

Delta R.T. -0.02 min

Lab File: BM020117.D

Acq: 03 May 2019 18:16

Instrument :

BNA_M

ClientSampleId :

SSSI-0419-S-DH-7

Tot Ion: 252 Resp: 100656

Ion Ratio Lower Upper

252 100

253 23.1 17.5 26.3

125 11.4 5.4 8.2#

