

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM050719\
 Data File : BM020178.D
 Acq On : 07 May 2019 23:08
 Operator : JU/SJ
 Sample : K2704-04
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SB-2(33.5-35.5)

Quant Time: May 08 02:10:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM043019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 01 03:58:37 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	117096	20.00	ng	0.00
21) Naphthalene-d8	10.58	136	417671	20.00	ng	0.00
39) Acenaphthene-d10	14.43	164	249933	20.00	ng	0.00
64) Phenanthrene-d10	17.18	188	586940	20.00	ng	0.00
76) Chrysene-d12	21.36	240	623175	20.00	ng	-0.01
87) Perylene-d12	23.64	264	755276	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.37	112	1147048	160.12	ng	0.00
7) Phenol-d6	6.96	99	1590424	162.51	ng	0.00
23) Nitrobenzene-d5	8.95	82	1138696	107.63	ng	0.00
42) 2,4,6-Tribromophenol	15.92	330	691043	178.13	ng	0.00
45) 2-Fluorobiphenyl	13.05	172	2116662	104.20	ng	0.00
79) Terphenyl-d14	19.80	244	3442409	96.35	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.89	163	150280	7.075	ng	99
71) Phenanthrene	17.22	178	105939	3.270	ng	98
75) Fluoranthene	19.23	202	198900	4.852	ng	99
78) Pyrene	19.60	202	185029	4.422	ng	98
81) Benzo(a)anthracene	21.34	228	95732	2.191	ng	97
83) Chrysene	21.34	228	94086	2.220	ng	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM050719\
Data File : BM020178.D
Acq On : 07 May 2019 23:08
Operator : JU/SJ
Sample : K2704-04
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SB-2(33.5-35.5)

Quant Time: May 08 02:10:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM043019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 01 03:58:37 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.79 min Scan# 816
Delta R.T. -0.01 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08

Instrument :
BNA_M
ClientSampleId :
SB-2(33.5-35.5)

Tot Ion:152 Resp: 117096
Ion Ratio Lower Upper
152 100
150 157.3 119.8 179.8
115 62.0 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 160.121 ng
RT: 5.37 min Scan# 405
Delta R.T. 0.00 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08

Tgt Ion:112 Resp: 1147048
Ion Ratio Lower Upper
112 100
64 66.5 53.8 80.6
63 37.3 32.3 48.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 162.512 ng

RT: 6.96 min Scan# 675

Delta R.T. 0.01 min

Lab File: BM020178.D

Acq: 07 May 2019 23:08

Instrument :

BNA_M

ClientSampled :

SB-2(33.5-35.5)


Tot Ion: 99 Resp: 1590424

Ion Ratio Lower Upper

99 100

42 14.9 14.2 21.2




71 46.7 40.3 60.5



Abundance Ion 99.00 (98.70 to 99.70): BM020178.D (-657) (-)

Ion 42.00 (41.70 to 42.70): BM020178.D (-657) (-)

Ion 71.00 (70.70 to 71.70): BM020178.D (-657) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.58 min Scan# 1291

Delta R.T. -0.01 min

Lab File: BM020178.D

Acq: 07 May 2019 23:08

Tgt Ion: 136 Resp: 417671


Ion Ratio Lower Upper

136 100

137 11.3 9.6 14.4

54 6.1 5.5 8.3

68 6.0 4.6 6.8





Abundance Ion 136.00 (135.70 to 136.70): BM020178.D (-1275) (-)

Ion 137.00 (136.70 to 137.70): BM020178.D (-1275) (-)

Ion 54.00 (53.70 to 54.70): BM020178.D (-1275) (-)

Ion 68.00 (67.70 to 68.70): BM020178.D (-1275) (-)









#23
Nitrobenzene-d5
Concen: 107.635 ng
RT: 8.95 min Scan# 1014
Delta R.T. -0.01 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08




Instrument :
BNA_M
ClientSampleId :
SB-2(33.5-35.5)


Tot Ion: 82 Resp: 1138696
Ion Ratio Lower Upper
82 100
128 33.3 25.2 37.8
54 38.4 31.9 47.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.43 min Scan# 1946
Delta R.T. 0.00 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08

Tgt Ion:164 Resp: 249933
Ion Ratio Lower Upper
164 100
162 103.5 82.2 123.2
160 43.6 37.6 56.4









#42
 2,4,6-Tribromophenol
 Concen: 178.130 ng
 RT: 15.92 min Scan# 2199
 Delta R.T. 0.00 min
 Lab File: BM020178.D
 Acq: 07 May 2019 23:08




Instrument :
 BNA_M
 ClientSampleId :
 SB-2(33.5-35.5)


Tot Ion:330 Resp: 691043
 Ion Ratio Lower Upper
 330 100
 332 97.0 76.8 115.2
 141 33.0 29.2 43.8



#45
 2-Fluorobiphenyl
 Concen: 104.199 ng
 RT: 13.05 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BM020178.D
 Acq: 07 May 2019 23:08

Tgt Ion:172 Resp: 2116662
 Ion Ratio Lower Upper
 172 100
 171 34.2 27.3 40.9
 170 22.5 17.9 26.9





#50

Dimethylphthalate

Concen: 7.075 ng

RT: 13.89 min Scan# 1853

Delta R.T. -0.01 min

Lab File: BM020178.D

Acq: 07 May 2019 23:08

Instrument :

BNA_M

ClientSampleId :

SB-2(33.5-35.5)


Tot Ion:163 Resp: 150280

Ion Ratio Lower Upper

163 100

194 5.1 3.6 5.4




164 10.6 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.18 min Scan# 2413

Delta R.T. 0.00 min

Lab File: BM020178.D

Acq: 07 May 2019 23:08


Tgt Ion:188 Resp: 586940

Ion Ratio Lower Upper

188 100

94 7.2 5.8 8.6



80 8.4 7.4 11.2




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#71
Phenanthrene
Concen: 3.270 ng
RT: 17.22 min Scan# 2420
Delta R.T. 0.00 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08

Instrument :
BNA_M
ClientSampleId :
SB-2(33.5-35.5)

Tot Ion:178 Resp: 105939
Ion Ratio Lower Upper
178 100
176 18.9 14.6 21.8
179 14.8 12.4 18.6




Abundance Ion 178.00 (177.70 to 178.70): E
Ion 176.00 (175.70 to 176.70): E
Ion 179.00 (178.70 to 179.70): E






#75
Fluoranthene
Concen: 4.852 ng
RT: 19.23 min Scan# 2762
Delta R.T. -0.01 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08

Tgt Ion:202 Resp: 198900
Ion Ratio Lower Upper
202 100
101 9.1 0.0 28.4
203 17.0 0.0 37.4



Abundance Ion 202.00 (201.70 to 202.70): E
Ion 101.00 (100.70 to 101.70): E
Ion 203.00 (202.70 to 203.70): E









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.36 min Scan# 3123
Delta R.T. -0.01 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08




Instrument :
BNA_M
ClientSampleId :
SB-2(33.5-35.5)


Tot Ion:240 Resp: 623175
Ion Ratio Lower Upper
240 100
120 7.9 5.6 8.4
236 25.9 20.9 31.3



#78
Pyrene
Concen: 4.422 ng
RT: 19.60 min Scan# 2824
Delta R.T. -0.01 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08

Tgt Ion:202 Resp: 185029
Ion Ratio Lower Upper
202 100
200 21.1 16.5 24.7
203 18.5 13.9 20.9





#79

Terphenyl-d14

Concen: 96.350 ng

RT: 19.80 min Scan# 2859

Delta R.T. -0.01 min

Lab File: BM020178.D

Acq: 07 May 2019 23:08

Instrument :

BNA_M

ClientSampleId :

SB-2(33.5-35.5)


Tot Ion:244 Resp: 3442409

Ion Ratio Lower Upper

244 100

212 7.1 5.7 8.5




122 7.5 6.2 9.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#81

Benzo(a)anthracene

Concen: 2.191 ng

RT: 21.34 min Scan# 3121

Delta R.T. -0.01 min

Lab File: BM020178.D

Acq: 07 May 2019 23:08


Tgt Ion:228 Resp: 95732

Ion Ratio Lower Upper

228 100

226 26.7 21.3 31.9



229 22.0 15.5 23.3




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E









#83
Chrysene
Concen: 2.220 ng
RT: 21.34 min Scan# 3121
Delta R.T. -0.06 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08

Instrument :
BNA_M
ClientSampleId :
SB-2(33.5-35.5)

Tot Ion:228 Resp: 94086
Ion Ratio Lower Upper
228 100
226 26.7 23.0 34.6
229 22.0 15.5 23.3



#87
Perylene-d12
Concen: 20.000 ng
RT: 23.64 min Scan# 3512
Delta R.T. -0.01 min
Lab File: BM020178.D
Acq: 07 May 2019 23:08

Tgt Ion:264 Resp: 755276
Ion Ratio Lower Upper
264 100
260 23.7 19.2 28.8
265 22.3 16.9 25.3

