

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM051019\
 Data File : BM020237.D
 Acq On : 10 May 2019 12:15
 Operator : JU/SJ
 Sample : PB119288BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB119288BL

Quant Time: May 11 01:47:09 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM043019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 01 03:58:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	57250	20.00	ng	-0.02
21) Naphthalene-d8	10.57	136	220866	20.00	ng	-0.02
39) Acenaphthene-d10	14.42	164	153060	20.00	ng	-0.01
64) Phenanthrene-d10	17.17	188	403183	20.00	ng	-0.01
76) Chrysene-d12	21.36	240	447887	20.00	ng	-0.01
87) Perylene-d12	23.64	264	517923	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.36	112	566133	161.64	ng	-0.01
7) Phenol-d6	6.95	99	794840	166.12	ng	0.00
23) Nitrobenzene-d5	8.94	82	523208	93.52	ng	-0.02
42) 2,4,6-Tribromophenol	15.92	330	401389	168.95	ng	0.00
45) 2-Fluorobiphenyl	13.04	172	1177530	94.66	ng	-0.02
79) Terphenyl-d14	19.80	244	2535855	98.75	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM051019\
Data File : BM020237.D
Acq On : 10 May 2019 12:15
Operator : JU/SJ
Sample : PB119288BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB119288BL

Quant Time: May 11 01:47:09 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM043019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 01 03:58:37 2019
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.77 min Scan# 814
 Delta R.T. -0.02 min
 Lab File: BM020237.D
 Acq: 10 May 2019 12:15

Instrument :
 BNA_M
 ClientSampleId :
 PB119288BL

Tgt Ion:152 Resp: 57250
 Ion Ratio Lower Upper
 152 100
 150 153.2 119.8 179.8
 115 62.3 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 161.641 ng
 RT: 5.36 min Scan# 403
 Delta R.T. -0.01 min
 Lab File: BM020237.D
 Acq: 10 May 2019 12:15

Tgt Ion:112 Resp: 566133
 Ion Ratio Lower Upper
 112 100
 64 66.1 53.8 80.6
 63 35.6 32.3 48.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 166.119 ng

RT: 6.95 min Scan# 673

Delta R.T. -0.01 min

Lab File: BM020237.D

Acq: 10 May 2019 12:15

Instrument :

BNA_M

ClientSampleId :

PB119288BL


Tgt Ion: 99 Resp: 794840

Ion Ratio Lower Upper

99 100

42 14.0 14.2 21.2#

71 44.5 40.3 60.5



Abundance Ion 99.00 (98.70 to 99.70): BM020237.D (-657) (-)

Ion 42.00 (41.70 to 42.70): BM020237.D (-657) (-)

Ion 71.00 (70.70 to 71.70): BM020237.D (-657) (-)

6.95



400000

200000

0

6.85 6.90 6.95 7.00

Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.57 min Scan# 1289

Delta R.T. -0.02 min

Lab File: BM020237.D

Acq: 10 May 2019 12:15

Tgt Ion: 136 Resp: 220866


Ion Ratio Lower Upper

136 100

137 11.2 9.6 14.4

54 6.1 5.5 8.3

68 6.7 4.6 6.8



Abundance Ion 136.00 (135.70 to 136.70): BM020237.D (-1275) (-)

Ion 137.00 (136.70 to 137.70): BM020237.D (-1275) (-)

Ion 54.00 (53.70 to 54.70): BM020237.D (-1275) (-)

Ion 68.00 (67.70 to 68.70): BM020237.D (-1275) (-)

10.57

150000


100000

50000

0

10.50 10.55 10.60

Time-->









#23
 Nitrobenzene-d5
 Concen: 93.524 ng
 RT: 8.94 min Scan# 1012
 Delta R.T. -0.02 min
 Lab File: BM020237.D
 Acq: 10 May 2019 12:15




Instrument :
 BNA_M
 ClientSampleId :
 PB119288BL


Tgt Ion	Ratio	Lower	Upper
82	100		
128	33.4	25.2	37.8
54	37.0	31.9	47.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.42 min Scan# 1944
 Delta R.T. -0.01 min
 Lab File: BM020237.D
 Acq: 10 May 2019 12:15

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.1	82.2	123.2
160	43.7	37.6	56.4








#42
 2,4,6-Tribromophenol
 Concen: 168.950 ng
 RT: 15.92 min Scan# 2198
 Delta R.T. -0.01 min
 Lab File: BM020237.D
 Acq: 10 May 2019 12:15

Instrument :
 BNA_M
 ClientSampleId :
 PB119288BL

Tgt Ion:330 Resp: 401389
 Ion Ratio Lower Upper
 330 100
 332 97.0 76.8 115.2
 141 32.4 29.2 43.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 94.655 ng
 RT: 13.04 min Scan# 1709
 Delta R.T. -0.02 min
 Lab File: BM020237.D
 Acq: 10 May 2019 12:15

Tgt Ion:172 Resp: 1177530
 Ion Ratio Lower Upper
 172 100
 171 35.5 27.3 40.9
 170 22.6 17.9 26.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.17 min Scan# 2411
Delta R.T. -0.01 min
Lab File: BM020237.D
Acq: 10 May 2019 12:15

Instrument :
BNA_M
ClientSampleId :
PB119288BL

Tgt Ion:188 Resp: 403183
Ion Ratio Lower Upper
188 100
94 7.5 5.8 8.6
80 10.0 7.4 11.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM0
Ion 80.00 (79.70 to 80.70): BM0






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.36 min Scan# 3123
Delta R.T. -0.01 min
Lab File: BM020237.D
Acq: 10 May 2019 12:15

Tgt Ion:240 Resp: 447887
Ion Ratio Lower Upper
240 100
120 7.8 5.6 8.4
236 25.0 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 98.755 ng

RT: 19.80 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BM020237.D

Acq: 10 May 2019 12:15

Instrument :

BNA_M

ClientSampleId :

PB119288BL


Tgt Ion:244 Resp: 2535855

Ion Ratio Lower Upper




244 100

212 6.6 5.7 8.5

122 7.4 6.2 9.2



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.64 min Scan# 3512

Delta R.T. -0.01 min

Lab File: BM020237.D

Acq: 10 May 2019 12:15


Tgt Ion:264 Resp: 517923

Ion Ratio Lower Upper

264 100

260 22.8 19.2 28.8

265 22.3 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

