

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM051119\
 Data File : BM020277.D
 Acq On : 11 May 2019 17:55
 Operator : JU/SJ
 Sample : K2765-07
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 P026-SS003-1824-01

Quant Time: May 12 03:11:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM043019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 01 03:58:37 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	49016	20.00	ng	-0.02
21) Naphthalene-d8	10.56	136	168829	20.00	ng	-0.02
39) Acenaphthene-d10	14.42	164	101218	20.00	ng	-0.02
64) Phenanthrene-d10	17.16	188	246784	20.00	ng	-0.02
76) Chrysene-d12	21.35	240	280986	20.00	ng	-0.02
87) Perylene-d12	23.64	264	336466	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	415543	138.58	ng	-0.02
7) Phenol-d6	6.93	99	544915	133.02	ng	-0.02
23) Nitrobenzene-d5	8.93	82	367633	85.97	ng	-0.02
42) 2,4,6-Tribromophenol	15.90	330	214059	136.25	ng	-0.02
45) 2-Fluorobiphenyl	13.03	172	625862	76.08	ng	-0.03
79) Terphenyl-d14	19.79	244	1099849	68.27	ng	-0.02
Target Compounds						
50) Dimethylphthalate	13.87	163	108401	12.601	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM051119\
Data File : BM020277.D
Acq On : 11 May 2019 17:55
Operator : JU/SJ
Sample : K2765-07
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
P026-SS003-1824-01

Quant Time: May 12 03:11:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM043019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 01 03:58:37 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.77 min Scan# 813
Delta R.T. -0.02 min
Lab File: BM020277.D
Acq: 11 May 2019 17:55

Instrument :
BNA_M
ClientSampleId :
P026-SS003-1824-01

Tgt Ion:152 Resp: 49016
Ion Ratio Lower Upper
152 100
150 159.6 119.8 179.8
115 63.0 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 138.576 ng
RT: 5.35 min Scan# 402
Delta R.T. -0.02 min
Lab File: BM020277.D
Acq: 11 May 2019 17:55

Tgt Ion:112 Resp: 415543
Ion Ratio Lower Upper
112 100
64 63.7 53.8 80.6
63 34.8 32.3 48.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 133.016 ng

RT: 6.93 min Scan# 671

Delta R.T. -0.02 min

Lab File: BM020277.D

Acq: 11 May 2019 17:55

Instrument :

BNA_M

ClientSampleId :

P026-SS003-1824-01


Tgt Ion: 99 Resp: 544915

Ion Ratio Lower Upper

99 100

42 14.8 14.2 21.2



71 45.2 40.3 60.5



Abundance Ion 99.00 (98.70 to 99.70): BM020079.D (-667) (-)

Ion 42.00 (41.70 to 42.70): BM020079.D (-667) (-)

Ion 71.00 (70.70 to 71.70): BM020079.D (-667) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.56 min Scan# 1288

Delta R.T. -0.02 min

Lab File: BM020277.D

Acq: 11 May 2019 17:55

Tgt Ion: 136 Resp: 168829


Ion Ratio Lower Upper

136 100

137 11.6 9.6 14.4

54 6.2 5.5 8.3

68 6.3 4.6 6.8





Abundance Ion 136.00 (135.70 to 136.70): BM020079.D (-1283) (-)

Ion 137.00 (136.70 to 137.70): BM020079.D (-1283) (-)

Ion 54.00 (53.70 to 54.70): BM020079.D (-1283) (-)

Ion 68.00 (67.70 to 68.70): BM020079.D (-1283) (-)









#23
 Nitrobenzene-d5
 Concen: 85.970 ng
 RT: 8.93 min Scan# 1011
 Delta R.T. -0.02 min
 Lab File: BM020277.D
 Acq: 11 May 2019 17:55




Instrument :
 BNA_M
 ClientSampleId :
 P026-SS003-1824-01


Tgt Ion	Ratio	Lower	Upper
82	100		
128	34.1	25.2	37.8
54	37.5	31.9	47.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.42 min Scan# 1943
 Delta R.T. -0.02 min
 Lab File: BM020277.D
 Acq: 11 May 2019 17:55

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.6	82.2	123.2
160	47.8	37.6	56.4






#42
 2,4,6-Tribromophenol
 Concen: 136.248 ng
 RT: 15.90 min Scan# 2196
 Delta R.T. -0.02 min
 Lab File: BM020277.D
 Acq: 11 May 2019 17:55

Instrument :
 BNA_M
 ClientSampleId :
 P026-SS003-1824-01

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.3	76.8	115.2
141	32.7	29.2	43.8






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 76.077 ng
 RT: 13.03 min Scan# 1707
 Delta R.T. -0.03 min
 Lab File: BM020277.D
 Acq: 11 May 2019 17:55

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	27.3	40.9
170	22.5	17.9	26.9





Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 12.601 ng

RT: 13.87 min Scan# 1850

Delta R.T. -0.03 min

Lab File: BM020277.D

Acq: 11 May 2019 17:55

Instrument :

BNA_M

ClientSampleId :

P026-SS003-1824-01


Tgt Ion:163 Resp: 108401

Ion Ratio Lower Upper

163 100

194 4.0 3.6 5.4




164 9.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.16 min Scan# 2410

Delta R.T. -0.02 min

Lab File: BM020277.D

Acq: 11 May 2019 17:55


Tgt Ion:188 Resp: 246784

Ion Ratio Lower Upper

188 100

94 8.4 5.8 8.6



80 9.7 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0








#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.35 min Scan# 3122
Delta R.T. -0.02 min
Lab File: BM020277.D
Acq: 11 May 2019 17:55




Instrument :
BNA_M
ClientSampleId :
P026-SS003-1824-01


Tgt Ion	Ratio	Lower	Upper
240	100		
120	7.5	5.6	8.4
236	24.5	20.9	31.3



#79
Terphenyl-d14
Concen: 68.273 ng
RT: 19.79 min Scan# 2857
Delta R.T. -0.02 min
Lab File: BM020277.D
Acq: 11 May 2019 17:55

Tgt Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.7	8.5
122	7.6	6.2	9.2





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.64 min Scan# 3511
Delta R.T. -0.02 min
Lab File: BM020277.D
Acq: 11 May 2019 17:55

Instrument :
BNA_M
ClientSampleId :
P026-SS003-1824-01

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.8	19.2	28.8
265	21.3	16.9	25.3

