

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM051119\
 Data File : BM020285.D
 Acq On : 11 May 2019 22:44
 Operator : JU/SJ
 Sample : K2763-11
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 P021-SS006-1218-01

Quant Time: May 12 03:13:14 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM043019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 01 03:58:37 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	58865	20.00	ng	-0.03
21) Naphthalene-d8	10.56	136	201842	20.00	ng	-0.03
39) Acenaphthene-d10	14.41	164	123003	20.00	ng	-0.02
64) Phenanthrene-d10	17.16	188	300748	20.00	ng	-0.02
76) Chrysene-d12	21.35	240	332659	20.00	ng	-0.02
87) Perylene-d12	23.63	264	386570	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	533221	148.07	ng	-0.02
7) Phenol-d6	6.93	99	704956	143.29	ng	-0.02
23) Nitrobenzene-d5	8.93	82	483659	94.60	ng	-0.02
42) 2,4,6-Tribromophenol	15.91	330	288479	151.10	ng	-0.01
45) 2-Fluorobiphenyl	13.03	172	849185	84.94	ng	-0.03
79) Terphenyl-d14	19.79	244	1445865	75.81	ng	-0.02
Target Compounds						
50) Dimethylphthalate	13.87	163	71812	6.869	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM051119\
Data File : BM020285.D
Acq On : 11 May 2019 22:44
Operator : JU/SJ
Sample : K2763-11
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
P021-SS006-1218-01

Quant Time: May 12 03:13:14 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM043019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 01 03:58:37 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.76 min Scan# 812
 Delta R.T. -0.03 min
 Lab File: BM020285.D
 Acq: 11 May 2019 22:44

Instrument :
 BNA_M
 ClientSampleId :
 P021-SS006-1218-01

Tot Ion:152 Resp: 58865
 Ion Ratio Lower Upper
 152 100
 150 155.2 119.8 179.8
 115 68.3 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 148.067 ng
 RT: 5.35 min Scan# 402
 Delta R.T. -0.02 min
 Lab File: BM020285.D
 Acq: 11 May 2019 22:44

Tgt Ion:112 Resp: 533221
 Ion Ratio Lower Upper
 112 100
 64 63.9 53.8 80.6
 63 34.9 32.3 48.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 143.291 ng

RT: 6.93 min Scan# 671

Delta R.T. -0.02 min

Lab File: BM020285.D

Acq: 11 May 2019 22:44

Instrument :

BNA_M

ClientSampleId :

P021-SS006-1218-01


Tot Ion: 99 Resp: 704956

Ion Ratio Lower Upper

99 100

42 14.4 14.2 21.2



71 44.0 40.3 60.5



Abundance Ion 99.00 (98.70 to 99.70): BM020079.D (-667) (-)

Ion 42.00 (41.70 to 42.70): BM020079.D (-667) (-)

Ion 71.00 (70.70 to 71.70): BM020079.D (-667) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.56 min Scan# 1287

Delta R.T. -0.03 min

Lab File: BM020285.D

Acq: 11 May 2019 22:44

Tgt Ion: 136 Resp: 201842


Ion Ratio Lower Upper

136 100

137 10.8 9.6 14.4

54 6.3 5.5 8.3

68 7.1 4.6 6.8#





Abundance Ion 136.00 (135.70 to 136.70): BM020079.D (-1283) (-)

Ion 137.00 (136.70 to 137.70): BM020079.D (-1283) (-)

Ion 54.00 (53.70 to 54.70): BM020079.D (-1283) (-)

Ion 68.00 (67.70 to 68.70): BM020079.D (-1283) (-)









#23
Nitrobenzene-d5
Concen: 94.603 ng
RT: 8.93 min Scan# 1011
Delta R.T. -0.02 min
Lab File: BM020285.D
Acq: 11 May 2019 22:44

Instrument :
BNA_M
ClientSampleId :
P021-SS006-1218-01

Tot Ion	82	Resp	483659
Ion Ratio	100	Lower	Upper
128	34.0	25.2	37.8
54	37.6	31.9	47.9




Abundance Ion 82.00 (81.70 to 82.70): BM020079.D (-1007) (-)






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.41 min Scan# 1942
Delta R.T. -0.02 min
Lab File: BM020285.D
Acq: 11 May 2019 22:44

Tgt Ion	164	Resp	123003
Ion Ratio <td>100</td> <td>Lower</td> <td>Upper</td>	100	Lower	Upper
162	102.3	82.2	123.2
160	46.1	37.6	56.4



Abundance Ion 164.00 (163.70 to 164.70): BM020079.D (-1940) (-)






#42
 2,4,6-Tribromophenol
 Concen: 151.096 ng
 RT: 15.91 min Scan# 2197
 Delta R.T. -0.01 min
 Lab File: BM020285.D
 Acq: 11 May 2019 22:44

Instrument :
 BNA_M
 ClientSampleId :
 P021-SS006-1218-01

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.6	76.8	115.2
141	33.1	29.2	43.8





Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 84.942 ng
 RT: 13.03 min Scan# 1707
 Delta R.T. -0.03 min
 Lab File: BM020285.D
 Acq: 11 May 2019 22:44

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.7	27.3	40.9
170	22.8	17.9	26.9





Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 6.869 ng

RT: 13.87 min Scan# 1850

Delta R.T. -0.03 min

Lab File: BM020285.D

Acq: 11 May 2019 22:44

Instrument :

BNA_M

ClientSampleId :

P021-SS006-1218-01


Tot Ion:163 Resp: 71812

Ion Ratio Lower Upper

163 100

194 3.9 3.6 5.4




164 11.4 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.16 min Scan# 2410

Delta R.T. -0.02 min

Lab File: BM020285.D

Acq: 11 May 2019 22:44


Tgt Ion:188 Resp: 300748

Ion Ratio Lower Upper

188 100

94 6.9 5.8 8.6



80 9.6 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0








#76
 Chrvsene-d12
 Concen: 20.000 ng
 RT: 21.35 min Scan# 3122
 Delta R.T. -0.02 min
 Lab File: BM020285.D
 Acq: 11 May 2019 22:44




Instrument :
 BNA_M
 ClientSampleId :
 P021-SS006-1218-01


Tot Ion:240 Resp: 332659
 Ion Ratio Lower Upper
 240 100
 120 7.1 5.6 8.4
 236 25.5 20.9 31.3



#79
 Terphenyl-d14
 Concen: 75.811 ng
 RT: 19.79 min Scan# 2856
 Delta R.T. -0.02 min
 Lab File: BM020285.D
 Acq: 11 May 2019 22:44

Tgt Ion:244 Resp: 1445865
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.7 8.5
 122 8.1 6.2 9.2





#87
Pervlene-d12
Concen: 20.000 ng
RT: 23.63 min Scan# 3510
Delta R.T. -0.02 min
Lab File: BM020285.D
Acq: 11 May 2019 22:44

Instrument :
BNA_M
ClientSampleId :
P021-SS006-1218-01

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.2	28.8
265	21.9	16.9	25.3

