

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM051219\
 Data File : BM020299.D
 Acq On : 12 May 2019 15:31
 Operator : JU/SJ
 Sample : K2768-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 P026-SS014-0206-01

Quant Time: May 13 05:22:44 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM043019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 01 03:58:37 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	54398	20.00	ng	-0.03
21) Naphthalene-d8	10.56	136	176850	20.00	ng	-0.03
39) Acenaphthene-d10	14.41	164	108282	20.00	ng	-0.02
64) Phenanthrene-d10	17.16	188	264813	20.00	ng	-0.02
76) Chrysene-d12	21.34	240	321630	20.00	ng	-0.02
87) Perylene-d12	23.63	264	403046	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	446420	134.14	ng	-0.02
7) Phenol-d6	6.93	99	593641	130.57	ng	-0.02
23) Nitrobenzene-d5	8.93	82	401035	89.53	ng	-0.03
42) 2,4,6-Tribromophenol	15.90	330	224350	133.48	ng	-0.02
45) 2-Fluorobiphenyl	13.03	172	602182	68.42	ng	-0.03
79) Terphenyl-d14	19.79	244	1013852	54.98	ng	-0.02
Target Compounds						
50) Dimethylphthalate	13.87	163	81479	8.853	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM051219\
Data File : BM020299.D
Acq On : 12 May 2019 15:31
Operator : JU/SJ
Sample : K2768-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
P026-SS014-0206-01

Quant Time: May 13 05:22:44 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM043019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 01 03:58:37 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.76 min Scan# 812
Delta R.T. -0.03 min
Lab File: BM020299.D
Acq: 12 May 2019 15:31

Instrument :
BNA_M
ClientSampleId :
P026-SS014-0206-01

Tgt Ion:152 Resp: 54398
Ion Ratio Lower Upper
152 100
150 157.6 119.8 179.8
115 59.2 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 134.144 ng
RT: 5.35 min Scan# 401
Delta R.T. -0.02 min
Lab File: BM020299.D
Acq: 12 May 2019 15:31

Tgt Ion:112 Resp: 446420
Ion Ratio Lower Upper
112 100
64 66.0 53.8 80.6
63 36.5 32.3 48.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 130.574 ng

RT: 6.93 min Scan# 671

Delta R.T. -0.02 min

Lab File: BM020299.D

Acq: 12 May 2019 15:31

Instrument :

BNA_M

ClientSampleId :

P026-SS014-0206-01


Tgt Ion: 99 Resp: 593641

Ion Ratio Lower Upper

99 100

42 14.2 14.2 21.2#



71 43.8 40.3 60.5



Abundance Ion 99.00 (98.70 to 99.70): BM020299.D (-667) (-)

Ion 42.00 (41.70 to 42.70): BM020299.D (-667) (-)

Ion 71.00 (70.70 to 71.70): BM020299.D (-667) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.56 min Scan# 1287

Delta R.T. -0.03 min

Lab File: BM020299.D

Acq: 12 May 2019 15:31

Tgt Ion: 136 Resp: 176850


Ion Ratio Lower Upper

136 100

137 10.7 9.6 14.4

54 6.3 5.5 8.3

68 6.5 4.6 6.8





Abundance Ion 136.00 (135.70 to 136.70): BM020299.D (-1275) (-)

Ion 137.00 (136.70 to 137.70): BM020299.D (-1275) (-)

Ion 54.00 (53.70 to 54.70): BM020299.D (-1275) (-)

Ion 68.00 (67.70 to 68.70): BM020299.D (-1275) (-)








#23
 Nitrobenzene-d5
 Concen: 89.527 ng
 RT: 8.93 min Scan# 1010
 Delta R.T. -0.03 min
 Lab File: BM020299.D
 Acq: 12 May 2019 15:31




Instrument :
 BNA_M
 ClientSampleId :
 P026-SS014-0206-01


Tgt Ion	Ratio	Lower	Upper
82	100		
128	32.0	25.2	37.8
54	37.2	31.9	47.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.41 min Scan# 1942
 Delta R.T. -0.02 min
 Lab File: BM020299.D
 Acq: 12 May 2019 15:31

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.8	82.2	123.2
160	46.6	37.6	56.4








#42
 2,4,6-Tribromophenol
 Concen: 133.483 ng
 RT: 15.90 min Scan# 2196
 Delta R.T. -0.02 min
 Lab File: BM020299.D
 Acq: 12 May 2019 15:31

Instrument :
 BNA_M
 ClientSampleId :
 P026-SS014-0206-01

Tgt Ion:330 Resp: 224350
 Ion Ratio Lower Upper
 330 100
 332 97.3 76.8 115.2
 141 32.7 29.2 43.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 68.424 ng
 RT: 13.03 min Scan# 1707
 Delta R.T. -0.03 min
 Lab File: BM020299.D
 Acq: 12 May 2019 15:31

Tgt Ion:172 Resp: 602182
 Ion Ratio Lower Upper
 172 100
 171 34.7 27.3 40.9
 170 23.0 17.9 26.9



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 8.853 ng

RT: 13.87 min Scan# 1850

Delta R.T. -0.03 min

Lab File: BM020299.D

Acq: 12 May 2019 15:31

Instrument :

BNA_M

ClientSampleId :

P026-SS014-0206-01


Tgt Ion:163 Resp: 81479

Ion Ratio Lower Upper




163 100

194 4.9 3.6 5.4

164 10.5 8.4 12.6



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.16 min Scan# 2409

Delta R.T. -0.02 min

Lab File: BM020299.D

Acq: 12 May 2019 15:31


Tgt Ion:188 Resp: 264813

Ion Ratio Lower Upper



188 100


94 7.6 5.8 8.6

80 9.9 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM0
Ion 80.00 (79.70 to 80.70): BM0





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.34 min Scan# 3121

Delta R.T. -0.02 min

Lab File: BM020299.D

Acq: 12 May 2019 15:31

Instrument :

BNA_M

ClientSampleId :

P026-SS014-0206-01


Tgt Ion:240 Resp: 321630

Ion Ratio Lower Upper

240 100

120 7.6 5.6 8.4




236 25.8 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 54.982 ng

RT: 19.79 min Scan# 2856

Delta R.T. -0.02 min

Lab File: BM020299.D

Acq: 12 May 2019 15:31


Tgt Ion:244 Resp: 1013852

Ion Ratio Lower Upper

244 100

212 6.7 5.7 8.5



122 7.5 6.2 9.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.63 min Scan# 3510
Delta R.T. -0.02 min
Lab File: BM020299.D
Acq: 12 May 2019 15:31

Instrument :
BNA_M
ClientSampleId :
P026-SS014-0206-01

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.8	19.2	28.8
265	22.4	16.9	25.3

