

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM051419\
 Data File : BM020344.D
 Acq On : 14 May 2019 22:09
 Operator : JU/SJ
 Sample : K2841-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 051019-LIFT-F-D-S

Quant Time: May 15 03:51:14 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM043019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 01 03:58:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.76	152	53696	20.00	ng	-0.04
21) Naphthalene-d8	10.55	136	169827	20.00	ng	-0.04
39) Acenaphthene-d10	14.40	164	104917	20.00	ng	-0.03
64) Phenanthrene-d10	17.16	188	254322	20.00	ng	-0.02
76) Chrysene-d12	21.34	240	288043	20.00	ng	-0.02
87) Perylene-d12	23.63	264	344822	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.34	112	117901	35.89	ng	-0.03
7) Phenol-d6	6.93	99	79308	17.67	ng	-0.02
23) Nitrobenzene-d5	8.93	82	389579	90.57	ng	-0.03
42) 2,4,6-Tribromophenol	15.90	330	141810	87.08	ng	-0.02
45) 2-Fluorobiphenyl	13.02	172	768364	90.11	ng	-0.04
79) Terphenyl-d14	19.78	244	1354578	82.03	ng	-0.03


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM051419\
Data File : BM020344.D
Acq On : 14 May 2019 22:09
Operator : JU/SJ
Sample : K2841-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
051019-LIFT-F-D-S

Quant Time: May 15 03:51:14 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM043019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 01 03:58:37 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.76 min Scan# 811
Delta R.T. -0.04 min
Lab File: BM020344.D
Acq: 14 May 2019 22:09

Instrument :
BNA_M
ClientSampleId :
051019-LIFT-F-D-S

Tgt Ion:152 Resp: 53696
Ion Ratio Lower Upper
152 100
150 158.5 119.8 179.8
115 64.0 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 35.891 ng
RT: 5.34 min Scan# 400
Delta R.T. -0.03 min
Lab File: BM020344.D
Acq: 14 May 2019 22:09

Tgt Ion:112 Resp: 117901
Ion Ratio Lower Upper
112 100
64 61.7 53.8 80.6
63 34.0 32.3 48.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 17.672 ng

RT: 6.93 min Scan# 670

Delta R.T. -0.02 min

Lab File: BM020344.D

Acq: 14 May 2019 22:09

Instrument :

BNA_M

ClientSampleId :

051019-LIFT-F-D-S


Tgt Ion: 99 Resp: 79308

Ion Ratio Lower Upper

99 100

42 13.0 14.2 21.2#

71 42.4 40.3 60.5





Abundance Ion 99.00 (98.70 to 99.70): BM020344.D (-657) (-)

Ion 42.00 (41.70 to 42.70): BM020344.D (-657) (-)

Ion 71.00 (70.70 to 71.70): BM020344.D (-657) (-)

6.93

Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.55 min Scan# 1286

Delta R.T. -0.04 min

Lab File: BM020344.D

Acq: 14 May 2019 22:09

Tgt Ion: 136 Resp: 169827


Ion Ratio Lower Upper

136 100

137 10.9 9.6 14.4

54 6.5 5.5 8.3

68 6.2 4.6 6.8



Abundance Ion 136.00 (135.70 to 136.70): BM020344.D (-1275) (-)


Ion 137.00 (136.70 to 137.70): BM020344.D (-1275) (-)


Ion 54.00 (53.70 to 54.70): BM020344.D (-1275) (-)

Ion 68.00 (67.70 to 68.70): BM020344.D (-1275) (-)

10.55

Time-->









#23
Nitrobenzene-d5
Concen: 90.566 ng
RT: 8.93 min Scan# 1010
Delta R.T. -0.03 min
Lab File: BM020344.D
Acq: 14 May 2019 22:09




Instrument :
BNA_M
ClientSampleId :
051019-LIFT-F-D-S


Tgt Ion	Ratio	Lower	Upper
82	100		
128	34.1	25.2	37.8
54	35.7	31.9	47.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.40 min Scan# 1941
Delta R.T. -0.03 min
Lab File: BM020344.D
Acq: 14 May 2019 22:09

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.7	82.2	123.2
160	46.3	37.6	56.4






#42
 2,4,6-Tribromophenol
 Concen: 87.080 ng
 RT: 15.90 min Scan# 2195
 Delta R.T. -0.02 min
 Lab File: BM020344.D
 Acq: 14 May 2019 22:09

Instrument :
 BNA_M
 ClientSampleId :
 051019-LIFT-F-D-S

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.3	76.8	115.2
141	32.0	29.2	43.8






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 90.106 ng
 RT: 13.02 min Scan# 1706
 Delta R.T. -0.04 min
 Lab File: BM020344.D
 Acq: 14 May 2019 22:09

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.2	27.3	40.9
170	22.7	17.9	26.9






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.16 min Scan# 2409
 Delta R.T. -0.02 min
 Lab File: BM020344.D
 Acq: 14 May 2019 22:09

Instrument :
 BNA_M
 ClientSampleId :
 051019-LIFT-F-D-S

Tgt Ion:188 Resp: 254322
 Ion Ratio Lower Upper
 188 100
 94 7.2 5.8 8.6
 80 9.7 7.4 11.2




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BM
 Ion 80.00 (79.70 to 80.70): BM






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.34 min Scan# 3121
 Delta R.T. -0.02 min
 Lab File: BM020344.D
 Acq: 14 May 2019 22:09

Tgt Ion:240 Resp: 288043
 Ion Ratio Lower Upper
 240 100
 120 6.9 5.6 8.4
 236 24.6 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 82.025 ng

RT: 19.78 min Scan# 2855

Delta R.T. -0.03 min

Lab File: BM020344.D

Acq: 14 May 2019 22:09

Instrument :

BNA_M

ClientSampleId :

051019-LIFT-F-D-S


Tgt Ion:244 Resp: 1354578

Ion Ratio Lower Upper

244 100

212 6.8 5.7 8.5




122 7.8 6.2 9.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.63 min Scan# 3509

Delta R.T. -0.03 min

Lab File: BM020344.D

Acq: 14 May 2019 22:09


Tgt Ion:264 Resp: 344822

Ion Ratio Lower Upper

264 100

260 22.5 19.2 28.8

265 21.3 16.9 25.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

