

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052319\
 Data File : BM020540.D
 Acq On : 24 May 2019 05:48
 Operator : JU/SJ
 Sample : K2997-05
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DPC-81626-FB-05

Quant Time: May 24 07:03:13 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM043019.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 23 13:59:00 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.66	152	51479	20.00	ng	-0.01
21) Naphthalene-d8	10.46	136	166073	20.00	ng	0.00
39) Acenaphthene-d10	14.32	164	99488	20.00	ng	-0.01
64) Phenanthrene-d10	17.08	188	261565	20.00	ng	0.00
76) Chrysene-d12	21.27	240	319333	20.00	ng	-0.01
87) Perylene-d12	23.52	264	391212	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	205586	65.28	ng	0.00
7) Phenol-d6	6.84	99	273142	63.49	ng	-0.01
23) Nitrobenzene-d5	8.83	82	183319	43.58	ng	-0.01
42) 2,4,6-Tribromophenol	15.82	330	114432	74.10	ng	-0.01
45) 2-Fluorobiphenyl	12.93	172	392112	48.49	ng	-0.01
79) Terphenyl-d14	19.71	244	793947	43.37	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM052319\
Data File : BM020540.D
Acq On : 24 May 2019 05:48
Operator : JU/SJ
Sample : K2997-05
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DPC-81626-FB-05

Quant Time: May 24 07:03:13 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM043019.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 23 13:59:00 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.66 min Scan# 795
Delta R.T. -0.01 min
Lab File: BM020540.D
Acq: 24 May 2019 05:48

Instrument :
BNA_M
ClientSampleId :
DPC-81626-FB-05

Tot Ion:152 Resp: 51479
Ion Ratio Lower Upper
152 100
150 153.1 119.8 179.8
115 61.9 50.8 76.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 65.279 ng
RT: 5.25 min Scan# 384
Delta R.T. -0.01 min
Lab File: BM020540.D
Acq: 24 May 2019 05:48

Tgt Ion:112 Resp: 205586
Ion Ratio Lower Upper
112 100
64 62.0 53.8 80.6
63 35.0 32.3 48.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 63.485 ng

RT: 6.84 min Scan# 655

Delta R.T. -0.01 min

Lab File: BM020540.D

Acq: 24 May 2019 05:48

Instrument :





BNA_M

ClientSampleId :

DPC-81626-FB-05

Tot Ion: 99 Resp: 273142

Ion	Ratio	Lower	Upper
99	100		
42	13.2	14.2	21.2#
71	45.8	40.3	60.5



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.46 min Scan# 1270




Delta R.T. -0.01 min


Lab File: BM020540.D

Acq: 24 May 2019 05:48

Tgt Ion: 136 Resp: 166073

Ion	Ratio	Lower	Upper
136	100		
137	10.7	9.6	14.4
54	5.8	5.5	8.3
68	6.7	4.6	6.8









#23
 Nitrobenzene-d5
 Concen: 43.580 ng
 RT: 8.83 min Scan# 994
 Delta R.T. -0.01 min
 Lab File: BM020540.D
 Acq: 24 May 2019 05:48




Instrument :
 BNA_M
 ClientSampleId :
 DPC-81626-FB-05


Tot Ion	Ratio	Lower	Upper
82	100		
128	32.3	25.2	37.8
54	34.6	31.9	47.9



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.32 min Scan# 1927
 Delta R.T. -0.01 min
 Lab File: BM020540.D
 Acq: 24 May 2019 05:48

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.6	82.2	123.2
160	48.4	37.6	56.4









#42
 2,4,6-Tribromophenol
 Concen: 74.102 ng
 RT: 15.82 min Scan# 2182
 Delta R.T. -0.01 min
 Lab File: BM020540.D
 Acq: 24 May 2019 05:48




Instrument :
 BNA_M
 ClientSampleId :
 DPC-81626-FB-05


Tot Ion:330 Resp: 114432
 Ion Ratio Lower Upper
 330 100
 332 95.8 76.8 115.2
 141 29.2 29.2 43.8



#45
 2-Fluorobiphenyl
 Concen: 48.492 ng
 RT: 12.93 min Scan# 1691
 Delta R.T. -0.01 min
 Lab File: BM020540.D
 Acq: 24 May 2019 05:48

Tgt Ion:172 Resp: 392112
 Ion Ratio Lower Upper
 172 100
 171 35.8 27.3 40.9
 170 22.9 17.9 26.9





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.08 min Scan# 2396

Delta R.T. -0.01 min

Lab File: BM020540.D

Acq: 24 May 2019 05:48

Instrument :

BNA_M

ClientSampleId :

DPC-81626-FB-05


Tot Ion:188 Resp: 261565

Ion Ratio Lower Upper

188 100

94 6.3 5.8 8.6




80 7.5 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.27 min Scan# 3109

Delta R.T. -0.01 min

Lab File: BM020540.D

Acq: 24 May 2019 05:48


Tgt Ion:240 Resp: 319333

Ion Ratio Lower Upper

240 100

120 5.4 5.6 8.4#



236 25.7 20.9 31.3




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 43.366 ng
 RT: 19.71 min Scan# 2843
 Delta R.T. -0.01 min
 Lab File: BM020540.D
 Acq: 24 May 2019 05:48

Instrument :
 BNA_M
 ClientSampleId :
 DPC-81626-FB-05

Tot Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.7	8.5
122	6.0	6.2	9.2



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.52 min Scan# 3490
 Delta R.T. -0.02 min
 Lab File: BM020540.D
 Acq: 24 May 2019 05:48

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.2	28.8
265	22.5	16.9	25.3

