

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM053019\
 Data File : BM020618.D
 Acq On : 30 May 2019 03:43
 Operator : JU/SJ
 Sample : K3050-04
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 052319-SBOA-E-U-B

Manual Integrations
 APPROVED

mohammad
 5/30/2019 8:17:03 AM

Quant Time: May 30 05:30:58 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM052419.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 30 02:15:06 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	35647	20.00	ng	0.00
21) Naphthalene-d8	10.42	136	105632	20.00	ng	0.00
39) Acenaphthene-d10	14.28	164	80681	20.00	ng	0.00
64) Phenanthrene-d10	17.04	188	203363	20.00	ng	0.00
76) Chrysene-d12	21.23	240	278166	20.00	ng	0.00
87) Perylene-d12	23.46	264	340822	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	76823	42.28	ng	0.00
7) Phenol-d6	6.80	99	60055m	21.90	ng	0.00
23) Nitrobenzene-d5	8.79	82	258946	102.89	ng	0.00
42) 2,4,6-Tribromophenol	15.79	330	110443	68.33	ng	0.00
45) 2-Fluorobiphenyl	12.90	172	609284	94.76	ng	0.00
79) Terphenyl-d14	19.67	244	1468126	95.41	ng	0.00

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM053019\
Data File : BM020618.D
Acq On : 30 May 2019 03:43
Operator : JU/SJ
Sample : K3050-04
Misc :
ALS Vial : 21 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
052319-SBOA-E-U-B

Manual Integrations
APPROVED

mohammad
5/30/2019 8:17:03 AM

Quant Time: May 30 05:30:58 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM052419.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 30 02:15:06 2019
Response via : Initial Calibration





#1


1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.62 min Scan# 788
Delta R.T. -0.01 min
Lab File: BM020618.D
Acq: 30 May 2019 03:43

Instrument :
BNA_M
ClientSampleId :
052319-SBOA-E-U-B

Tot Ion	Ratio	Lower	Upper
152	100		
150	159.7	126.6	190.0
115	62.3	46.6	70.0

Manual Integrations
APPROVED

mohammad
5/30/2019 8:17:03 AM






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 42.279 ng
RT: 5.20 min Scan# 377
Delta R.T. -0.00 min
Lab File: BM020618.D
Acq: 30 May 2019 03:43

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.0	48.6	73.0
63	37.0	27.4	41.0






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 21.898 ng/mL

RT: 6.80 min Scan# 649

Delta R.T. -0.00 min

Lab File: BM020618.D

Acq: 30 May 2019 03:43

Instrument :

BNA_M





ClientSampleId :

052319-SBOA-E-U-B

Tot Ion:	99	Resp:	60055
Ion Ratio	Lower	Upper	
99	100		
42	16.5	10.8	16.2#
71	48.5	36.3	54.5

Manual Integrations
APPROVED

mohammad
5/30/2019 8:17:03 AM



#21

Naphthalene-d8

Concen: 20.000 ng/mL




RT: 10.42 min Scan# 1263


Delta R.T. -0.00 min

Lab File: BM020618.D

Acq: 30 May 2019 03:43

Tgt Ion:	136	Resp:	105632
Ion Ratio	Lower	Upper	
136	100		
137	10.4	8.4	12.6
54	5.8	4.2	6.4
68	5.2	4.6	7.0









#23
Nitrobenzene-d5
Concen: 102.892 ng
RT: 8.79 min Scan# 987
Delta R.T. -0.01 min
Lab File: BM020618.D
Acq: 30 May 2019 03:43

Instrument :
BNA_M
ClientSampleId :
052319-SBOA-E-U-B

Tot Ion	82	Resp	258946
Ion	Ratio	Lower	Upper
82	100		
128	30.0	27.0	40.4
54	36.6	27.4	41.2




Manual Integrations
APPROVED


mohammad
5/30/2019 8:17:03 AM



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.28 min Scan# 1920
Delta R.T. -0.01 min
Lab File: BM020618.D
Acq: 30 May 2019 03:43

Tgt Ion	164	Resp	80681
Ion	Ratio	Lower	Upper
164	100		
162	99.2	79.8	119.8
160	51.2	35.9	53.9





#42

2,4,6-Tribromophenol

Concen: 68.326 ng

RT: 15.79 min Scan# 2176

Delta R.T. -0.00 min

Lab File: BM020618.D

Acq: 30 May 2019 03:43

Instrument :

BNA_M


ClientSampleId :

052319-SBOA-E-U-B




Tot Ion:	330	Resp:	110443
Ion Ratio	Lower	Upper	
330	100		
332	96.8	77.5	116.3
141	28.3	21.7	32.5

Manual Integrations
APPROVED

mohammad
5/30/2019 8:17:03 AM



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 94.760 ng


RT: 12.90 min Scan# 1685

Delta R.T. -0.00 min



Lab File: BM020618.D


Acq: 30 May 2019 03:43

Tgt Ion:	172	Resp:	609284
Ion Ratio	Lower	Upper	
172	100		
171	35.6	27.9	41.9
170	23.5	18.2	27.4



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.04 min Scan# 2389

Delta R.T. -0.00 min

Lab File: BM020618.D

Acq: 30 May 2019 03:43

Instrument :

BNA_M


ClientSampleId :

052319-SBOA-E-U-B




Tot Ion:	188	Resp:	203363
Ion Ratio	Lower	Upper	
188	100		
94	5.4	5.0	7.4
80	7.3	6.5	9.7

Manual Integrations
APPROVED

mohammad
5/30/2019 8:17:03 AM



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.23 min Scan# 3102




Delta R.T. -0.01 min


Lab File: BM020618.D

Acq: 30 May 2019 03:43

Tgt Ion:	240	Resp:	278166
Ion Ratio	Lower	Upper	
240	100		
120	4.8	4.1	6.1
236	25.7	20.2	30.4

Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 95.413 ng
 RT: 19.67 min Scan# 2837
 Delta R.T. -0.00 min
 Lab File: BM020618.D
 Acq: 30 May 2019 03:43

Instrument :
 BNA_M
 ClientSampleId :
 052319-SBOA-E-U-B

Tot Ion	Ratio	Lower	Upper
244	100		
212	7.0	5.0	7.6
122	5.0	4.6	7.0

Manual Integrations
 APPROVED

mohammad
 5/30/2019 8:17:03 AM



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.46 min Scan# 3480
 Delta R.T. -0.01 min
 Lab File: BM020618.D
 Acq: 30 May 2019 03:43

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.9	17.7	26.5
265	21.3	17.4	26.2

