

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM053119\
 Data File : BM020640.D
 Acq On : 31 May 2019 22:00
 Operator : JU/SJ
 Sample : K3072-07
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TP-7

Quant Time: Jun 01 04:09:44 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 31 15:48:49 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	276226	20.00	ng	0.00
21) Naphthalene-d8	10.63	136	1102022	20.00	ng	0.00
39) Acenaphthene-d10	14.47	164	553325	20.00	ng	0.00
64) Phenanthrene-d10	17.22	188	1086293	20.00	ng	0.00
76) Chrysene-d12	21.39	240	957685	20.00	ng	0.00
87) Perylene-d12	23.69	264	1119936	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	2262893	144.11	ng	0.00
7) Phenol-d6	7.00	99	3135469	135.60	ng	0.00
23) Nitrobenzene-d5	9.00	82	1927309	90.61	ng	0.00
42) 2,4,6-Tribromophenol	15.96	330	883357	128.85	ng	0.00
45) 2-Fluorobiphenyl	13.09	172	3635492	87.35	ng	0.00
79) Terphenyl-d14	19.84	244	4140102	72.31	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.93	163	443634	9.384	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM053119\
Data File : BM020640.D
Acq On : 31 May 2019 22:00
Operator : JU/SJ
Sample : K3072-07
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TP-7

Quant Time: Jun 01 04:09:44 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 31 15:48:49 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.83 min Scan# 824
Delta R.T. 0.00 min
Lab File: BM020640.D
Acq: 31 May 2019 22:00

Instrument :
BNA_M
ClientSampleId :
TP-7

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.3	126.0	189.0
115	60.5	49.6	74.4






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 144.106 ng
RT: 5.42 min Scan# 413
Delta R.T. 0.00 min
Lab File: BM020640.D
Acq: 31 May 2019 22:00

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.2	49.7	74.5
63	33.7	26.4	39.6






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 135.605 ng

RT: 7.00 min Scan# 682

Delta R.T. 0.01 min

Lab File: BM020640.D

Acq: 31 May 2019 22:00

Instrument :

BNA_M

ClientSampled :

TP-7


Tot Ion: 99 Resp: 3135469

Ion Ratio Lower Upper

99 100

42 19.8 16.5 24.7




71 38.1 30.7 46.1



Abundance Ion 99.00 (98.70 to 99.70): BM020627.D (-672) (-)

Ion 42.00 (41.70 to 42.70): BM020627.D (-672) (-)

Ion 71.00 (70.70 to 71.70): BM020627.D (-672) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.63 min Scan# 1299

Delta R.T. 0.00 min

Lab File: BM020640.D

Acq: 31 May 2019 22:00

Tgt Ion: 136 Resp: 1102022


Ion Ratio Lower Upper

136 100

137 10.5 8.8 13.2

54 7.9 6.6 10.0

68 6.1 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): BM020627.D (-1290) (-)

Ion 137.00 (136.70 to 137.70): BM020627.D (-1290) (-)

Ion 54.00 (53.70 to 54.70): BM020627.D (-1290) (-)

Ion 68.00 (67.70 to 68.70): BM020627.D (-1290) (-)









#23
 Nitrobenzene-d5
 Concen: 90.613 ng
 RT: 9.00 min Scan# 1022
 Delta R.T. 0.00 min
 Lab File: BM020640.D
 Acq: 31 May 2019 22:00




Instrument :
 BNA_M
 ClientSampled :
 TP-7


Tot Ion: 82 Resp: 1927309
 Ion Ratio Lower Upper
 82 100
 128 40.1 31.5 47.3
 54 49.5 39.4 59.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.47 min Scan# 1952
 Delta R.T. -0.01 min
 Lab File: BM020640.D
 Acq: 31 May 2019 22:00

Tgt Ion: 164 Resp: 553325
 Ion Ratio Lower Upper
 164 100
 162 104.2 83.2 124.8
 160 46.5 37.5 56.3






#42
 2,4,6-Tribromophenol
 Concen: 128.851 ng
 RT: 15.96 min Scan# 2205
 Delta R.T. -0.01 min
 Lab File: BM020640.D
 Acq: 31 May 2019 22:00

Instrument :
 BNA_M
 ClientSampled :
 TP-7

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.5	77.4	116.0
141	38.0	30.4	45.6






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 87.348 ng
 RT: 13.09 min Scan# 1718
 Delta R.T. 0.00 min
 Lab File: BM020640.D
 Acq: 31 May 2019 22:00

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.6	43.0
170	23.6	18.9	28.3






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 9.384 ng

RT: 13.93 min Scan# 1860

Delta R.T. -0.01 min

Lab File: BM020640.D

Acq: 31 May 2019 22:00

Instrument :

BNA_M

ClientSampleId :

TP-7


Tot Ion:163 Resp: 443634

Ion Ratio Lower Upper

163 100

194 3.8 3.2 4.8




164 9.6 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.22 min Scan# 2419

Delta R.T. 0.00 min

Lab File: BM020640.D

Acq: 31 May 2019 22:00


Tgt Ion:188 Resp: 1086293

Ion Ratio Lower Upper

188 100

94 9.3 7.8 11.8



80 11.0 9.0 13.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.39 min Scan# 3129
Delta R.T. -0.01 min
Lab File: BM020640.D
Acq: 31 May 2019 22:00

Instrument :
BNA_M
ClientSampleId :
TP-7

Tot Ion:240 Resp: 957685
Ion Ratio Lower Upper
240 100
120 11.3 8.2 12.2
236 26.6 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 72.309 ng
RT: 19.84 min Scan# 2865
Delta R.T. -0.01 min
Lab File: BM020640.D
Acq: 31 May 2019 22:00

Tgt Ion:244 Resp: 4140102
Ion Ratio Lower Upper
244 100
212 7.1 5.7 8.5
122 10.5 7.2 10.8



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 23.69 min Scan# 3519
Delta R.T. 0.00 min
Lab File: BM020640.D
Acq: 31 May 2019 22:00

Instrument :
BNA_M
ClientSampleId :
TP-7

Tot Ion:264 Resp: 1119936

Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.2	28.8
265	21.7	17.6	26.4

