

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060119\
 Data File : BM020648.D
 Acq On : 01 Jun 2019 13:44
 Operator : HP/JU
 Sample : K3075-07
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TEST-PIT-4

Quant Time: Jun 03 02:08:49 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 31 15:48:49 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	295836	20.00	ng	0.00
21) Naphthalene-d8	10.62	136	1215003	20.00	ng	0.00
39) Acenaphthene-d10	14.47	164	693625	20.00	ng	0.00
64) Phenanthrene-d10	17.21	188	1547272	20.00	ng	0.00
76) Chrysene-d12	21.39	240	1289354	20.00	ng	-0.01
87) Perylene-d12	23.68	264	1342974	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	2432839	144.66	ng	0.00
7) Phenol-d6	6.99	99	3441019	138.95	ng	0.00
23) Nitrobenzene-d5	8.99	82	2125941	90.66	ng	0.00
42) 2,4,6-Tribromophenol	15.96	330	1312531	152.73	ng	0.00
45) 2-Fluorobiphenyl	13.09	172	4169205	79.91	ng	0.00
79) Terphenyl-d14	19.84	244	5675663	73.63	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.93	163	747675	12.617	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060119\
Data File : BM020648.D
Acq On : 01 Jun 2019 13:44
Operator : HP/JU
Sample : K3075-07
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TEST-PIT-4

Quant Time: Jun 03 02:08:49 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 31 15:48:49 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.83 min Scan# 823
Delta R.T. -0.01 min
Lab File: BM020648.D
Acq: 01 Jun 2019 13:44

Instrument :
BNA_M
ClientSampleId :
TEST-PIT-4




Tot Ion	Ratio	Lower	Upper
152	100		
150	154.2	126.0	189.0
115	61.0	49.6	74.4




#5

2-Fluorophenol
Concen: 144.659 ng
RT: 5.42 min Scan# 413
Delta R.T. -0.00 min
Lab File: BM020648.D
Acq: 01 Jun 2019 13:44

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.5	49.7	74.5
63	32.3	26.4	39.6





#7

Phenol-d6

Concen: 138.955 ng

RT: 6.99 min Scan# 681

Delta R.T. -0.00 min

Lab File: BM020648.D

Acq: 01 Jun 2019 13:44

Instrument :


BNA_M

ClientSampled :

TEST-PIT-4

Tot Ion: 99 Resp: 3441019


Ion	Ratio	Lower	Upper
99	100		
42	19.9	16.5	24.7
71	38.0	30.7	46.1



Abundance Ion 99.00 (98.70 to 99.70): BM0

Ion 42.00 (41.70 to 42.70): BM0

Ion 71.00 (70.70 to 71.70): BM0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.62 min Scan# 1298




Delta R.T. -0.01 min

Lab File: BM020648.D

Acq: 01 Jun 2019 13:44

Tgt Ion: 136 Resp: 1215003

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	8.1	6.6	10.0
68	6.3	5.1	7.7




Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM0





Ion 68.00 (67.70 to 68.70): BM0



#23
Nitrobenzene-d5
Concen: 90.657 ng
RT: 8.99 min Scan# 1021
Delta R.T. -0.01 min
Lab File: BM020648.D
Acq: 01 Jun 2019 13:44




Instrument :
BNA_M
ClientSampleId :
TEST-PIT-4


Tot Ion: 82 Resp: 2125941
Ion Ratio Lower Upper
82 100
128 39.8 31.5 47.3
54 48.5 39.4 59.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.47 min Scan# 1952
Delta R.T. -0.01 min
Lab File: BM020648.D
Acq: 01 Jun 2019 13:44

Tgt Ion:164 Resp: 693625
Ion Ratio Lower Upper
164 100
162 105.5 83.2 124.8
160 47.2 37.5 56.3









#42
 2,4,6-Tribromophenol
 Concen: 152.727 ng
 RT: 15.96 min Scan# 2205
 Delta R.T. -0.01 min
 Lab File: BM020648.D
 Acq: 01 Jun 2019 13:44

Instrument :
 BNA_M
 ClientSampleId :
 TEST-PIT-4

Tot Ion:330 Resp: 1312531
 Ion Ratio Lower Upper
 330 100
 332 96.4 77.4 116.0
 141 36.2 30.4 45.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 79.910 ng
 RT: 13.09 min Scan# 1718
 Delta R.T. -0.00 min
 Lab File: BM020648.D
 Acq: 01 Jun 2019 13:44

Tgt Ion:172 Resp: 4169205
 Ion Ratio Lower Upper
 172 100
 171 35.8 28.6 43.0
 170 23.3 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 12.617 ng

RT: 13.93 min Scan# 1860

Delta R.T. -0.01 min

Lab File: BM020648.D

Acq: 01 Jun 2019 13:44

Instrument :

BNA_M

ClientSampleId :

TEST-PIT-4


Tot Ion:163 Resp: 747675

Ion Ratio Lower Upper

163 100

194 4.0 3.2 4.8




164 10.0 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.21 min Scan# 2418

Delta R.T. -0.01 min

Lab File: BM020648.D

Acq: 01 Jun 2019 13:44


Tgt Ion:188 Resp: 1547272

Ion Ratio Lower Upper

188 100

94 9.8 7.8 11.8



80 11.3 9.0 13.6




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.39 min Scan# 3128
Delta R.T. -0.01 min
Lab File: BM020648.D
Acq: 01 Jun 2019 13:44

Instrument :
BNA_M
ClientSampled :
TEST-PIT-4

Tot Ion:240 Resp: 1289354
Ion Ratio Lower Upper
240 100
120 11.4 8.2 12.2
236 26.4 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 73.629 ng
RT: 19.84 min Scan# 2865
Delta R.T. -0.01 min
Lab File: BM020648.D
Acq: 01 Jun 2019 13:44

Tgt Ion:244 Resp: 5675663
Ion Ratio Lower Upper
244 100
212 7.1 5.7 8.5
122 9.8 7.2 10.8



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 23.68 min Scan# 3518
Delta R.T. -0.01 min
Lab File: BM020648.D
Acq: 01 Jun 2019 13:44

Instrument :
BNA_M
ClientSampleId :
TEST-PIT-4

Tot Ion:264 Resp: 1342974

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.2	28.8
265	21.3	17.6	26.4

