

Data File : BM020681.D
Acq On : 03 Jun 2019 21:18
Operator : HP/JU
Sample : PB120232TB
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB120232TB

Quant Time: Jun 04 04:19:48 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM053119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 31 15:48:49 2019
Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	262357	20.00	ng	0.00
21) Naphthalene-d8	10.62	136	998253	20.00	ng	-0.01
39) Acenaphthene-d10	14.46	164	522078	20.00	ng	-0.01
64) Phenanthrene-d10	17.21	188	1031824	20.00	ng	0.00
76) Chrysene-d12	21.38	240	838335	20.00	ng	-0.02
87) Perylene-d12	23.67	264	994867	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	2003538	134.33	ng	0.00
7) Phenol-d6	6.99	99	2721550	123.93	ng	0.00
23) Nitrobenzene-d5	8.99	82	1652044	85.75	ng	-0.01
42) 2,4,6-Tribromophenol	15.95	330	776820	120.09	ng	-0.01
45) 2-Fluorobiphenyl	13.09	172	3559378	90.64	ng	0.00
79) Terphenyl-d14	19.83	244	4052947	80.86	ng	-0.01
Target Compounds						
9) Benzaldehyde	6.99	77	5779	Below Cal	Qvalue #	6


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM020681.D
Acq On : 03 Jun 2019 21:18
Operator : HP/JU
Sample : PB120232TB
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB120232TB

Quant Time: Jun 04 04:19:48 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM053119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 31 15:48:49 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.83 min Scan# 823
Delta R.T. -0.01 min
Lab File: BM020681.D
Acq: 03 Jun 2019 21:18

Instrument :
BNA_M
ClientSampleId :
PB120232TB

Tgt Ion	Ratio	Lower	Upper
152	100		
150	158.4	126.0	189.0
115	59.6	49.6	74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 134.334 ng
RT: 5.41 min Scan# 412
Delta R.T. -0.01 min
Lab File: BM020681.D
Acq: 03 Jun 2019 21:18

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.6	49.7	74.5
63	32.3	26.4	39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 123.926 ng

RT: 6.99 min Scan# 681

Delta R.T. -0.00 min

Lab File: BM020681.D

Acq: 03 Jun 2019 21:18

Instrument :

BNA_M

ClientSampleId :

PB120232TB


Tgt Ion: 99 Resp: 2721550

Ion Ratio Lower Upper

99 100

42 19.0 16.5 24.7




71 37.2 30.7 46.1



Abundance Ion 99.00 (98.70 to 99.70): BM020627.D (-672) (-)

Ion 42.00 (41.70 to 42.70): BM020627.D (-672) (-)

Ion 71.00 (70.70 to 71.70): BM020627.D (-672) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.62 min Scan# 1297

Delta R.T. -0.01 min

Lab File: BM020681.D

Acq: 03 Jun 2019 21:18

Tgt Ion: 136 Resp: 998253


Ion Ratio Lower Upper

136 100

137 10.9 8.8 13.2

54 8.2 6.6 10.0

68 6.6 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): BM020627.D (-1290) (-)

Ion 137.00 (136.70 to 137.70): BM020627.D (-1290) (-)

Ion 54.00 (53.70 to 54.70): BM020627.D (-1290) (-)

Ion 68.00 (67.70 to 68.70): BM020627.D (-1290) (-)









#23
Nitrobenzene-d5
Concen: 85.745 ng
RT: 8.99 min Scan# 1020
Delta R.T. -0.01 min
Lab File: BM020681.D
Acq: 03 Jun 2019 21:18

Instrument :
BNA_M
ClientSampleId :
PB120232TB

Tgt Ion: 82 Resp: 1652044
Ion Ratio Lower Upper
82 100
128 40.6 31.5 47.3
54 48.6 39.4 59.0




Abundance Ion 82.00 (81.70 to 82.70): BM020627.D (-1014) (-)
Ion 128.00 (127.70 to 128.70): BM020627.D (-1014) (-)
Ion 54.00 (53.70 to 54.70): BM020627.D (-1014) (-)






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.46 min Scan# 1951
Delta R.T. -0.01 min
Lab File: BM020681.D
Acq: 03 Jun 2019 21:18

Tgt Ion: 164 Resp: 522078
Ion Ratio Lower Upper
164 100
162 105.9 83.2 124.8
160 46.8 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): BM020627.D (-1945) (-)
Ion 162.00 (161.70 to 162.70): BM020627.D (-1945) (-)
Ion 160.00 (159.70 to 160.70): BM020627.D (-1945) (-)









#42
 2,4,6-Tribromophenol
 Concen: 120.093 ng
 RT: 15.95 min Scan# 2204
 Delta R.T. -0.01 min
 Lab File: BM020681.D
 Acq: 03 Jun 2019 21:18

Instrument :
 BNA_M
 ClientSampleId :
 PB120232TB

Tgt Ion:330 Resp: 776820
 Ion Ratio Lower Upper
 330 100
 332 96.8 77.4 116.0
 141 36.6 30.4 45.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 90.638 ng
 RT: 13.09 min Scan# 1717
 Delta R.T. -0.01 min
 Lab File: BM020681.D
 Acq: 03 Jun 2019 21:18

Tgt Ion:172 Resp: 3559378
 Ion Ratio Lower Upper
 172 100
 171 36.0 28.6 43.0
 170 23.0 18.9 28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.21 min Scan# 2418

Delta R.T. -0.01 min

Lab File: BM020681.D

Acq: 03 Jun 2019 21:18

Instrument :

BNA_M

ClientSampleId :

PB120232TB


Tgt Ion:188 Resp: 1031824

Ion Ratio Lower Upper

188 100

94 9.1 7.8 11.8




80 10.2 9.0 13.6



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.38 min Scan# 3127

Delta R.T. -0.02 min

Lab File: BM020681.D

Acq: 03 Jun 2019 21:18


Tgt Ion:240 Resp: 838335

Ion Ratio Lower Upper

240 100

120 11.8 8.2 12.2

236 26.7 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E

