

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060319\
 Data File : BM020701.D
 Acq On : 04 Jun 2019 12:31
 Operator : HP/JU
 Sample : PB120211BL
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB120211BL

Quant Time: Jun 04 15:09:52 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 31 15:48:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	310297	20.00	ng	-0.01
21) Naphthalene-d8	10.62	136	1251205	20.00	ng	-0.01
39) Acenaphthene-d10	14.46	164	716784	20.00	ng	-0.02
64) Phenanthrene-d10	17.20	188	1522276	20.00	ng	-0.01
76) Chrysene-d12	21.38	240	1231961	20.00	ng	-0.02
87) Perylene-d12	23.67	264	1346922	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	2261246	128.19	ng	0.00
7) Phenol-d6	6.99	99	3158476	121.60	ng	0.00
23) Nitrobenzene-d5	8.99	82	1923246	79.64	ng	-0.01
42) 2,4,6-Tribromophenol	15.95	330	1157779	130.37	ng	-0.01
45) 2-Fluorobiphenyl	13.08	172	4529759	84.02	ng	-0.01
79) Terphenyl-d14	19.83	244	6028883	81.85	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060319\
Data File : BM020701.D
Acq On : 04 Jun 2019 12:31
Operator : HP/JU
Sample : PB120211BL
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB120211BL

Quant Time: Jun 04 15:09:52 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 31 15:48:49 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.82 min Scan# 822
Delta R.T. -0.01 min
Lab File: BM020701.D
Acq: 04 Jun 2019 12:31

Instrument :
BNA_M
ClientSampleId :
PB120211BL

Tot Ion:152 Resp: 310297
Ion Ratio Lower Upper
152 100
150 157.7 126.0 189.0
115 61.7 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 128.189 ng
RT: 5.41 min Scan# 412
Delta R.T. -0.01 min
Lab File: BM020701.D
Acq: 04 Jun 2019 12:31

Tgt Ion:112 Resp: 2261246
Ion Ratio Lower Upper
112 100
64 61.2 49.7 74.5
63 31.8 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 121.601 ng

RT: 6.99 min Scan# 681

Delta R.T. 0.00 min

Lab File: BM020701.D

Acq: 04 Jun 2019 12:31

Instrument :

BNA_M

ClientSampleId :

PB120211BL


Tot Ion: 99 Resp: 3158476

Ion Ratio Lower Upper




99 100

42 18.5 16.5 24.7

71 36.6 30.7 46.1



Abundance Ion 99.00 (98.70 to 99.70): BM020701.D (-664) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.62 min Scan# 1297

Delta R.T. -0.01 min

Lab File: BM020701.D

Acq: 04 Jun 2019 12:31

Tgt Ion: 136 Resp: 1251205


Ion Ratio Lower Upper

136 100



137 10.6 8.8 13.2


54 7.7 6.6 10.0

68 6.1 5.1 7.7



Abundance Ion 136.00 (135.70 to 136.70): BM020701.D (-1282) (-)









#23
 Nitrobenzene-d5
 Concen: 79.641 ng
 RT: 8.99 min Scan# 1020
 Delta R.T. -0.01 min
 Lab File: BM020701.D
 Acq: 04 Jun 2019 12:31

Instrument :
 BNA_M
 ClientSampleId :
 PB120211BL

Tot Ion: 82 Resp: 1923246
 Ion Ratio Lower Upper
 82 100
 128 41.8 31.5 47.3
 54 47.5 39.4 59.0




Abundance Ion 82.00 (81.70 to 82.70): BM020701.D (-1005) (-)
 Ion 128.00 (127.70 to 128.70): BM020701.D (-1005) (-)
 Ion 54.00 (53.70 to 54.70): BM020701.D (-1005) (-)






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.46 min Scan# 1950
 Delta R.T. -0.02 min
 Lab File: BM020701.D
 Acq: 04 Jun 2019 12:31

Tgt Ion:164 Resp: 716784
 Ion Ratio Lower Upper
 164 100
 162 102.3 83.2 124.8
 160 45.5 37.5 56.3



Abundance Ion 164.00 (163.70 to 164.70): BM020701.D (-1936) (-)
 Ion 162.00 (161.70 to 162.70): BM020701.D (-1936) (-)
 Ion 160.00 (159.70 to 160.70): BM020701.D (-1936) (-)









#42
 2,4,6-Tribromophenol
 Concen: 130.367 ng
 RT: 15.95 min Scan# 2204
 Delta R.T. -0.01 min
 Lab File: BM020701.D
 Acq: 04 Jun 2019 12:31




Instrument :
 BNA_M
 ClientSampled :
 PB120211BL


Tot Ion:330 Resp: 1157779
 Ion Ratio Lower Upper
 330 100
 332 96.6 77.4 116.0
 141 34.6 30.4 45.6



#45
 2-Fluorobiphenyl
 Concen: 84.015 ng
 RT: 13.08 min Scan# 1716
 Delta R.T. -0.01 min
 Lab File: BM020701.D
 Acq: 04 Jun 2019 12:31

Tgt Ion:172 Resp: 4529759
 Ion Ratio Lower Upper
 172 100
 171 35.9 28.6 43.0
 170 23.5 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.20 min Scan# 2417
Delta R.T. -0.01 min
Lab File: BM020701.D
Acq: 04 Jun 2019 12:31




Instrument :
BNA_M
ClientSampleId :
PB120211BL


Tot Ion:188 Resp: 1522276
Ion Ratio Lower Upper
188 100
94 9.3 7.8 11.8
80 10.5 9.0 13.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.38 min Scan# 3127
Delta R.T. -0.02 min
Lab File: BM020701.D
Acq: 04 Jun 2019 12:31

Tgt Ion:240 Resp: 1231961
Ion Ratio Lower Upper
240 100
120 10.8 8.2 12.2
236 26.4 21.2 31.8





#79

Terphenyl-d14

Concen: 81.855 ng

RT: 19.83 min Scan# 2863

Delta R.T. -0.02 min

Lab File: BM020701.D

Acq: 04 Jun 2019 12:31

Instrument :

BNA_M

ClientSampleId :

PB120211BL


Tot Ion:244 Resp: 6028883

Ion Ratio Lower Upper

244 100

212 7.1 5.7 8.5




122 10.1 7.2 10.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.67 min Scan# 3516

Delta R.T. -0.02 min

Lab File: BM020701.D

Acq: 04 Jun 2019 12:31


Tgt Ion:264 Resp: 1346922

Ion Ratio Lower Upper

264 100

260 23.8 19.2 28.8

265 21.7 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

