

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060419\
 Data File : BM020718.D
 Acq On : 05 Jun 2019 02:05
 Operator : HP/JU
 Sample : PB120308BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB120308BL

Quant Time: Jun 05 04:08:48 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri May 31 15:48:49 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	307849	20.00	ng	-0.01
21) Naphthalene-d8	10.62	136	1181429	20.00	ng	-0.01
39) Acenaphthene-d10	14.46	164	622599	20.00	ng	-0.02
64) Phenanthrene-d10	17.20	188	1254950	20.00	ng	-0.01
76) Chrysene-d12	21.37	240	1057072	20.00	ng	-0.02
87) Perylene-d12	23.66	264	1254034	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.41	112	2167204	123.84	ng	0.00
7) Phenol-d6	6.99	99	2923225	113.44	ng	0.00
23) Nitrobenzene-d5	8.99	82	1767271	77.50	ng	-0.01
42) 2,4,6-Tribromophenol	15.95	330	909538	117.91	ng	-0.01
45) 2-Fluorobiphenyl	13.08	172	3908998	83.47	ng	-0.01
79) Terphenyl-d14	19.83	244	4662477	73.78	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM060419\
Data File : BM020718.D
Acq On : 05 Jun 2019 02:05
Operator : HP/JU
Sample : PB120308BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB120308BL

Quant Time: Jun 05 04:08:48 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM053119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri May 31 15:48:49 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.82 min Scan# 822
Delta R.T. -0.01 min
Lab File: BM020718.D
Acq: 05 Jun 2019 02:05

Instrument :
BNA_M
ClientSampleId :
PB120308BL

Tot Ion:152 Resp: 307849
Ion Ratio Lower Upper
152 100
150 155.8 126.0 189.0
115 60.4 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 123.835 ng
RT: 5.41 min Scan# 412
Delta R.T. -0.01 min
Lab File: BM020718.D
Acq: 05 Jun 2019 02:05

Tgt Ion:112 Resp: 2167204
Ion Ratio Lower Upper
112 100
64 59.6 49.7 74.5
63 31.2 26.4 39.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 113.439 ng

RT: 6.99 min Scan# 680

Delta R.T. -0.01 min

Lab File: BM020718.D

Acq: 05 Jun 2019 02:05

Instrument :


BNA_M

ClientSampleId :

PB120308BL

Tot Ion: 99 Resp: 2923225

Ion	Ratio	Lower	Upper
99	100		
42	18.5	16.5	24.7
71	37.5	30.7	46.1






Abundance

Ion 99.00 (98.70 to 99.70): BM0

Ion 42.00 (41.70 to 42.70): BM0

Ion 71.00 (70.70 to 71.70): BM0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.62 min Scan# 1297


Delta R.T. -0.01 min

Lab File: BM020718.D

Acq: 05 Jun 2019 02:05

Tgt Ion: 136 Resp: 1181429

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.8	13.2
54	7.4	6.6	10.0
68	5.9	5.1	7.7





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM0

Ion 68.00 (67.70 to 68.70): BM0









#23
 Nitrobenzene-d5
 Concen: 77.504 ng
 RT: 8.99 min Scan# 1020
 Delta R.T. -0.01 min
 Lab File: BM020718.D
 Acq: 05 Jun 2019 02:05

Instrument :
 BNA_M
 ClientSampled :
 PB120308BL

Tot Ion: 82 Resp: 1767271




Ion	Ratio	Lower	Upper
82	100		
128	42.2	31.5	47.3
54	47.5	39.4	59.0




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.46 min Scan# 1950
 Delta R.T. -0.02 min
 Lab File: BM020718.D
 Acq: 05 Jun 2019 02:05

Tgt Ion:164 Resp: 622599

Ion	Ratio	Lower	Upper
164	100		
162	103.9	83.2	124.8
160	45.9	37.5	56.3









#42
 2,4,6-Tribromophenol
 Concen: 117.908 ng
 RT: 15.95 min Scan# 2204
 Delta R.T. -0.01 min
 Lab File: BM020718.D
 Acq: 05 Jun 2019 02:05

Instrument :
 BNA_M
 ClientSampleId :
 PB120308BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.4	116.0
141	34.9	30.4	45.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 83.470 ng
 RT: 13.08 min Scan# 1716
 Delta R.T. -0.01 min
 Lab File: BM020718.D
 Acq: 05 Jun 2019 02:05

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.6	43.0
170	23.6	18.9	28.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.20 min Scan# 2417
Delta R.T. -0.01 min
Lab File: BM020718.D
Acq: 05 Jun 2019 02:05

Instrument :
BNA_M
ClientSampleId :
PB120308BL

Tot Ion:188 Resp: 1254950
Ion Ratio Lower Upper
188 100
94 8.8 7.8 11.8
80 9.7 9.0 13.6




Abundance Ion 188.00 (187.70 to 188.70): E
1200000
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.37 min Scan# 3126
Delta R.T. -0.02 min
Lab File: BM020718.D
Acq: 05 Jun 2019 02:05

Tgt Ion:240 Resp: 1057072
Ion Ratio Lower Upper
240 100
120 11.4 8.2 12.2
236 26.2 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
1000000
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 73.776 ng

RT: 19.83 min Scan# 2863

Delta R.T. -0.02 min

Lab File: BM020718.D

Acq: 05 Jun 2019 02:05

Instrument :

BNA_M

ClientSampleId :

PB120308BL


Tot Ion:244 Resp: 4662477

Ion Ratio Lower Upper

244 100

212 6.9 5.7 8.5




122 9.6 7.2 10.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.66 min Scan# 3515

Delta R.T. -0.02 min

Lab File: BM020718.D

Acq: 05 Jun 2019 02:05


Tgt Ion:264 Resp: 1254034

Ion Ratio Lower Upper

264 100

260 24.2 19.2 28.8

265 22.3 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

