

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060823\
 Data File : BM040162.D
 Acq On : 08 Jun 2023 17:17
 Operator : MA/JU
 Sample : 03074-02
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 GT-02

Quant Time: Jun 09 02:22:50 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 08 23:25:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.992	152	277125	20.000	ng	0.00
21) Naphthalene-d8	10.804	136	1162624	20.000	ng	0.00
39) Acenaphthene-d10	14.627	164	651517	20.000	ng	0.00
64) Phenanthrene-d10	17.368	188	1404649	20.000	ng	0.00
76) Chrysene-d12	21.545	240	1227713	20.000	ng	0.00
86) Perylene-d12	23.986	264	1429704	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.540	112	1567352	84.449	ng	0.00
7) Phenol-d6	7.145	99	2020166	79.769	ng	0.00
23) Nitrobenzene-d5	9.157	82	1062207	49.451	ng	0.00
42) 2,4,6-Tribromophenol	16.110	330	706099	72.033	ng	0.00
45) 2-Fluorobiphenyl	13.257	172	2629412	53.342	ng	0.00
79) Terphenyl-d14	19.986	244	4704194	70.633	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060823\
Data File : BM040162.D
Acq On : 08 Jun 2023 17:17
Operator : MA/JU
Sample : 03074-02
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
GT-02

Quant Time: Jun 09 02:22:50 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 08 23:25:50 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.992 min Scan# 800
Delta R.T. -0.001 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17




Instrument :
BNA_M
ClientSampleId :
GT-02


Tgt Ion:152 Resp: 277125
Ion Ratio Lower Upper
152 100
150 155.1 121.4 182.0
115 59.5 48.2 72.4



#5
2-Fluorophenol
Concen: 84.449 ng
RT: 5.540 min Scan# 383
Delta R.T. 0.006 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17

Tgt Ion:112 Resp: 1567352
Ion Ratio Lower Upper
112 100
64 51.3 43.8 65.6
63 26.1 22.8 34.2









#7
Phenol-d6
Concen: 79.769 ng
RT: 7.145 min Scan# 611
Delta R.T. -0.000 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17

Instrument :
BNA_M
ClientSampleId :
GT-02

Tgt Ion: 99 Resp: 2020166




Ion	Ratio	Lower	Upper
99	100		
42	15.7	13.4	20.2
71	28.8	24.3	36.5




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.804 min Scan# 1278
Delta R.T. 0.000 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17

Tgt Ion: 136 Resp: 1162624

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	7.2	6.2	9.4
68	6.1	5.0	7.4









#23
Nitrobenzene-d5
Concen: 49.451 ng
RT: 9.157 min Scan# 998
Delta R.T. -0.000 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17




Instrument :
BNA_M
ClientSampleId :
GT-02


Tgt Ion: 82 Resp: 1062207
Ion Ratio Lower Upper
82 100
128 46.2 36.0 54.0
54 45.5 38.5 57.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.627 min Scan# 1928
Delta R.T. 0.000 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17

Tgt Ion: 164 Resp: 651517
Ion Ratio Lower Upper
164 100
162 102.1 80.4 120.6
160 46.4 35.9 53.9









#42
2,4,6-Tribromophenol
Concen: 72.033 ng
RT: 16.110 min Scan# 2181
Delta R.T. -0.006 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17




Instrument :
BNA_M
ClientSampleId :
GT-02


Tgt Ion:330 Resp: 706099
Ion Ratio Lower Upper
330 100
332 96.8 77.1 115.7
141 38.8 31.6 47.4



#45
2-Fluorobiphenyl
Concen: 53.342 ng
RT: 13.257 min Scan# 1695
Delta R.T. -0.000 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17

Tgt Ion:172 Resp: 2629412
Ion Ratio Lower Upper
172 100
171 35.2 28.8 43.2
170 24.1 19.8 29.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.368 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17




Instrument :
BNA_M
ClientSampleId :
GT-02


Tgt Ion:188 Resp: 1404649
Ion Ratio Lower Upper
188 100
94 10.6 8.9 13.3
80 11.5 9.6 14.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.545 min Scan# 3104
Delta R.T. -0.006 min
Lab File: BM040162.D
Acq: 08 Jun 2023 17:17

Tgt Ion:240 Resp: 1227713
Ion Ratio Lower Upper
240 100
120 13.3 9.9 14.9
236 26.0 21.1 31.7









#79
 Terphenyl-d14
 Concen: 70.633 ng
 RT: 19.986 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM040162.D
 Acq: 08 Jun 2023 17:17

Instrument :
 BNA_M
 ClientSampleId :
 GT-02

Tgt Ion:244 Resp: 4704194
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.7 8.5
 122 10.1 7.9 11.9



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.986 min Scan# 3519
 Delta R.T. -0.000 min
 Lab File: BM040162.D
 Acq: 08 Jun 2023 17:17

Tgt Ion:264 Resp: 1429704
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.1 28.7
 265 21.4 17.7 26.5

