

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
 Data File : BM030339.D
 Acq On : 09 Jun 2021 13:01
 Operator : CG/JU
 Sample : M2626-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(226-230)

Quant Time: Jun 09 14:57:13 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.851	152	158784	20.000	ng	0.00
21) Naphthalene-d8	10.639	136	669728	20.000	ng	# 0.00
39) Acenaphthene-d10	14.469	164	460303	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	1088084	20.000	ng	# 0.00
76) Chrysene-d12	21.368	240	1302614	20.000	ng	0.00
86) Perylene-d12	23.650	264	1181147	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1166759	119.455	ng	0.00
7) Phenol-d6	7.010	99	1577345	111.555	ng	0.00
23) Nitrobenzene-d5	9.004	82	920326	66.947	ng	0.00
42) 2,4,6-Tribromophenol	15.957	330	657070	113.537	ng	0.00
45) 2-Fluorobiphenyl	13.098	172	2014224	57.545	ng	0.00
79) Terphenyl-d14	19.821	244	3811746	51.397	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.280	149	4356	4.339	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
Data File : BM030339.D
Acq On : 09 Jun 2021 13:01
Operator : CG/JU
Sample : M2626-03
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12(226-230)

Quant Time: Jun 09 14:57:13 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.851 min Scan# 810
Delta R.T. 0.000 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01




Instrument :
BNA_M
ClientSampleId :
18-B12(226-230)


Tgt Ion:152 Resp: 158784
Ion Ratio Lower Upper
152 100
150 155.9 125.9 188.9
115 56.0 44.6 67.0



#5
2-Fluorophenol
Concen: 119.455 ng
RT: 5.428 min Scan# 398
Delta R.T. 0.000 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01

Tgt Ion:112 Resp: 1166759
Ion Ratio Lower Upper
112 100
64 61.3 47.1 70.7
63 32.0 27.3 40.9









#7
Phenol-d6
Concen: 111.555 ng
RT: 7.010 min Scan# 667
Delta R.T. 0.000 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01

Instrument :
BNA_M
ClientSampleId :
18-B12(226-230)

Tgt Ion: 99 Resp: 1577345




Ion	Ratio	Lower	Upper
99	100		
42	19.8	18.0	27.0
71	32.4	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.639 min Scan# 1284
Delta R.T. 0.000 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01

Tgt Ion: 136 Resp: 669728

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.4	12.6
54	8.6	5.5	8.3#
68	6.4	4.2	6.2#









#23
Nitrobenzene-d5
Concen: 66.947 ng
RT: 9.004 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01




Instrument :
BNA_M
ClientSampleId :
18-B12(226-230)


Tgt Ion: 82 Resp: 920326
Ion Ratio Lower Upper
82 100
128 41.6 31.1 46.7
54 51.0 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.469 min Scan# 1935
Delta R.T. -0.005 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01

Tgt Ion:164 Resp: 460303
Ion Ratio Lower Upper
164 100
162 98.4 83.4 125.0
160 44.8 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 113.537 ng
RT: 15.957 min Scan# 2188
Delta R.T. 0.000 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01




Instrument :
BNA_M
ClientSampleId :
18-B12(226-230)


Tgt Ion:330 Resp: 657070
Ion Ratio Lower Upper
330 100
332 95.8 77.0 115.4
141 37.2 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 57.545 ng
RT: 13.098 min Scan# 1702
Delta R.T. 0.000 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01

Tgt Ion:172 Resp: 2014224
Ion Ratio Lower Upper
172 100
171 34.9 28.6 43.0
170 23.3 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2400
Delta R.T. -0.005 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01




Instrument :
BNA_M
ClientSampleId :
18-B12(226-230)


Tgt Ion:188 Resp: 1088084
Ion Ratio Lower Upper
188 100
94 9.0 6.0 9.0#
80 10.2 6.6 9.8#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.368 min Scan# 3108
Delta R.T. 0.000 min
Lab File: BM030339.D
Acq: 09 Jun 2021 13:01

Tgt Ion:240 Resp: 1302614
Ion Ratio Lower Upper
240 100
120 9.8 7.0 10.6
236 25.1 21.0 31.4









#79
 Terphenyl-d14
 Concen: 51.397 ng
 RT: 19.821 min Scan# 2845
 Delta R.T. 0.000 min
 Lab File: BM030339.D
 Acq: 09 Jun 2021 13:01




Instrument :
 BNA_M
 ClientSampleId :
 18-B12(226-230)


Tgt Ion:244 Resp: 3811746
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.3 9.5
 122 10.4 6.9 10.3#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.339 ng
 RT: 21.280 min Scan# 3093
 Delta R.T. -0.000 min
 Lab File: BM030339.D
 Acq: 09 Jun 2021 13:01

Tgt Ion:149 Resp: 4356
 Ion Ratio Lower Upper
 149 100
 167 26.9 22.6 33.8
 279 9.6 3.8 5.8#





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.650 min Scan# 3496
 Delta R.T. 0.000 min
 Lab File: BM030339.D
 Acq: 09 Jun 2021 13:01

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(226-230)

Tgt Ion:264 Resp: 1181147
 Ion Ratio Lower Upper
 264 100
 260 24.7 19.8 29.8
 265 21.6 17.7 26.5

