

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
 Data File : BM030354.D
 Acq On : 09 Jun 2021 22:27
 Operator : CG/JU
 Sample : M2613-10
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(122-126)

Quant Time: Jun 10 02:28:34 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.845	152	221510	20.000	ng	0.00
21) Naphthalene-d8	10.639	136	916525	20.000	ng	# 0.00
39) Acenaphthene-d10	14.469	164	638722	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	1456303	20.000	ng	# 0.00
76) Chrysene-d12	21.362	240	1495248	20.000	ng	0.00
86) Perylene-d12	23.644	264	1348583	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	1828476	134.192	ng	0.00
7) Phenol-d6	7.010	99	2458485	124.636	ng	0.00
23) Nitrobenzene-d5	9.004	82	1507372	80.124	ng	0.00
42) 2,4,6-Tribromophenol	15.957	330	1103199	137.376	ng	0.00
45) 2-Fluorobiphenyl	13.098	172	3882095	79.928	ng	0.00
79) Terphenyl-d14	19.821	244	6855563	80.531	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.280	149	5286	4.343	ng	Qvalue 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
Data File : BM030354.D
Acq On : 09 Jun 2021 22:27
Operator : CG/JU
Sample : M2613-10
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12(122-126)

Quant Time: Jun 10 02:28:34 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.845 min Scan# 809
Delta R.T. -0.006 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27




Instrument :
BNA_M
ClientSampleId :
18-B12(122-126)


Tgt Ion:152 Resp: 221510
Ion Ratio Lower Upper
152 100
150 153.0 125.9 188.9
115 56.3 44.6 67.0



#5
2-Fluorophenol
Concen: 134.192 ng
RT: 5.434 min Scan# 399
Delta R.T. 0.006 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27

Tgt Ion:112 Resp: 1828476
Ion Ratio Lower Upper
112 100
64 58.1 47.1 70.7
63 31.5 27.3 40.9









#7
Phenol-d6
Concen: 124.636 ng
RT: 7.010 min Scan# 667
Delta R.T. 0.000 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27

Instrument :
BNA_M
ClientSampleId :
18-B12(122-126)

Tgt Ion: 99 Resp: 2458485




Ion	Ratio	Lower	Upper
99	100		
42	20.3	18.0	27.0
71	33.3	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.639 min Scan# 1284
Delta R.T. 0.000 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27

Tgt Ion: 136 Resp: 916525

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.4	12.6
54	8.4	5.5	8.3#
68	6.4	4.2	6.2#









#23
Nitrobenzene-d5
Concen: 80.124 ng
RT: 9.004 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27




Instrument :
BNA_M
ClientSampleId :
18-B12(122-126)


Tgt Ion: 82 Resp: 1507372
Ion Ratio Lower Upper
82 100
128 41.3 31.1 46.7
54 51.3 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.469 min Scan# 1935
Delta R.T. -0.005 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27


Tgt Ion:164 Resp: 638722
Ion Ratio Lower Upper
164 100
162 101.1 83.4 125.0
160 45.4 37.2 55.8








#42
2,4,6-Tribromophenol
Concen: 137.376 ng
RT: 15.957 min Scan# 2188
Delta R.T. 0.000 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27


Instrument :
BNA_M
ClientSampleId :
18-B12(122-126)





Tgt Ion:330 Resp: 1103199
Ion Ratio Lower Upper
330 100
332 96.4 77.0 115.4
141 37.2 30.2 45.2




#45
2-Fluorobiphenyl
Concen: 79.928 ng
RT: 13.098 min Scan# 1702
Delta R.T. 0.000 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27



Tgt Ion:172 Resp: 3882095
Ion Ratio Lower Upper
172 100
171 35.6 28.6 43.0
170 23.8 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2400
Delta R.T. -0.005 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27




Instrument :
BNA_M
ClientSampleId :
18-B12(122-126)


Tgt Ion:188 Resp: 1456303
Ion Ratio Lower Upper
188 100
94 8.9 6.0 9.0
80 10.0 6.6 9.8#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.362 min Scan# 3107
Delta R.T. -0.006 min
Lab File: BM030354.D
Acq: 09 Jun 2021 22:27

Tgt Ion:240 Resp: 1495248
Ion Ratio Lower Upper
240 100
120 10.4 7.0 10.6
236 25.5 21.0 31.4









#79
 Terphenyl-d14
 Concen: 80.531 ng
 RT: 19.821 min Scan# 2845
 Delta R.T. 0.000 min
 Lab File: BM030354.D
 Acq: 09 Jun 2021 22:27




Instrument :
 BNA_M
 ClientSampleId :
 18-B12(122-126)


Tgt Ion:244 Resp: 6855563
 Ion Ratio Lower Upper
 244 100
 212 8.2 6.3 9.5
 122 10.8 6.9 10.3#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.343 ng
 RT: 21.280 min Scan# 3093
 Delta R.T. -0.000 min
 Lab File: BM030354.D
 Acq: 09 Jun 2021 22:27

Tgt Ion:149 Resp: 5286
 Ion Ratio Lower Upper
 149 100
 167 24.4 22.6 33.8
 279 5.6 3.8 5.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.644 min Scan# 3495
 Delta R.T. -0.006 min
 Lab File: BM030354.D
 Acq: 09 Jun 2021 22:27

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(122-126)

Tgt Ion:264 Resp: 1348583

Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.8	29.8
265	21.5	17.7	26.5

