

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
 Data File : BM030356.D
 Acq On : 09 Jun 2021 23:42
 Operator : CG/JU
 Sample : M2626-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(218-222)

Quant Time: Jun 10 02:28:51 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.845	152	221767	20.000	ng	0.00
21) Naphthalene-d8	10.639	136	922694	20.000	ng	# 0.00
39) Acenaphthene-d10	14.468	164	650272	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	1482058	20.000	ng	0.00
76) Chrysene-d12	21.362	240	1581326	20.000	ng	0.00
86) Perylene-d12	23.644	264	1473501	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1845995	135.320	ng	0.00
7) Phenol-d6	7.010	99	2479364	125.549	ng	0.00
23) Nitrobenzene-d5	9.004	82	1444658	76.277	ng	0.00
42) 2,4,6-Tribromophenol	15.957	330	1117458	136.680	ng	0.00
45) 2-Fluorobiphenyl	13.098	172	3637931	73.571	ng	0.00
79) Terphenyl-d14	19.821	244	6583154	73.122	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.274	149	6159	4.350	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
Data File : BM030356.D
Acq On : 09 Jun 2021 23:42
Operator : CG/JU
Sample : M2626-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12(218-222)

Quant Time: Jun 10 02:28:51 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.845 min Scan# 809
Delta R.T. -0.006 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42




Instrument :
BNA_M
ClientSampleId :
18-B12(218-222)


Tgt Ion:152 Resp: 221767
Ion Ratio Lower Upper
152 100
150 155.4 125.9 188.9
115 55.8 44.6 67.0



#5
2-Fluorophenol
Concen: 135.320 ng
RT: 5.428 min Scan# 398
Delta R.T. 0.000 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42

Tgt Ion:112 Resp: 1845995
Ion Ratio Lower Upper
112 100
64 61.1 47.1 70.7
63 32.9 27.3 40.9









#7
Phenol-d6
Concen: 125.549 ng
RT: 7.010 min Scan# 667
Delta R.T. 0.000 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42

Instrument :
BNA_M
ClientSampleId :
18-B12(218-222)

Tgt Ion: 99 Resp: 2479364




Ion	Ratio	Lower	Upper
99	100		
42	20.3	18.0	27.0
71	32.8	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.639 min Scan# 1284
Delta R.T. 0.000 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42

Tgt Ion: 136 Resp: 922694

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.4	12.6
54	8.3	5.5	8.3#
68	6.1	4.2	6.2









#23
Nitrobenzene-d5
Concen: 76.277 ng
RT: 9.004 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42




Instrument :
BNA_M
ClientSampleId :
18-B12(218-222)


Tgt Ion: 82 Resp: 1444658
Ion Ratio Lower Upper
82 100
128 42.0 31.1 46.7
54 52.1 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.468 min Scan# 1935
Delta R.T. -0.006 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42

Tgt Ion:164 Resp: 650272
Ion Ratio Lower Upper
164 100
162 100.9 83.4 125.0
160 45.6 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 136.680 ng
RT: 15.957 min Scan# 2188
Delta R.T. 0.000 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42




Instrument :
BNA_M
ClientSampleId :
18-B12(218-222)


Tgt Ion:330 Resp: 1117458
Ion Ratio Lower Upper
330 100
332 95.9 77.0 115.4
141 37.6 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 73.571 ng
RT: 13.098 min Scan# 1702
Delta R.T. 0.000 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42

Tgt Ion:172 Resp: 3637931
Ion Ratio Lower Upper
172 100
171 35.7 28.6 43.0
170 23.6 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2400
Delta R.T. -0.005 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42




Instrument :
BNA_M
ClientSampleId :
18-B12(218-222)


Tgt Ion:188 Resp: 1482058
Ion Ratio Lower Upper
188 100
94 8.9 6.0 9.0
80 9.8 6.6 9.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.362 min Scan# 3107
Delta R.T. -0.006 min
Lab File: BM030356.D
Acq: 09 Jun 2021 23:42

Tgt Ion:240 Resp: 1581326
Ion Ratio Lower Upper
240 100
120 10.5 7.0 10.6
236 25.4 21.0 31.4









#79
 Terphenyl-d14
 Concen: 73.122 ng
 RT: 19.821 min Scan# 2845
 Delta R.T. 0.000 min
 Lab File: BM030356.D
 Acq: 09 Jun 2021 23:42




Instrument :
 BNA_M
 ClientSampleId :
 18-B12(218-222)


Tgt Ion:244 Resp: 6583154
 Ion Ratio Lower Upper
 244 100
 212 8.0 6.3 9.5
 122 10.7 6.9 10.3#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.350 ng
 RT: 21.274 min Scan# 3092
 Delta R.T. -0.006 min
 Lab File: BM030356.D
 Acq: 09 Jun 2021 23:42

Tgt Ion:149 Resp: 6159
 Ion Ratio Lower Upper
 149 100
 167 27.6 22.6 33.8
 279 4.6 3.8 5.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.644 min Scan# 3495
 Delta R.T. -0.006 min
 Lab File: BM030356.D
 Acq: 09 Jun 2021 23:42

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(218-222)

Tgt Ion:264 Resp: 1473501

Ion	Ratio	Lower	Upper
264	100		
260	23.9	19.8	29.8
265	22.1	17.7	26.5

