

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
 Data File : BM030358.D
 Acq On : 10 Jun 2021 00:55
 Operator : CG/JU
 Sample : M2626-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12-DUP-01

Quant Time: Jun 10 02:29:09 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.845	152	218885	20.000	ng	0.00
21) Naphthalene-d8	10.634	136	929245	20.000	ng	# 0.00
39) Acenaphthene-d10	14.469	164	642821	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	1459649	20.000	ng	0.00
76) Chrysene-d12	21.362	240	1467709	20.000	ng	0.00
86) Perylene-d12	23.644	264	1311945	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	1895637	140.789	ng	0.00
7) Phenol-d6	7.010	99	2566207	131.658	ng	0.00
23) Nitrobenzene-d5	9.004	82	1512443	79.293	ng	0.00
42) 2,4,6-Tribromophenol	15.957	330	1092613	135.190	ng	0.00
45) 2-Fluorobiphenyl	13.098	172	3523851	72.090	ng	0.00
79) Terphenyl-d14	19.821	244	5977575	71.535	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.274	149	3999	4.327	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
Data File : BM030358.D
Acq On : 10 Jun 2021 00:55
Operator : CG/JU
Sample : M2626-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12-DUP-01

Quant Time: Jun 10 02:29:09 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.845 min Scan# 809
Delta R.T. -0.006 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55




Instrument :
BNA_M
ClientSampleId :
18-B12-DUP-01


Tgt Ion:152 Resp: 218885
Ion Ratio Lower Upper
152 100
150 159.0 125.9 188.9
115 59.0 44.6 67.0



#5
2-Fluorophenol
Concen: 140.789 ng
RT: 5.428 min Scan# 398
Delta R.T. 0.000 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55

Tgt Ion:112 Resp: 1895637
Ion Ratio Lower Upper
112 100
64 61.6 47.1 70.7
63 32.9 27.3 40.9









#7
Phenol-d6
Concen: 131.658 ng
RT: 7.010 min Scan# 667
Delta R.T. 0.000 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55

Instrument :
BNA_M
ClientSampleId :
18-B12-DUP-01

Tgt Ion: 99 Resp: 2566207




Ion	Ratio	Lower	Upper
99	100		
42	20.1	18.0	27.0
71	33.2	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.634 min Scan# 1283
Delta R.T. -0.005 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55

Tgt Ion: 136 Resp: 929245

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.4	12.6
54	8.6	5.5	8.3#
68	6.3	4.2	6.2#









#23
Nitrobenzene-d5
Concen: 79.293 ng
RT: 9.004 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55




Instrument :
BNA_M
ClientSampleId :
18-B12-DUP-01


Tgt Ion: 82 Resp: 1512443
Ion Ratio Lower Upper
82 100
128 41.8 31.1 46.7
54 52.0 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.469 min Scan# 1935
Delta R.T. -0.005 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55

Tgt Ion:164 Resp: 642821
Ion Ratio Lower Upper
164 100
162 101.6 83.4 125.0
160 45.1 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 135.190 ng
RT: 15.957 min Scan# 2188
Delta R.T. 0.000 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55




Instrument :
BNA_M
ClientSampleId :
18-B12-DUP-01


Tgt Ion:330 Resp: 1092613
Ion Ratio Lower Upper
330 100
332 96.5 77.0 115.4
141 37.9 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 72.090 ng
RT: 13.098 min Scan# 1702
Delta R.T. 0.000 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55

Tgt Ion:172 Resp: 3523851
Ion Ratio Lower Upper
172 100
171 35.3 28.6 43.0
170 23.4 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2400
Delta R.T. -0.005 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55




Instrument :
BNA_M
ClientSampleId :
18-B12-DUP-01

Tgt Ion:188 Resp: 1459649
Ion Ratio Lower Upper
188 100
94 8.9 6.0 9.0
80 9.6 6.6 9.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.362 min Scan# 3107
Delta R.T. -0.006 min
Lab File: BM030358.D
Acq: 10 Jun 2021 00:55

Tgt Ion:240 Resp: 1467709
Ion Ratio Lower Upper
240 100
120 10.5 7.0 10.6
236 25.4 21.0 31.4









#79
 Terphenyl-d14
 Concen: 71.535 ng
 RT: 19.821 min Scan# 2845
 Delta R.T. 0.000 min
 Lab File: BM030358.D
 Acq: 10 Jun 2021 00:55




Instrument :
 BNA_M
 ClientSampleId :
 18-B12-DUP-01


Tgt Ion:244 Resp: 5977575
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.3 9.5
 122 10.4 6.9 10.3#



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.327 ng
 RT: 21.274 min Scan# 3092
 Delta R.T. -0.006 min
 Lab File: BM030358.D
 Acq: 10 Jun 2021 00:55

Tgt Ion:149 Resp: 3999
 Ion Ratio Lower Upper
 149 100
 167 26.9 22.6 33.8
 279 4.9 3.8 5.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.644 min Scan# 3495
 Delta R.T. -0.006 min
 Lab File: BM030358.D
 Acq: 10 Jun 2021 00:55

Instrument :
 BNA_M
 ClientSampleId :
 18-B12-DUP-01

Tgt Ion:264 Resp: 1311945
 Ion Ratio Lower Upper
 264 100
 260 23.1 19.8 29.8
 265 21.6 17.7 26.5

