

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
 Data File : BM030363.D
 Acq On : 10 Jun 2021 03:59
 Operator : CG/JU
 Sample : M2612-13
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 18-B12(54-58)

Quant Time: Jun 10 05:01:29 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 08 20:51:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.845	152	233260	20.000	ng	0.00
21) Naphthalene-d8	10.633	136	960360	20.000	ng	# 0.00
39) Acenaphthene-d10	14.468	164	661106	20.000	ng	0.00
64) Phenanthrene-d10	17.203	188	1456700	20.000	ng	# 0.00
76) Chrysene-d12	21.362	240	1445704	20.000	ng	# 0.00
86) Perylene-d12	23.644	264	1295248	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	2185956	152.346	ng	0.00
7) Phenol-d6	7.010	99	2970141	142.990	ng	0.00
23) Nitrobenzene-d5	9.004	82	1777603	90.175	ng	0.00
42) 2,4,6-Tribromophenol	15.956	330	1325418	159.460	ng	0.00
45) 2-Fluorobiphenyl	13.098	172	4326771	86.067	ng	0.00
79) Terphenyl-d14	19.821	244	7134784	86.683	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.921	163	888154	16.881	ng	Qvalue 100
84) Bis(2-ethylhexyl)phtha...	21.274	149	5115	4.343	ng	# 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM060921\
Data File : BM030363.D
Acq On : 10 Jun 2021 03:59
Operator : CG/JU
Sample : M2612-13
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
18-B12(54-58)

Quant Time: Jun 10 05:01:29 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 08 20:51:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.845 min Scan# 809
Delta R.T. -0.006 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59




Instrument :
BNA_M
ClientSampleId :
18-B12(54-58)


Tgt Ion:152 Resp: 233260
Ion Ratio Lower Upper
152 100
150 156.1 125.9 188.9
115 58.8 44.6 67.0



#5
2-Fluorophenol
Concen: 152.346 ng
RT: 5.428 min Scan# 398
Delta R.T. -0.000 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Tgt Ion:112 Resp: 2185956
Ion Ratio Lower Upper
112 100
64 61.6 47.1 70.7
63 32.9 27.3 40.9









#7
Phenol-d6
Concen: 142.990 ng
RT: 7.010 min Scan# 667
Delta R.T. -0.000 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Instrument :
BNA_M
ClientSampleId :
18-B12(54-58)

Tgt Ion: 99 Resp: 2970141




Ion	Ratio	Lower	Upper
99	100		
42	20.5	18.0	27.0
71	33.7	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.633 min Scan# 1283
Delta R.T. -0.006 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Tgt Ion: 136 Resp: 960360

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.4	12.6
54	9.1	5.5	8.3#
68	6.7	4.2	6.2#









#23
Nitrobenzene-d5
Concen: 90.175 ng
RT: 9.004 min Scan# 1006
Delta R.T. -0.006 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59




Instrument :
BNA_M
ClientSampleId :
18-B12(54-58)


Tgt Ion: 82 Resp: 1777603
Ion Ratio Lower Upper
82 100
128 41.1 31.1 46.7
54 52.1 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.468 min Scan# 1935
Delta R.T. -0.006 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Tgt Ion:164 Resp: 661106
Ion Ratio Lower Upper
164 100
162 101.7 83.4 125.0
160 44.1 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 159.460 ng
RT: 15.956 min Scan# 2188
Delta R.T. -0.000 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59




Instrument :
BNA_M
ClientSampleId :
18-B12(54-58)


Tgt Ion:330 Resp: 1325418
Ion Ratio Lower Upper
330 100
332 96.4 77.0 115.4
141 37.9 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 86.067 ng
RT: 13.098 min Scan# 1702
Delta R.T. -0.000 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Tgt Ion:172 Resp: 4326771
Ion Ratio Lower Upper
172 100
171 35.6 28.6 43.0
170 23.9 18.4 27.6









#50
Dimethylphthalate
Concen: 16.881 ng
RT: 13.921 min Scan# 1842
Delta R.T. -0.012 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59




Instrument :
BNA_M
ClientSampleId :
18-B12(54-58)


Tgt Ion:163 Resp: 888154
Ion Ratio Lower Upper
163 100
194 3.9 3.3 4.9
164 9.9 7.9 11.9



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.203 min Scan# 2400
Delta R.T. -0.006 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Tgt Ion:188 Resp: 1456700
Ion Ratio Lower Upper
188 100
94 9.2 6.0 9.0#
80 10.2 6.6 9.8#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.362 min Scan# 3107
Delta R.T. -0.006 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59




Instrument :
BNA_M
ClientSampleId :
18-B12(54-58)


Tgt Ion:240 Resp: 1445704
Ion Ratio Lower Upper
240 100
120 10.9 7.0 10.6#
236 25.7 21.0 31.4



#79
Terphenyl-d14
Concen: 86.683 ng
RT: 19.821 min Scan# 2845
Delta R.T. -0.000 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Tgt Ion:244 Resp: 7134784
Ion Ratio Lower Upper
244 100
212 8.2 6.3 9.5
122 10.8 6.9 10.3#









#84
Bis(2-ethylhexyl)phthalate
Concen: 4.343 ng
RT: 21.274 min Scan# 3092
Delta R.T. -0.006 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Instrument :
BNA_M
ClientSampleId :
18-B12(54-58)

Tgt Ion:	149	Resp:	5115
Ion	Ratio	Lower	Upper
149	100		
167	22.8	22.6	33.8
279	6.4	3.8	5.8#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.644 min Scan# 3495
Delta R.T. -0.006 min
Lab File: BM030363.D
Acq: 10 Jun 2021 03:59

Tgt Ion:	264	Resp:	1295248
Ion	Ratio	Lower	Upper
264	100		
260	24.1	19.8	29.8
265	22.0	17.7	26.5

