

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061221\
 Data File : BM030412.D
 Acq On : 12 Jun 2021 13:22
 Operator : CG/JU
 Sample : PB137006BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB137006BL

Quant Time: Jun 14 00:58:46 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 11 14:10:50 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.834	152	162674	20.000	ng	0.00
21) Naphthalene-d8	10.622	136	659065	20.000	ng	0.00
39) Acenaphthene-d10	14.457	164	436983	20.000	ng	0.00
64) Phenanthrene-d10	17.192	188	982697	20.000	ng	0.00
76) Chrysene-d12	21.356	240	1096630	20.000	ng	0.00
86) Perylene-d12	23.633	264	1181061	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	1552219	155.119	ng	0.00
7) Phenol-d6	6.998	99	1996727	137.839	ng	0.00
23) Nitrobenzene-d5	8.986	82	1119785	82.774	ng	0.00
42) 2,4,6-Tribromophenol	15.945	330	835395	152.053	ng	0.00
45) 2-Fluorobiphenyl	13.080	172	2905436	87.436	ng	0.00
79) Terphenyl-d14	19.809	244	5173000	82.854	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM061221\
Data File : BM030412.D
Acq On : 12 Jun 2021 13:22
Operator : CG/JU
Sample : PB137006BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB137006BL

Quant Time: Jun 14 00:58:46 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM060921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 11 14:10:50 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.834 min Scan# 807
Delta R.T. -0.000 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22




Instrument :
BNA_M
ClientSampleId :
PB137006BL


Tgt Ion:152 Resp: 162674
Ion Ratio Lower Upper
152 100
150 158.1 125.9 188.9
115 58.2 44.6 67.0



#5
2-Fluorophenol
Concen: 155.119 ng
RT: 5.422 min Scan# 397
Delta R.T. 0.006 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22

Tgt Ion:112 Resp: 1552219
Ion Ratio Lower Upper
112 100
64 56.7 47.1 70.7
63 30.1 27.3 40.9









#7
Phenol-d6
Concen: 137.839 ng
RT: 6.998 min Scan# 665
Delta R.T. -0.000 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22

Instrument :
BNA_M
ClientSampleId :
PB137006BL

Tgt Ion: 99 Resp: 1996727




Ion	Ratio	Lower	Upper
99	100		
42	18.8	18.0	27.0
71	32.8	30.9	46.3




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.622 min Scan# 1281
Delta R.T. -0.006 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22

Tgt Ion: 136 Resp: 659065

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.4	12.6
54	7.9	5.5	8.3
68	5.4	4.2	6.2









#23
Nitrobenzene-d5
Concen: 82.774 ng
RT: 8.986 min Scan# 1003
Delta R.T. -0.006 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22




Instrument :
BNA_M
ClientSampleId :
PB137006BL


Tgt Ion: 82 Resp: 1119785
Ion Ratio Lower Upper
82 100
128 42.5 31.1 46.7
54 50.9 37.3 55.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.457 min Scan# 1933
Delta R.T. -0.006 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22

Tgt Ion:164 Resp: 436983
Ion Ratio Lower Upper
164 100
162 100.9 83.4 125.0
160 45.9 37.2 55.8









#42
2,4,6-Tribromophenol
Concen: 152.053 ng
RT: 15.945 min Scan# 2186
Delta R.T. -0.000 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22




Instrument :
BNA_M
ClientSampleId :
PB137006BL


Tgt Ion:330 Resp: 835395
Ion Ratio Lower Upper
330 100
332 96.6 77.0 115.4
141 33.6 30.2 45.2



#45
2-Fluorobiphenyl
Concen: 87.436 ng
RT: 13.080 min Scan# 1699
Delta R.T. -0.006 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22

Tgt Ion:172 Resp: 2905436
Ion Ratio Lower Upper
172 100
171 35.4 28.6 43.0
170 23.3 18.4 27.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.192 min Scan# 2398
Delta R.T. -0.006 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22




Instrument :
BNA_M
ClientSampleId :
PB137006BL


Tgt Ion:188 Resp: 982697
Ion Ratio Lower Upper
188 100
94 8.1 6.0 9.0
80 8.8 6.6 9.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.356 min Scan# 3106
Delta R.T. -0.000 min
Lab File: BM030412.D
Acq: 12 Jun 2021 13:22

Tgt Ion:240 Resp: 1096630
Ion Ratio Lower Upper
240 100
120 9.4 7.0 10.6
236 25.4 21.0 31.4









#79
 Terphenyl-d14
 Concen: 82.854 ng
 RT: 19.809 min Scan# 2843
 Delta R.T. -0.000 min
 Lab File: BM030412.D
 Acq: 12 Jun 2021 13:22

Instrument :
 BNA_M
 ClientSampleId :
 PB137006BL

Tgt Ion:244 Resp: 5173000
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.3 9.5
 122 10.2 6.9 10.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.633 min Scan# 3493
 Delta R.T. -0.000 min
 Lab File: BM030412.D
 Acq: 12 Jun 2021 13:22

Tgt Ion:264 Resp: 1181061
 Ion Ratio Lower Upper
 264 100
 260 22.9 19.8 29.8
 265 21.6 17.7 26.5

