

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM061719\
 Data File : BM020987.D
 Acq On : 17 Jun 2019 20:00
 Operator : HP/JU
 Sample : K3332-11
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A41W5

Quant Time: Jun 18 01:36:36 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 17 09:33:39 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	243743	20.00	ng/ul	0.00
18) Naphthalene-d8	10.58	136	1106905	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	733966	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.18	188	1718908	20.00	ng/ul	0.00
77) Chrysene-d12	21.36	240	1437807	20.00	ng/ul	0.00
85) Perylene-d12	23.64	264	1512508	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.30	96	17720	3.45	ng/uL	0.00
5) Phenol-d5	6.96	99	386580	18.22	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.13	67	254132	20.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	328742	19.07	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	324749	18.34	ng/ul	0.00
19) Nitrobenzene-d5	8.95	128	175520	19.53	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	203476	20.39	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	386004	19.03	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	431417	20.39	ng/ul	0.00
43) Dimethylphthalate-d6	13.85	166	1501927	22.65	ng/ul	0.00
46) Acenaphthylene-d8	14.12	160	1645978	20.28	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	190596	17.67	ng/ul	0.00
57) Fluorene-d10	15.43	176	1237744	21.46	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	176566	16.71	ng/ul	-0.01
70) Anthracene-d10	17.27	188	2037881	22.81	ng/ul	0.00
78) Pyrene-d10	19.57	212	2206305	25.57	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.49	264	2141389	24.00	ng/ul	0.00


Target Compounds				Ovalue	
44) Dimethylphthalate	13.89	163	295145	4.889	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM061719\
Data File : BM020987.D
Acq On : 17 Jun 2019 20:00
Operator : HP/JU
Sample : K3332-11
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A41W5

Quant Time: Jun 18 01:36:36 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jun 17 09:33:39 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 4.889 ng/ul

RT: 13.89 min Scan# 1853

Delta R.T. -0.01 min

Lab File: BM020987.D

Acq: 17 Jun 2019 20:00

Instrument :

BNA_M

ClientSampleId :

A41W5


Tot Ion:163 Resp: 295145

Ion Ratio Lower Upper

163 100

194 4.0 3.4 5.2

164 9.9 7.7 11.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

