

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM061719\
 Data File : BM020989.D
 Acq On : 17 Jun 2019 21:13
 Operator : HP/JU
 Sample : K3332-13
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4221

Quant Time: Jun 18 01:36:53 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 17 09:33:39 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.79	152	290104	20.00	ng/ul	0.00
18) Naphthalene-d8	10.58	136	1312808	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.43	164	859673	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.17	188	1957947	20.00	ng/ul	0.00
77) Chrysene-d12	21.36	240	1647190	20.00	ng/ul	0.00
85) Perylene-d12	23.63	264	1775243	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.30	96	28142	4.61	ng/uL	0.00
5) Phenol-d5	6.96	99	593045	23.49	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.13	67	391537	26.03	ng/ul	0.00
9) 2-Chlorophenol-d4	7.32	132	496861	24.21	ng/ul	0.00
13) 4-Methylphenol-d8	8.49	113	504380	23.93	ng/ul	0.00
19) Nitrobenzene-d5	8.96	128	270802	25.40	ng/ul	0.00
22) 2-Nitrophenol-d4	9.67	143	290836	24.58	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.20	165	567403	23.58	ng/ul	0.00
29) 4-Chloroaniline-d4	10.72	131	661650	26.36	ng/ul	0.00
43) Dimethylphthalate-d6	13.84	166	2056378	26.47	ng/ul	0.00
46) Acenaphthylene-d8	14.12	160	2490431	26.19	ng/ul	0.00
51) 4-Nitrophenol-d4	14.63	143	148322	11.74	ng/ul	0.00
57) Fluorene-d10	15.42	176	1780660	26.35	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.54	200	149570	12.43	ng/ul	-0.01
70) Anthracene-d10	17.27	188	2683837	26.38	ng/ul	0.00
78) Pyrene-d10	19.57	212	2823301	28.56	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.49	264	2855822	27.27	ng/ul	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.89	163	380685	5.384	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM061719\
Data File : BM020989.D
Acq On : 17 Jun 2019 21:13
Operator : HP/JU
Sample : K3332-13
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4221

Quant Time: Jun 18 01:36:53 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jun 17 09:33:39 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 5.384 ng/ul

RT: 13.89 min Scan# 1853

Delta R.T. -0.01 min

Lab File: BM020989.D

Acq: 17 Jun 2019 21:13

Instrument :

BNA_M

ClientSampleId :

A4221


Tot Ion:163 Resp: 380685

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.2

164 10.1 7.7 11.5



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

