

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM061720\
 Data File : BM026432.D
 Acq On : 17 Jun 2020 18:54
 Operator : JU/CG
 Sample : L2959-09
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BG2K3

Quant Time: Jun 17 19:25:48 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jun 17 16:26:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	124692	20.00	ng/ul	0.00
18) Naphthalene-d8	10.15	136	592527	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.05	164	414551	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.81	188	930705	20.00	ng/ul	0.00
78) Chrysene-d12	21.02	240	980733	20.00	ng/ul	0.00
86) Perylene-d12	23.11	264	978192	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	2.98	96	10894	3.06	ng/uL	0.00
5) Phenol-d5	6.60	99	182576	15.89	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.75	67	135216	18.61	ng/ul	0.00
9) 2-Chlorophenol-d4	6.93	132	144120	15.39	ng/ul	0.00
13) 4-Methylphenol-d8	8.12	113	158730	17.56	ng/ul	0.00
19) Nitrobenzene-d5	8.54	128	77693	14.76	ng/ul	0.00
22) 2-Nitrophenol-d4	9.25	143	88618	15.30	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.79	165	145864	13.68	ng/ul	0.00
29) 4-Chloroaniline-d4	10.30	131	199991	17.98	ng/ul	0.00
44) Dimethylphthalate-d6	13.47	166	553384	15.88	ng/ul	0.00
47) Acenaphthylene-d8	13.73	160	600308	14.36	ng/ul	0.00
52) 4-Nitrophenol-d4	14.30	143	61874	10.70	ng/ul	0.00
58) Fluorene-d10	15.05	176	429448	14.36	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.20	200	65969	10.83	ng/ul	0.00
71) Anthracene-d10	16.90	188	629461	13.29	ng/ul	0.00
79) Pyrene-d10	19.21	212	711093	13.22	ng/ul	0.00
90) Benzo(a)pyrene-d12	22.98	264	632582	11.70	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.52	163	197274	5.450	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM061720\
Data File : BM026432.D
Acq On : 17 Jun 2020 18:54
Operator : JU/CG
Sample : L2959-09
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BG2K3

Quant Time: Jun 17 19:25:48 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jun 17 16:26:10 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 5.450 ng/ul

RT: 13.52 min Scan# 1808

Delta R.T. -0.01 min

Lab File: BM026432.D

Acq: 17 Jun 2020 18:54

Instrument :

BNA_M

ClientSampleId :

BG2K3


Tot Ion:163 Resp: 197274

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 9.6 7.8 11.6



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

