

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM062519\
 Data File : BM021177.D
 Acq On : 26 Jun 2019 00:41
 Operator : HP/JU
 Sample : K3498-08
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C5AA7

Quant Time: Jun 26 03:15:59 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jun 26 01:32:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.77	152	221636	20.00	ng/ul	0.00
18) Naphthalene-d8	10.56	136	1002188	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.41	164	695476	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.16	188	1715511	20.00	ng/ul	0.00
77) Chrysene-d12	21.34	240	1619786	20.00	ng/ul	0.00
85) Perylene-d12	23.61	264	1515877	20.00	ng/ul	-0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.29	96	15270	3.27	ng/uL	0.00
5) Phenol-d5	6.93	99	348686	18.07	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.11	67	219753	19.12	ng/ul	0.00
9) 2-Chlorophenol-d4	7.30	132	298597	19.05	ng/ul	0.00
13) 4-Methylphenol-d8	8.47	113	287523	17.85	ng/ul	0.00
19) Nitrobenzene-d5	8.93	128	164763	20.25	ng/ul	0.00
22) 2-Nitrophenol-d4	9.65	143	191804	21.23	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.17	165	386757	21.06	ng/ul	0.00
29) 4-Chloroaniline-d4	10.70	131	449963	23.49	ng/ul	0.00
43) Dimethylphthalate-d6	13.82	166	1461658	23.26	ng/ul	0.00
46) Acenaphthylene-d8	14.10	160	1612408	20.96	ng/ul	0.00
51) 4-Nitrophenol-d4	14.62	143	148755	14.55	ng/ul	0.00
57) Fluorene-d10	15.40	176	1290317	23.61	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.53	200	161396	15.30	ng/ul	0.00
70) Anthracene-d10	17.26	188	2102437	23.58	ng/ul	0.00
78) Pyrene-d10	19.55	212	2325998	23.93	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.46	264	2013321	22.51	ng/ul	-0.01

Target Compounds


					Ovalue
44) Dimethylphthalate	13.87	163	293285	5.127 ng/ul	99
69) Phenanthrene	17.20	178	172458	1.818 ng/ul	98
76) Fluoranthene	19.22	202	390344	3.808 ng/ul	99
79) Pyrene	19.58	202	321377	2.806 ng/ul	99
82) Benzo(a)anthracene	21.32	228	174568	1.581 ng/ul	98
84) Chrysene	21.37	228	192503	1.861 ng/ul	98
87) Benzo(b)fluoranthene	22.92	252	231363	2.409 ng/ul	98
90) Benzo(a)pyrene	23.51	252	130176	1.440 ng/ul#	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM062519\
Data File : BM021177.D
Acq On : 26 Jun 2019 00:41
Operator : HP/JU
Sample : K3498-08
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C5AA7

Quant Time: Jun 26 03:15:59 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jun 26 01:32:57 2019
Response via : Initial Calibration









#44
Dimethylphthalate
Concen: 5.127 ng/ul
RT: 13.87 min Scan# 1850
Delta R.T. -0.00 min
Lab File: BM021177.D
Acq: 26 Jun 2019 00:41




Instrument :
BNA_M
ClientSampleId :
C5AA7


Tot Ion	Ratio	Lower	Upper
163	100		
194	4.3	3.4	5.2
164	9.9	7.7	11.5



#69
Phenanthrene
Concen: 1.818 ng/ul
RT: 17.20 min Scan# 2416
Delta R.T. -0.01 min
Lab File: BM021177.D
Acq: 26 Jun 2019 00:41

Tgt Ion	Ratio	Lower	Upper
178	100		
179	15.3	11.8	17.8
176	20.1	15.0	22.6









#76
 Fluoranthene
 Concen: 3.808 ng/ul
 RT: 19.22 min Scan# 2759
 Delta R.T. -0.00 min
 Lab File: BM021177.D
 Acq: 26 Jun 2019 00:41

Instrument :
 BNA_M
 ClientSampleId :
 C5AA7

Tot Ion	Ratio	Lower	Upper
202	100		
101	8.4	6.7	10.1
100	6.2	5.5	8.3




Abundance Ion 202.00 (201.70 to 202.70): E
 Ion 101.00 (100.70 to 101.70): E
 Ion 100.00 (99.70 to 100.70): B






#79
 Pyrene
 Concen: 2.806 ng/ul
 RT: 19.58 min Scan# 2821
 Delta R.T. -0.00 min
 Lab File: BM021177.D
 Acq: 26 Jun 2019 00:41

Tgt Ion	Ratio	Lower	Upper
202	100		
101	9.8	8.1	12.1
100	8.0	6.6	10.0



Abundance Ion 202.00 (201.70 to 202.70): E
 Ion 101.00 (100.70 to 101.70): E
 Ion 100.00 (99.70 to 100.70): B









#82
Benzo(a)anthracene
Concen: 1.581 ng/ul
RT: 21.32 min Scan# 3117
Delta R.T. -0.01 min
Lab File: BM021177.D
Acq: 26 Jun 2019 00:41




Instrument :
BNA_M
ClientSampleId :
C5AA7


Tot Ion	Ratio	Lower	Upper
228	100		
229	20.4	15.8	23.8
226	27.8	21.4	32.2



#84
Chrysene
Concen: 1.861 ng/ul
RT: 21.37 min Scan# 3126
Delta R.T. -0.01 min
Lab File: BM021177.D
Acq: 26 Jun 2019 00:41

Tgt Ion	Ratio	Lower	Upper
228	100		
226	29.2	23.9	35.9
229	20.9	15.4	23.2





#87

Benzo(b)fluoranthene

Concen: 2.409 ng/ul

RT: 22.92 min Scan# 3389

Delta R.T. -0.01 min

Lab File: BM021177.D

Acq: 26 Jun 2019 00:41

Instrument :

BNA_M

ClientSampleId :

C5AA7


Tot Ion:252 Resp: 231363

Ion Ratio Lower Upper

252 100

253 23.2 17.5 26.3




125 8.3 6.3 9.5



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#90

Benzo(a)pyrene

Concen: 1.440 ng/ul

RT: 23.51 min Scan# 3489

Delta R.T. -0.01 min

Lab File: BM021177.D

Acq: 26 Jun 2019 00:41


Tgt Ion:252 Resp: 130176

Ion Ratio Lower Upper

252 100

253 21.4 17.8 26.8

125 11.4 7.2 10.8#



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

