

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062623\
 Data File : BM040418.D
 Acq On : 27 Jun 2023 01:21
 Operator : MA/JU
 Sample : 03084-20DL 5X
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DCFQ7DL

Quant Time: Jun 27 04:28:46 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM062223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 23 00:44:24 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.945	152	8021	0.400	ng/ul	0.00
4) Naphthalene-d8	10.756	136	28835	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.586	164	13404	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.332	188	23394	0.400	ng/ul	0.00
17) Chrysene-d12	21.509	240	12631	0.400	ng/ul	0.00
23) Perylene-d12	23.926	264	12569	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.333	96	5434	0.431	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.345	152	1243	0.031	ng/ul	0.00
18) Fluoranthene-d10	19.356	212	1528	0.038	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.806	128	6096	0.077	ng/ul#	94
7) 2-Methylnaphthalene	12.417	142	3680	0.079	ng/ul	98
8) 1-Methylnaphthalene	12.631	142	2415	0.052	ng/ul	98
10) Acenaphthylene	14.304	152	14331	0.239	ng/ul	98
11) Acenaphthene	14.646	153	1581	0.031	ng/ul	96
12) Fluorene	15.637	166	2229	0.041	ng/ul#	93
15) Phenanthrene	17.374	178	45207	0.622	ng/ul	99
16) Anthracene	17.463	178	11845	0.194	ng/ul	97
19) Fluoranthene	19.389	202	115757	2.157	ng/ul	96
20) Pyrene	19.751	202	97195	1.690	ng/ul	97
21) Benzo(a)anthracene	21.494	228	46246	1.082	ng/ul	97
22) Chrysene	21.547	228	49957	1.025	ng/ul	98
24) Benzo(b)fluoranthene	23.189	252	76098	1.564	ng/ul	93
26) Benzo(a)pyrene	23.815	252	45239	1.032	ng/ul#	90
27) Indeno(1,2,3-cd)pyrene	26.427	276	40829	0.669	ng/ul#	88
28) Dibenzo(a,h)anthracene	26.437	278	9912	0.207	ng/ul#	85
29) Benzo(g,h,i)perylene	27.202	276	38116	0.713	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062623\
Data File : BM040418.D
Acq On : 27 Jun 2023 01:21
Operator : MA/JU
Sample : 03084-20DL 5X
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCFQ7DL

Quant Time: Jun 27 04:28:46 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM062223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 23 00:44:24 2023
Response via : Initial Calibration









#5
Naphthalene
Concen: 0.077 ng/ul
RT: 10.806 min Scan# 11
Delta R.T. -0.006 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21




Instrument :
BNA_M
ClientSampleId :
DCFQ7DL


Tgt Ion:128 Resp: 6096
Ion Ratio Lower Upper
128 100
129 14.8 9.2 13.8#
127 15.0 10.6 15.8



#7
2-Methylnaphthalene
Concen: 0.079 ng/ul
RT: 12.417 min Scan# 2035
Delta R.T. -0.006 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21

Tgt Ion:142 Resp: 3680
Ion Ratio Lower Upper
142 100
141 91.5 71.9 107.9









#8
1-Methylnaphthalene
Concen: 0.052 ng/ul
RT: 12.631 min Scan# 2075
Delta R.T. -0.011 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21




Instrument :
BNA_M
ClientSampleId :
DCFQ7DL


Tgt Ion:142 Resp: 2415
Ion Ratio Lower Upper
142 100
141 93.8 73.7 110.5



#10
Acenaphthylene
Concen: 0.239 ng/ul
RT: 14.304 min Scan# 2409
Delta R.T. -0.009 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21

Tgt Ion:152 Resp: 14331
Ion Ratio Lower Upper
152 100
151 21.0 16.2 24.2
153 14.6 10.9 16.3









#11
Acenaphthene
Concen: 0.031 ng/ul
RT: 14.646 min Scan# 2483
Delta R.T. -0.009 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21




Instrument :
BNA_M
ClientSampleId :
DCFQ7DL


Tgt Ion:153 Resp: 1581
Ion Ratio Lower Upper
153 100
152 56.3 41.0 61.4
154 86.0 70.8 106.2



#12
Fluorene
Concen: 0.041 ng/ul
RT: 15.637 min Scan# 2697
Delta R.T. -0.005 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21

Tgt Ion:166 Resp: 2229
Ion Ratio Lower Upper
166 100
165 104.7 79.6 119.4
167 21.9 11.4 17.0#









#15
Phenanthrene
Concen: 0.622 ng/ul
RT: 17.374 min Scan# 3101
Delta R.T. -0.004 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21




Instrument :
BNA_M
ClientSampleId :
DCFQ7DL


Tgt Ion:178 Resp: 45207
Ion Ratio Lower Upper
178 100
179 16.0 12.8 19.2
176 20.0 16.4 24.6



#16
Anthracene
Concen: 0.194 ng/ul
RT: 17.463 min Scan# 3122
Delta R.T. -0.009 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21

Tgt Ion:178 Resp: 11845
Ion Ratio Lower Upper
178 100
179 18.1 12.9 19.3
176 20.8 15.8 23.6









#19
Fluoranthene
Concen: 2.157 ng/ul
RT: 19.389 min Scan# 3559
Delta R.T. -0.000 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21




Instrument :
BNA_M
ClientSampleId :
DCFQ7DL


Tgt Ion:202 Resp: 115757
Ion Ratio Lower Upper
202 100
101 12.5 11.4 17.0
100 9.1 8.7 13.1



#20
Pyrene
Concen: 1.690 ng/ul
RT: 19.751 min Scan# 3637
Delta R.T. -0.005 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21


Tgt Ion:202 Resp: 97195
Ion Ratio Lower Upper
202 100
101 14.2 12.6 18.8
100 11.2 9.8 14.6








#21
Benzo(a)anthracene
Concen: 1.082 ng/ul
RT: 21.494 min Scan# 4139
Delta R.T. -0.006 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21

Instrument :
BNA_M
ClientSampleId :
DCFQ7DL







Tgt Ion:228 Resp: 46246
Ion Ratio Lower Upper
228 100
229 21.4 16.0 24.0
226 29.3 22.3 33.5



#22
Chrysene
Concen: 1.025 ng/ul
RT: 21.547 min Scan# 4156
Delta R.T. -0.006 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21

Tgt Ion:228 Resp: 49957
Ion Ratio Lower Upper
228 100
226 31.1 24.9 37.3
229 22.2 15.8 23.6









#24
Benzo(b)fluoranthene
Concen: 1.564 ng/ul
RT: 23.189 min Scan# 4718
Delta R.T. -0.003 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21




Instrument :
BNA_M
ClientSampleId :
DCFQ7DL


Tgt Ion:252 Resp: 76098
Ion Ratio Lower Upper
252 100
253 25.0 0.0 52.8
125 16.0 0.0 43.0



#26
Benzo(a)pyrene
Concen: 1.032 ng/ul
RT: 23.815 min Scan# 4932
Delta R.T. -0.009 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21

Tgt Ion:252 Resp: 45239
Ion Ratio Lower Upper
252 100
253 25.7 22.9 34.3
125 18.7 21.0 31.4#





#27

Indeno(1,2,3-cd)pyrene

Concen: 0.669 ng/ul

RT: 26.427 min Scan# 5

Delta R.T. -0.007 min

Lab File: BM040418.D

Acq: 27 Jun 2023 01:21

Instrument :

BNA_M

ClientSampleId :

DCFQ7DL





Tgt Ion:276 Resp: 40829

Ion Ratio Lower Upper

276 100

138 24.3 24.5 36.7#

227 0.0 0.1 0.1#



#28

Dibenzo(a,h)anthracene

Concen: 0.207 ng/ul

RT: 26.437 min Scan# 5766

Delta R.T. -0.017 min

Lab File: BM040418.D

Acq: 27 Jun 2023 01:21




Tgt Ion:278 Resp: 9912


Ion Ratio Lower Upper

278 100

139 27.1 17.9 26.9#


279 37.9 22.0 33.0#





#29
Benzo(g,h,i)perylene
Concen: 0.713 ng/ul
RT: 27.202 min Scan# 5994
Delta R.T. -0.003 min
Lab File: BM040418.D
Acq: 27 Jun 2023 01:21

Instrument :
BNA_M
ClientSampleId :
DCFQ7DL



Tgt Ion:	276	Resp:	38116
Ion Ratio	Lower	Upper	
276	100		
138	26.7	23.0	34.6
277	25.4	20.3	30.5

