

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062923\
 Data File : BM040439.D
 Acq On : 29 Jun 2023 16:04
 Operator : MA/JU
 Sample : 03143-05
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DCFU4

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 06/30/2023
 Supervised By :mohammad ahmed 06/30/2023

Quant Time: Jun 30 03:06:07 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM062223.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 23 00:44:24 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.944	152	8476	0.400	ng/ul	0.00
4) Naphthalene-d8	10.750	136	29373	0.400	ng/ul	-0.01
9) Acenaphthene-d10	14.586	164	13662	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.332	188	24371	0.400	ng/ul	0.00
17) Chrysene-d12	21.512	240	13270	0.400	ng/ul	0.00
23) Perylene-d12	23.929	264	15890	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.329	96	25191	1.892	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.340	152	5534	0.134	ng/ul	-0.01
18) Fluoranthene-d10	19.356	212	6882	0.162	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.800	128	4500	0.056	ng/ul#	86
7) 2-Methylnaphthalene	12.411	142	2810	0.059	ng/ul	96
8) 1-Methylnaphthalene	12.631	142	2073	0.044	ng/ul	97
10) Acenaphthylene	14.304	152	4228	0.069	ng/ul#	89
11) Acenaphthene	14.646	153	1595	0.031	ng/ul	95
12) Fluorene	15.632	166	1694	0.031	ng/ul#	91
15) Phenanthrene	17.370	178	30681	0.405	ng/ul	99
16) Anthracene	17.463	178	6223	0.098	ng/ul#	93
19) Fluoranthene	19.384	202	58444	1.037	ng/ul	98
20) Pyrene	19.747	202	44596m	0.738	ng/ul	
21) Benzo(a)anthracene	21.494	228	25021	0.557	ng/ul	95
22) Chrysene	21.550	228	35287	0.689	ng/ul	96
24) Benzo(b)fluoranthene	23.192	252	53448	0.869	ng/ul	95
25) Benzo(k)fluoranthene	23.233	252	17322m	0.286	ng/ul	
26) Benzo(a)pyrene	23.818	252	30374	0.548	ng/ul	98
27) Indeno(1,2,3-cd)pyrene	26.437	276	30065	0.390	ng/ul#	79
28) Dibenzo(a,h)anthracene	26.444	278	7627	0.126	ng/ul#	60
29) Benzo(g,h,i)perylene	27.212	276	30084	0.445	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM062923\
Data File : BM040439.D
Acq On : 29 Jun 2023 16:04
Operator : MA/JU
Sample : 03143-05
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
DCFU4

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023


Quant Time: Jun 30 03:06:07 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM062223.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 23 00:44:24 2023
Response via : Initial Calibration





#5
Naphthalene
Concen: 0.056 ng/u1
RT: 10.800 min Scan# 1741
Delta R.T. -0.011 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4



Tgt Ion:128 Resp: 4500
Ion Ratio Lower Upper
128 100
129 19.6 9.2 13.8
127 16.2 10.6 15.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023



#7
2-Methylnaphthalene
Concen: 0.059 ng/u1
RT: 12.411 min Scan# 2034
Delta R.T. -0.011 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04


Tgt Ion:142 Resp: 2810
Ion Ratio Lower Upper
142 100
141 86.4 71.9 107.9





#8
1-Methylnaphthalene
Concen: 0.044 ng/ul
RT: 12.631 min Scan# 2074
Delta R.T. -0.011 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4



Tgt Ion:142 Resp: 2074
Ion Ratio Lower Upper
142 100
141 95.1 73.7 110.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023



#10
Acenaphthylene
Concen: 0.069 ng/ul
RT: 14.304 min Scan# 2409
Delta R.T. -0.009 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04


Tgt Ion:152 Resp: 4228
Ion Ratio Lower Upper
152 100
151 24.5 16.2 24.2#
153 19.0 10.9 16.3#





#11
Acenaphthene
Concen: 0.031 ng/ul
RT: 14.646 min Scan# 2483
Delta R.T. -0.009 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4



Tgt Ion:153 Resp: 159
Ion Ratio Lower Upper
153 100
152 59.1 41.0 61.4
154 89.2 70.8 106.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023



#12
Fluorene
Concen: 0.031 ng/ul
RT: 15.632 min Scan# 2696
Delta R.T. -0.009 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04


Tgt Ion:166 Resp: 1694
Ion Ratio Lower Upper
166 100
165 105.6 79.6 119.4
167 25.3 11.4 17.0#





#15
Phenanthrene
Concen: 0.405 ng/u1
RT: 17.370 min Scan# 3101
Delta R.T. -0.009 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4



Tgt Ion:178 Resp: 3068
Ion Ratio Lower Upper
178 100
179 16.1 12.8 19.2
176 20.1 16.4 24.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023



#16
Anthracene
Concen: 0.098 ng/u1
RT: 17.463 min Scan# 3122
Delta R.T. -0.009 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04


Tgt Ion:178 Resp: 6223
Ion Ratio Lower Upper
178 100
179 20.3 12.9 19.3#
176 22.0 15.8 23.6





#19
Fluoranthene
Concen: 1.037 ng/ul
RT: 19.384 min Scan# 3558
Delta R.T. -0.005 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4




Tgt Ion:202 Resp: 5844
Ion Ratio Lower Upper
202 100
101 13.4 11.4 17.0
100 10.0 8.7 13.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023




#20
Pyrene
Concen: 0.738 ng/ul m
RT: 19.747 min Scan# 3636
Delta R.T. -0.009 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Tgt Ion:202 Resp: 44596
Ion Ratio Lower Upper
202 100
101 16.1 12.6 18.8
100 12.9 9.8 14.6





#21
Benzo(a)anthracene
Concen: 0.557 ng/u1
RT: 21.494 min Scan# 4139
Delta R.T. -0.006 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4



Tgt Ion:228 Resp: 2502
Ion Ratio Lower Upper
228 100
229 23.5 16.0 24.0
226 29.8 22.3 33.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023



#22
Chrysene
Concen: 0.689 ng/u1
RT: 21.550 min Scan# 4157
Delta R.T. -0.003 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04


Tgt Ion:228 Resp: 35287
Ion Ratio Lower Upper
228 100
226 31.7 24.9 37.3
229 23.4 15.8 23.6





#24
Benzo(b)fluoranthene
Concen: 0.869 ng/ul
RT: 23.192 min Scan# 4719
Delta R.T. -0.000 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4




Tgt Ion:252 Resp: 53448
Ion Ratio Lower Upper
252 100
253 27.0 0.0 52.8
125 26.4 0.0 43.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023




#25
Benzo(k)fluoranthene
Concen: 0.286 ng/ul m
RT: 23.233 min Scan# 4733
Delta R.T. -0.009 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Tgt Ion:252 Resp: 17322
Ion Ratio Lower Upper
252 100
253 32.3 21.2 31.8#
125 187.8 16.4 24.6#





#26
Benzo(a)pyrene
Concen: 0.548 ng/ul
RT: 23.818 min Scan# 4933
Delta R.T. -0.006 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4




Tgt Ion:252 Resp: 30374
Ion Ratio Lower Upper
252 100
253 29.0 22.9 34.3
125 28.1 21.0 31.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023




#27
Indeno(1,2,3-cd)pyrene
Concen: 0.390 ng/ul
RT: 26.437 min Scan# 5766
Delta R.T. 0.003 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Tgt Ion:276 Resp: 30065
Ion Ratio Lower Upper
276 100
138 19.2 24.5 36.7#
227 0.0 0.1 0.1#





#28
Dibenzo(a,h)anthracene
Concen: 0.126 ng/ul
RT: 26.444 min Scan# 51
Delta R.T. -0.010 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04




Instrument :
BNA_M
ClientSampleId :
DCFU4




Tgt Ion:278 Resp: 762
Ion Ratio Lower Upper
278 100
139 44.1 17.9 26.9
279 45.9 22.0 33.0

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 06/30/2023
Supervised By :mohammad ahmed 06/30/2023



#29
Benzo(g,h,i)perylene
Concen: 0.445 ng/ul
RT: 27.212 min Scan# 5997
Delta R.T. 0.007 min
Lab File: BM040439.D
Acq: 29 Jun 2023 16:04



Tgt Ion:276 Resp: 30084
Ion Ratio Lower Upper
276 100
138 32.0 23.0 34.6
277 26.4 20.3 30.5

