

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM070319\
 Data File : BM021376.D
 Acq On : 03 Jul 2019 21:21
 Operator : HP/JU
 Sample : PB121118BL
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SBLK18

Quant Time: Jul 03 23:34:49 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Jul 03 01:58:18 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.75	152	200790	20.00	ng/ul	0.00
18) Naphthalene-d8	10.53	136	872915	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.39	164	494797	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.14	188	956663	20.00	ng/ul	0.00
77) Chrysene-d12	21.33	240	839511	20.00	ng/ul	0.00
85) Perylene-d12	23.59	264	990029	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.28	96	16765	3.96	ng/uL	0.00
5) Phenol-d5	6.92	99	369203	21.13	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.09	67	219814	21.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.28	132	311962	21.97	ng/ul	0.00
13) 4-Methylphenol-d8	8.45	113	319409	21.89	ng/ul	0.00
19) Nitrobenzene-d5	8.91	128	162470	22.92	ng/ul	0.00
22) 2-Nitrophenol-d4	9.63	143	186134	23.66	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.16	165	359218	22.45	ng/ul	0.00
29) 4-Chloroaniline-d4	10.69	131	54017	3.24	ng/ul	0.00
43) Dimethylphthalate-d6	13.80	166	1073471	24.01	ng/ul	0.00
46) Acenaphthylene-d8	14.08	160	1269896	23.20	ng/ul	0.00
51) 4-Nitrophenol-d4	14.62	143	96391	13.25	ng/ul	0.00
57) Fluorene-d10	15.39	176	876581	22.54	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.52	200	79911	13.59	ng/ul	0.00
70) Anthracene-d10	17.24	188	1183818	23.81	ng/ul	0.00
78) Pyrene-d10	19.53	212	1227716	24.37	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.45	264	1450203	24.83	ng/ul	0.00
Target Compounds						
6) Phenol	6.95	94	23900	1.446	ng/ul	92
44) Dimethylphthalate	13.85	163	354801	8.718	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM070319\
Data File : BM021376.D
Acq On : 03 Jul 2019 21:21
Operator : HP/JU
Sample : PB121118BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SBLK18

Quant Time: Jul 03 23:34:49 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM061419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Jul 03 01:58:18 2019
Response via : Initial Calibration









#6

Phenol

Concen: 1.446 ng/ul
 RT: 6.95 min Scan# 673
 Delta R.T. -0.00 min
 Lab File: BM021376.D
 Acq: 03 Jul 2019 21:21

Instrument :
 BNA_M
 ClientSampleId :
 SBLK18

Tot Ion	Ratio	Lower	Upper
94	100		
65	30.6	22.6	34.0
66	45.4	31.2	46.8



#44

Dimethylphthalate

Concen: 8.718 ng/ul
 RT: 13.85 min Scan# 1847
 Delta R.T. -0.00 min
 Lab File: BM021376.D
 Acq: 03 Jul 2019 21:21

Tgt Ion	Ratio	Lower	Upper
163	100		
194	4.4	3.4	5.2
164	9.7	7.7	11.5

