

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM070918\
 Data File : BM015846.D
 Acq On : 09 Jul 2018 16:59
 Operator : SJ/JU
 Sample : PB110837BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB110837BL

Quant Time: Jul 10 01:35:14 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM070518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 05 17:39:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.30	152	73411	20.00	ng	-0.02
21) Naphthalene-d8	11.13	136	286728	20.00	ng	-0.02
38) Acenaphthene-d10	14.92	164	159254	20.00	ng	-0.01
63) Phenanthrene-d10	17.64	188	401603	20.00	ng	-0.01
75) Chrysene-d12	21.76	240	405360	20.00	ng	-0.01
86) Perylene-d12	24.16	264	390282	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.80	112	673511	157.34	ng	-0.01
7) Phenol-d6	7.45	99	870944	148.62	ng	-0.01
23) Nitrobenzene-d5	9.49	82	583209	99.24	ng	-0.02
41) 2,4,6-Tribromophenol	16.40	330	360332	173.16	ng	-0.01
44) 2-Fluorobiphenyl	13.55	172	1241370	96.77	ng	-0.02
78) Terphenyl-d14	20.21	244	2496002	114.21	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM070918\
Data File : BM015846.D
Acq On : 09 Jul 2018 16:59
Operator : SJ/JU
Sample : PB110837BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB110837BL

Quant Time: Jul 10 01:35:14 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM070518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 05 17:39:50 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.30 min Scan# 852
 Delta R.T. -0.02 min
 Lab File: BM015846.D
 Acq: 09 Jul 2018 16:59

Instrument :
 BNA_M
 ClientSampleId :
 PB110837BL

Tgt Ion:152 Resp: 73411
 Ion Ratio Lower Upper
 152 100
 150 155.5 119.5 179.3
 115 66.9 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: N.D. ng
 RT: 5.80 min Scan# 428
 Delta R.T. -0.01 min
 Lab File: BM015846.D
 Acq: 09 Jul 2018 16:59

Tgt Ion:112 Resp: 673511
 Ion Ratio Lower Upper
 112 100
 64 63.4 38.6 57.8#
 63 40.7 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BM0
 Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.45 min Scan# 708

Delta R.T. -0.01 min

Lab File: BM015846.D

Acq: 09 Jul 2018 16:59

Instrument :

BNA_M

ClientSampleId :

PB110837BL


Tgt Ion: 99 Resp: 870944

Ion Ratio Lower Upper

99 100

42 31.5 11.0 16.4#




71 47.4 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM015767.D (-702) (-)

Ion 42.00 (41.70 to 42.70): BM015767.D (-702) (-)

Ion 71.00 (70.70 to 71.70): BM015767.D (-702) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.13 min Scan# 1333

Delta R.T. -0.02 min

Lab File: BM015846.D

Acq: 09 Jul 2018 16:59

Tgt Ion: 136 Resp: 286728


Ion Ratio Lower Upper

136 100

137 10.7 8.7 13.1

54 9.5 4.6 6.8#

68 4.4 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM015767.D (-1327) (-)

Ion 137.00 (136.70 to 137.70): BM015767.D (-1327) (-)

Ion 54.00 (53.70 to 54.70): BM015767.D (-1327) (-)

Ion 68.00 (67.70 to 68.70): BM015767.D (-1327) (-)









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.49 min Scan# 1054
 Delta R.T. -0.02 min
 Lab File: BM015846.D
 Acq: 09 Jul 2018 16:59




Instrument :
 BNA_M
 ClientSampleId :
 PB110837BL


Tgt Ion: 82 Resp: 583209
 Ion Ratio Lower Upper
 82 100
 128 37.6 32.8 49.2
 54 61.6 40.6 60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.92 min Scan# 1978
 Delta R.T. -0.01 min
 Lab File: BM015846.D
 Acq: 09 Jul 2018 16:59

Tgt Ion: 164 Resp: 159254
 Ion Ratio Lower Upper
 164 100
 162 102.8 82.4 123.6
 160 47.9 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.40 min Scan# 2230
 Delta R.T. -0.01 min
 Lab File: BM015846.D
 Acq: 09 Jul 2018 16:59

Instrument :
 BNA_M
 ClientSampleId :
 PB110837BL

Tgt Ion:330 Resp: 360332
 Ion Ratio Lower Upper
 330 100
 332 96.6 0.0 0.0#
 141 56.7 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.55 min Scan# 1744
 Delta R.T. -0.02 min
 Lab File: BM015846.D
 Acq: 09 Jul 2018 16:59

Tgt Ion:172 Resp: 1241370
 Ion Ratio Lower Upper
 172 100
 171 36.2 28.5 42.7
 170 24.0 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.64 min Scan# 2441
Delta R.T. -0.01 min
Lab File: BM015846.D
Acq: 09 Jul 2018 16:59




Instrument :
BNA_M
ClientSampleId :
PB110837BL


Tgt Ion:188 Resp: 401603
Ion Ratio Lower Upper
188 100
94 7.9 8.7 13.1#
80 9.0 9.3 13.9#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.76 min Scan# 3140
Delta R.T. -0.01 min
Lab File: BM015846.D
Acq: 09 Jul 2018 16:59

Tgt Ion:240 Resp: 405360
Ion Ratio Lower Upper
240 100
120 9.1 8.2 12.2
236 26.9 20.0 30.0





#78

Terphenyl-d14

Concen: N.D. ng

RT: 20.21 min Scan# 2877

Delta R.T. -0.01 min

Lab File: BM015846.D

Acq: 09 Jul 2018 16:59

Instrument :

BNA_M

ClientSampleId :

PB110837BL


Tgt Ion:244 Resp: 2496002

Ion Ratio Lower Upper

244 100

212 8.7 4.9 7.3#




122 10.2 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.16 min Scan# 3548

Delta R.T. -0.01 min

Lab File: BM015846.D

Acq: 09 Jul 2018 16:59


Tgt Ion:264 Resp: 390282

Ion Ratio Lower Upper

264 100

260 24.4 18.6 27.8

265 23.1 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

