

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM070918\
 Data File : BM015851.D
 Acq On : 09 Jul 2018 20:04
 Operator : SJ/JU
 Sample : J3877-02
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 NS-DRUM-2-STONE

Quant Time: Jul 10 01:36:47 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 05 17:39:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.30	152	112225	20.00	ng	-0.02
21) Naphthalene-d8	11.13	136	439095	20.00	ng	-0.02
38) Acenaphthene-d10	14.92	164	247850	20.00	ng	-0.01
63) Phenanthrene-d10	17.64	188	562392	20.00	ng	-0.01
75) Chrysene-d12	21.75	240	497919	20.00	ng	-0.02
86) Perylene-d12	24.15	264	393061	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.80	112	906466	138.52	ng	-0.01
7) Phenol-d6	7.45	99	1039384	116.02	ng	-0.01
23) Nitrobenzene-d5	9.49	82	961615	106.85	ng	-0.02
41) 2,4,6-Tribromophenol	16.40	330	576874	178.13	ng	-0.01
44) 2-Fluorobiphenyl	13.55	172	1994772	99.92	ng	-0.02
78) Terphenyl-d14	20.21	244	3536994	131.76	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM070918\
Data File : BM015851.D
Acq On : 09 Jul 2018 20:04
Operator : SJ/JU
Sample : J3877-02
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
NS-DRUM-2-STONE

Quant Time: Jul 10 01:36:47 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 05 17:39:50 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.30 min Scan# 852
Delta R.T. -0.02 min
Lab File: BM015851.D
Acq: 09 Jul 2018 20:04

Instrument :
BNA_M
ClientSampleId :
NS-DRUM-2-STONE

Tot Ion:152 Resp: 112225
Ion Ratio Lower Upper
152 100
150 159.9 119.5 179.3
115 66.3 43.0 64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: Below ng
RT: 5.80 min Scan# 428
Delta R.T. -0.01 min
Lab File: BM015851.D
Acq: 09 Jul 2018 20:04

Tgt Ion:112 Resp: 906466
Ion Ratio Lower Upper
112 100
64 64.3 38.6 57.8#
63 40.8 19.3 28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.45 min Scan# 708

Delta R.T. -0.01 min

Lab File: BM015851.D

Acq: 09 Jul 2018 20:04

Instrument :

BNA_M

ClientSampleId :

NS-DRUM-2-STONE


Tot Ion: 99 Resp: 1039384

Ion Ratio Lower Upper

99 100

42 31.0 11.0 16.4#




71 45.5 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM015851.D (-693) (-)

Ion 42.00 (41.70 to 42.70): BM015851.D (-693) (-)

Ion 71.00 (70.70 to 71.70): BM015851.D (-693) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.13 min Scan# 1333

Delta R.T. -0.02 min

Lab File: BM015851.D

Acq: 09 Jul 2018 20:04

Tgt Ion: 136 Resp: 439095


Ion Ratio Lower Upper

136 100

137 10.8 8.7 13.1

54 9.3 4.6 6.8#

68 4.7 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM015851.D (-1319) (-)

Ion 137.00 (136.70 to 137.70): BM015851.D (-1319) (-)

Ion 54.00 (53.70 to 54.70): BM015851.D (-1319) (-)

Ion 68.00 (67.70 to 68.70): BM015851.D (-1319) (-)









#23
 Nitrobenzene-d5
 Concen: Below na
 RT: 9.49 min Scan# 1054
 Delta R.T. -0.02 min
 Lab File: BM015851.D
 Acq: 09 Jul 2018 20:04




Instrument :
 BNA_M
 ClientSampleId :
 NS-DRUM-2-STONE


Tot Ion	82	Resp	961615
Ion Ratio	Lower	Upper	
82	100		
128	37.4	32.8	49.2
54	58.7	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.92 min Scan# 1978
 Delta R.T. -0.01 min
 Lab File: BM015851.D
 Acq: 09 Jul 2018 20:04

Tgt Ion	164	Resp	247850
Ion Ratio	Lower	Upper	
164	100		
162	105.1	82.4	123.6
160	48.7	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.40 min Scan# 2230
 Delta R.T. -0.01 min
 Lab File: BM015851.D
 Acq: 09 Jul 2018 20:04

Instrument :
 BNA_M
 ClientSampleId :
 NS-DRUM-2-STONE

Tot Ion:330 Resp: 576874
 Ion Ratio Lower Upper
 330 100
 332 96.8 0.0 0.0#
 141 51.2 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.55 min Scan# 1744
 Delta R.T. -0.02 min
 Lab File: BM015851.D
 Acq: 09 Jul 2018 20:04

Tgt Ion:172 Resp: 1994772
 Ion Ratio Lower Upper
 172 100
 171 35.8 28.5 42.7
 170 23.8 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.64 min Scan# 2441
Delta R.T. -0.01 min
Lab File: BM015851.D
Acq: 09 Jul 2018 20:04




Instrument :
BNA_M
ClientSampleId :
NS-DRUM-2-STONE


Tot Ion:188 Resp: 562392
Ion Ratio Lower Upper
188 100
94 7.9 8.7 13.1#
80 9.3 9.3 13.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3139
Delta R.T. -0.02 min
Lab File: BM015851.D
Acq: 09 Jul 2018 20:04

Tgt Ion:240 Resp: 497919
Ion Ratio Lower Upper
240 100
120 9.9 8.2 12.2
236 26.7 20.0 30.0





#78

Terphenyl-d14

Concen: Below na

RT: 20.21 min Scan# 2877

Delta R.T. -0.01 min

Lab File: BM015851.D

Acq: 09 Jul 2018 20:04

Instrument :

BNA_M

ClientSampleId :

NS-DRUM-2-STONE


Tot Ion:244 Resp: 3536994

Ion Ratio Lower Upper

244 100

212 8.3 4.9 7.3#




122 10.4 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.15 min Scan# 3547

Delta R.T. -0.02 min

Lab File: BM015851.D

Acq: 09 Jul 2018 20:04


Tgt Ion:264 Resp: 393061

Ion Ratio Lower Upper

264 100

260 23.5 18.6 27.8

265 21.9 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

