

Data Path : Z:\SVOASRV\HPCHEM1\BNA\_M\DATA\BM071018\  
Data File : BM015880.D  
Acq On : 10 Jul 2018 22:38  
Operator : SJ/JU  
Sample : J3914-12  
Misc :  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
SMH

Quant Time: Jul 11 03:47:45 2018  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_M\METHODS\8270-BM070518.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Thu Jul 05 17:39:50 2018  
Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units | Dev(Min) |
|-----------------------------|-------|------|----------|--------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 8.30  | 152  | 58934    | 20.00  | ng    | -0.02    |
| 21) Naphthalene-d8          | 11.12 | 136  | 240441   | 20.00  | ng    | -0.02    |
| 38) Acenaphthene-d10        | 14.92 | 164  | 152281   | 20.00  | ng    | -0.02    |
| 63) Phenanthrene-d10        | 17.64 | 188  | 373504   | 20.00  | ng    | -0.01    |
| 75) Chrysene-d12            | 21.75 | 240  | 382729   | 20.00  | ng    | -0.02    |
| 86) Perylene-d12            | 24.15 | 264  | 339348   | 20.00  | ng    | -0.02    |
| System Monitoring Compounds |       |      |          |        |       |          |
| 5) 2-Fluorophenol           | 5.80  | 112  | 587038   | 170.83 | ng    | -0.02    |
| 7) Phenol-d6                | 7.45  | 99   | 693619   | 147.44 | ng    | -0.02    |
| 23) Nitrobenzene-d5         | 9.49  | 82   | 554541   | 112.53 | ng    | -0.02    |
| 41) 2,4,6-Tribromophenol    | 16.40 | 330  | 370714   | 186.31 | ng    | -0.02    |
| 44) 2-Fluorobiphenyl        | 13.55 | 172  | 1245905  | 101.57 | ng    | -0.02    |
| 78) Terphenyl-d14           | 20.21 | 244  | 2695379  | 130.63 | ng    | -0.01    |


| Target Compounds | Qvalue |
|------------------|--------|
|------------------|--------|


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA\_M\DATA\BM071018\  
Data File : BM015880.D  
Acq On : 10 Jul 2018 22:38  
Operator : SJ/JU  
Sample : J3914-12  
Misc :  
ALS Vial : 12 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
SMH

Quant Time: Jul 11 03:47:45 2018  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_M\METHODS\8270-BM070518.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Thu Jul 05 17:39:50 2018  
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4  
Concen: 20.000 ng  
RT: 8.30 min Scan# 852  
Delta R.T. -0.02 min  
Lab File: BM015880.D  
Acq: 10 Jul 2018 22:38

Instrument :  
BNA\_M  
ClientSampleId :  
SMH




Tgt Ion:152 Resp: 58934  
Ion Ratio Lower Upper  
152 100  
150 150.2 119.5 179.3  
115 66.5 43.0 64.4#




#5

2-Fluorophenol  
Concen: Below ng  
RT: 5.80 min Scan# 427  
Delta R.T. -0.02 min  
Lab File: BM015880.D  
Acq: 10 Jul 2018 22:38

Tgt Ion:112 Resp: 587038  
Ion Ratio Lower Upper  
112 100  
64 65.6 38.6 57.8#  
63 42.9 19.3 28.9#





#7

Phenol-d6

Concen: N.D. ng

RT: 7.45 min Scan# 707

Delta R.T. -0.02 min

Lab File: BM015880.D

Acq: 10 Jul 2018 22:38

Instrument :

BNA\_M

ClientSampled :

SMH


Tgt Ion: 99 Resp: 693619

Ion Ratio Lower Upper

99 100

42 34.3 11.0 16.4#




71 49.5 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM015880.D (-693) (-)

Ion 42.00 (41.70 to 42.70): BM015880.D (-693) (-)

Ion 71.00 (70.70 to 71.70): BM015880.D (-693) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.12 min Scan# 1332

Delta R.T. -0.02 min

Lab File: BM015880.D

Acq: 10 Jul 2018 22:38

Tgt Ion: 136 Resp: 240441


Ion Ratio Lower Upper

136 100

137 10.5 8.7 13.1

54 9.0 4.6 6.8#

68 4.5 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM015880.D (-1319) (-)

Ion 137.00 (136.70 to 137.70): BM015880.D (-1319) (-)

Ion 54.00 (53.70 to 54.70): BM015880.D (-1319) (-)

Ion 68.00 (67.70 to 68.70): BM015880.D (-1319) (-)









#23  
 Nitrobenzene-d5  
 Concen: N.D. ng  
 RT: 9.49 min Scan# 1054  
 Delta R.T. -0.02 min  
 Lab File: BM015880.D  
 Acq: 10 Jul 2018 22:38




Instrument :  
 BNA\_M  
 ClientSampleId :  
 SMH


Tgt Ion: 82 Resp: 554541  
 Ion Ratio Lower Upper  
 82 100  
 128 38.3 32.8 49.2  
 54 62.1 40.6 60.8#



#38  
 Acenaphthene-d10  
 Concen: 20.000 ng  
 RT: 14.92 min Scan# 1977  
 Delta R.T. -0.02 min  
 Lab File: BM015880.D  
 Acq: 10 Jul 2018 22:38

Tgt Ion: 164 Resp: 152281  
 Ion Ratio Lower Upper  
 164 100  
 162 103.8 82.4 123.6  
 160 46.2 35.8 53.6









#41  
 2,4,6-Tribromophenol  
 Concen: N.D. ng  
 RT: 16.40 min Scan# 2229  
 Delta R.T. -0.02 min  
 Lab File: BM015880.D  
 Acq: 10 Jul 2018 22:38

Instrument :  
 BNA\_M  
 ClientSampleId :  
 SMH

Tgt Ion: 330 Resp: 370714  
 Ion Ratio Lower Upper  
 330 100  
 332 96.1 0.0 0.0#  
 141 58.6 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E  
 Ion 331.80 (331.50 to 332.50): E  
 Ion 141.00 (140.70 to 141.70): E






#44  
 2-Fluorobiphenyl  
 Concen: N.D. ng  
 RT: 13.55 min Scan# 1744  
 Delta R.T. -0.02 min  
 Lab File: BM015880.D  
 Acq: 10 Jul 2018 22:38

Tgt Ion: 172 Resp: 1245905  
 Ion Ratio Lower Upper  
 172 100  
 171 36.2 28.5 42.7  
 170 24.5 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E  
 Ion 171.00 (170.70 to 171.70): E  
 Ion 170.00 (169.70 to 170.70): E









#63  
Phenanthrene-d10  
Concen: 20.000 ng  
RT: 17.64 min Scan# 2441  
Delta R.T. -0.01 min  
Lab File: BM015880.D  
Acq: 10 Jul 2018 22:38




Instrument :  
BNA\_M  
ClientSampleId :  
SMH


Tgt Ion:188 Resp: 373504  
Ion Ratio Lower Upper  
188 100  
94 7.7 8.7 13.1#  
80 8.4 9.3 13.9#



#75  
Chrysene-d12  
Concen: 20.000 ng  
RT: 21.75 min Scan# 3139  
Delta R.T. -0.02 min  
Lab File: BM015880.D  
Acq: 10 Jul 2018 22:38

Tgt Ion:240 Resp: 382729  
Ion Ratio Lower Upper  
240 100  
120 9.0 8.2 12.2  
236 27.0 20.0 30.0





#78

Terphenyl-d14

Concen: N.D. ng

RT: 20.21 min Scan# 2877

Delta R.T. -0.01 min

Lab File: BM015880.D

Acq: 10 Jul 2018 22:38

Instrument :

BNA\_M

ClientSampleId :

SMH


Tgt Ion:244 Resp: 2695379

Ion Ratio Lower Upper




244 100

212 8.7 4.9 7.3#

122 9.1 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E  
Ion 212.00 (211.70 to 212.70): E  
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.15 min Scan# 3547

Delta R.T. -0.02 min

Lab File: BM015880.D

Acq: 10 Jul 2018 22:38


Tgt Ion:264 Resp: 339348

Ion Ratio Lower Upper

264 100

260 25.4 18.6 27.8

265 22.1 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E  
Ion 260.00 (259.70 to 260.70): E  
Ion 265.00 (264.70 to 265.70): E

