

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071018\
 Data File : BM015876.D
 Acq On : 10 Jul 2018 20:09
 Operator : SJ/JU
 Sample : J3914-04
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 B2

Quant Time: Jul 11 03:47:11 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 05 17:39:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.30	152	62622	20.00	ng	-0.02
21) Naphthalene-d8	11.12	136	255422	20.00	ng	-0.02
38) Acenaphthene-d10	14.92	164	152639	20.00	ng	-0.02
63) Phenanthrene-d10	17.64	188	379171	20.00	ng	-0.01
75) Chrysene-d12	21.75	240	382080	20.00	ng	-0.02
86) Perylene-d12	24.15	264	262197	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.80	112	528405	144.71	ng	-0.02
7) Phenol-d6	7.45	99	656615	131.35	ng	-0.02
23) Nitrobenzene-d5	9.49	82	527337	100.73	ng	-0.02
41) 2,4,6-Tribromophenol	16.40	330	354176	177.58	ng	-0.02
44) 2-Fluorobiphenyl	13.55	172	1139260	92.66	ng	-0.02
78) Terphenyl-d14	20.21	244	2581515	125.32	ng	-0.01


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071018\
Data File : BM015876.D
Acq On : 10 Jul 2018 20:09
Operator : SJ/JU
Sample : J3914-04
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
B2

Quant Time: Jul 11 03:47:11 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 05 17:39:50 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.30 min Scan# 852
Delta R.T. -0.02 min
Lab File: BM015876.D
Acq: 10 Jul 2018 20:09

Instrument :
BNA_M
ClientSampleId :
B2

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.0	119.5	179.3
115	66.4	43.0	64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: Below ng
RT: 5.80 min Scan# 427
Delta R.T. -0.02 min
Lab File: BM015876.D
Acq: 10 Jul 2018 20:09

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.5	38.6	57.8#
63	42.5	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.45 min Scan# 707

Delta R.T. -0.02 min

Lab File: BM015876.D

Acq: 10 Jul 2018 20:09

Instrument :

BNA_M

ClientSampled :

B2


Tot Ion: 99 Resp: 656615

Ion Ratio Lower Upper

99 100

42 32.7 11.0 16.4#


71 48.6 23.4 35.2#





Abundance Ion 99.00 (98.70 to 99.70): BM015876.D (-693) (-)

Ion 42.00 (41.70 to 42.70): BM015876.D (-693) (-)

Ion 71.00 (70.70 to 71.70): BM015876.D (-693) (-)



Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.12 min Scan# 1332

Delta R.T. -0.02 min

Lab File: BM015876.D

Acq: 10 Jul 2018 20:09

Tgt Ion: 136 Resp: 255422


Ion Ratio Lower Upper

136 100

137 10.9 8.7 13.1

54 9.6 4.6 6.8#

68 5.2 3.7 5.5




Abundance Ion 136.00 (135.70 to 136.70): BM015876.D (-1319) (-)


Ion 137.00 (136.70 to 137.70): BM015876.D (-1319) (-)


Ion 54.00 (53.70 to 54.70): BM015876.D (-1319) (-)

Ion 68.00 (67.70 to 68.70): BM015876.D (-1319) (-)



Time-->









#23
Nitrobenzene-d5
Concen: N.D. ng
RT: 9.49 min Scan# 1054
Delta R.T. -0.02 min
Lab File: BM015876.D
Acq: 10 Jul 2018 20:09




Instrument :
BNA_M
ClientSampled :
B2


Tot Ion	Ratio	Lower	Upper
82	100		
128	37.5	32.8	49.2
54	59.8	40.6	60.8



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.92 min Scan# 1977
Delta R.T. -0.02 min
Lab File: BM015876.D
Acq: 10 Jul 2018 20:09

Tgt Ion	Ratio	Lower	Upper
164	100		
162	108.0	82.4	123.6
160	48.8	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.40 min Scan# 2229
 Delta R.T. -0.02 min
 Lab File: BM015876.D
 Acq: 10 Jul 2018 20:09

Instrument :
 BNA_M
 ClientSampled :
 B2

Tot Ion:330 Resp: 354176
 Ion Ratio Lower Upper
 330 100
 332 96.5 0.0 0.0#
 141 57.2 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.55 min Scan# 1744
 Delta R.T. -0.02 min
 Lab File: BM015876.D
 Acq: 10 Jul 2018 20:09

Tgt Ion:172 Resp: 1139260
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.5 42.7
 170 24.2 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.64 min Scan# 2441
Delta R.T. -0.01 min
Lab File: BM015876.D
Acq: 10 Jul 2018 20:09




Instrument :
BNA_M
ClientSampleId :
B2


Tot Ion	Ratio	Lower	Upper
188	100		
94	7.2	8.7	13.1#
80	8.6	9.3	13.9#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3139
Delta R.T. -0.02 min
Lab File: BM015876.D
Acq: 10 Jul 2018 20:09

Tgt Ion	Ratio	Lower	Upper
240	100		
120	9.1	8.2	12.2
236	27.7	20.0	30.0





#78

Terphenyl-d14

Concen: N.D. ng

RT: 20.21 min Scan# 2877

Delta R.T. -0.01 min

Lab File: BM015876.D

Acq: 10 Jul 2018 20:09

Instrument :

BNA_M

ClientSampled :

B2


Tot Ion:244 Resp: 2581515

Ion Ratio Lower Upper

244 100

212 8.6 4.9 7.3#




122 8.7 6.2 9.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.15 min Scan# 3547

Delta R.T. -0.02 min

Lab File: BM015876.D

Acq: 10 Jul 2018 20:09


Tgt Ion:264 Resp: 262197

Ion Ratio Lower Upper

264 100

260 25.7 18.6 27.8

265 22.0 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

