

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071118\
 Data File : BM015902.D
 Acq On : 12 Jul 2018 07:15
 Operator : SJ/JU
 Sample : PB110972BL
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jul 12 08:22:42 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 05 17:39:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.29	152	115150	20.00	ng	-0.03
21) Naphthalene-d8	11.12	136	446088	20.00	ng	-0.03
38) Acenaphthene-d10	14.91	164	232313	20.00	ng	-0.02
63) Phenanthrene-d10	17.64	188	458624	20.00	ng	-0.02
75) Chrysene-d12	21.74	240	375147	20.00	ng	-0.02
86) Perylene-d12	24.14	264	380409	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	906545	135.02	ng	-0.02
7) Phenol-d6	7.45	99	1147659	124.85	ng	-0.02
23) Nitrobenzene-d5	9.48	82	775037	84.77	ng	-0.02
41) 2,4,6-Tribromophenol	16.39	330	365527	120.42	ng	-0.02
44) 2-Fluorobiphenyl	13.54	172	1559823	83.36	ng	-0.02
78) Terphenyl-d14	20.20	244	1938265	95.83	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071118\
Data File : BM015902.D
Acq On : 12 Jul 2018 07:15
Operator : SJ/JU
Sample : PB110972BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jul 12 08:22:42 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 05 17:39:50 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.29 min Scan# 850
Delta R.T. -0.03 min
Lab File: BM015902.D
Acq: 12 Jul 2018 07:15

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.4	119.5	179.3
115	66.3	43.0	64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
Concen: Below ng
RT: 5.79 min Scan# 426
Delta R.T. -0.02 min
Lab File: BM015902.D
Acq: 12 Jul 2018 07:15

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.5	38.6	57.8#
63	41.5	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.45 min Scan# 707

Delta R.T. -0.02 min

Lab File: BM015902.D

Acq: 12 Jul 2018 07:15

Instrument :

BNA_M

ClientSampled :





Tot Ion: 99 Resp: 1147659

Ion Ratio Lower Upper

99 100

42 31.2 11.0 16.4#

71 46.2 23.4 35.2#



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.12 min Scan# 1331

Delta R.T. -0.03 min

Lab File: BM015902.D

Acq: 12 Jul 2018 07:15

Tgt Ion: 136 Resp: 446088


Ion Ratio Lower Upper


136 100

137 10.6 8.7 13.1

54 9.3 4.6 6.8#

68 4.7 3.7 5.5









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.48 min Scan# 1053
 Delta R.T. -0.02 min
 Lab File: BM015902.D
 Acq: 12 Jul 2018 07:15




Instrument :
 BNA_M
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
82	100		
128	38.5	32.8	49.2
54	60.4	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.91 min Scan# 1976
 Delta R.T. -0.02 min
 Lab File: BM015902.D
 Acq: 12 Jul 2018 07:15

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.0	82.4	123.6
160	48.8	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.39 min Scan# 2228
 Delta R.T. -0.02 min
 Lab File: BM015902.D
 Acq: 12 Jul 2018 07:15

Instrument :
 BNA_M
 ClientSampled :

Tot Ion:330 Resp: 365527
 Ion Ratio Lower Upper
 330 100
 332 96.4 0.0 0.0#
 141 55.9 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.54 min Scan# 1743
 Delta R.T. -0.02 min
 Lab File: BM015902.D
 Acq: 12 Jul 2018 07:15

Tgt Ion:172 Resp: 1559823
 Ion Ratio Lower Upper
 172 100
 171 36.1 28.5 42.7
 170 23.7 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.64 min Scan# 2440
Delta R.T. -0.02 min
Lab File: BM015902.D
Acq: 12 Jul 2018 07:15




Instrument :
BNA_M
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
188	100		
94	7.2	8.7	13.1#
80	8.6	9.3	13.9#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.74 min Scan# 3138
Delta R.T. -0.02 min
Lab File: BM015902.D
Acq: 12 Jul 2018 07:15

Tgt Ion	Ratio	Lower	Upper
240	100		
120	9.6	8.2	12.2
236	27.7	20.0	30.0









#78
 Terphenyl-d14
 Concen: N.D. ng
 RT: 20.20 min Scan# 2875
 Delta R.T. -0.02 min
 Lab File: BM015902.D
 Acq: 12 Jul 2018 07:15

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:244 Resp: 1938265
 Ion Ratio Lower Upper
 244 100
 212 8.8 4.9 7.3#
 122 10.4 6.2 9.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.14 min Scan# 3545
 Delta R.T. -0.03 min
 Lab File: BM015902.D
 Acq: 12 Jul 2018 07:15

Tgt Ion:264 Resp: 380409
 Ion Ratio Lower Upper
 264 100
 260 24.7 18.6 27.8
 265 22.1 17.3 25.9

