

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071118\
 Data File : BM015899.D
 Acq On : 12 Jul 2018 05:25
 Operator : SJ/JU
 Sample : PB111002BL
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB111002BL

Quant Time: Jul 12 08:22:07 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 05 17:39:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.29	152	79867	20.00	ng	-0.03
21) Naphthalene-d8	11.12	136	303441	20.00	ng	-0.03
38) Acenaphthene-d10	14.91	164	156245	20.00	ng	-0.02
63) Phenanthrene-d10	17.64	188	314013	20.00	ng	-0.02
75) Chrysene-d12	21.75	240	256054	20.00	ng	-0.02
86) Perylene-d12	24.14	264	259825	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	666725	143.16	ng	-0.02
7) Phenol-d6	7.44	99	835904	131.11	ng	-0.02
23) Nitrobenzene-d5	9.47	82	568648	91.43	ng	-0.03
41) 2,4,6-Tribromophenol	16.39	330	256384	125.58	ng	-0.02
44) 2-Fluorobiphenyl	13.54	172	1131353	89.90	ng	-0.02
78) Terphenyl-d14	20.20	244	1368702	99.15	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071118\
Data File : BM015899.D
Acq On : 12 Jul 2018 05:25
Operator : SJ/JU
Sample : PB111002BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB111002BL

Quant Time: Jul 12 08:22:07 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 05 17:39:50 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.29 min Scan# 850
Delta R.T. -0.03 min
Lab File: BM015899.D
Acq: 12 Jul 2018 05:25

Instrument :
BNA_M
ClientSampleId :
PB111002BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.6	119.5	179.3
115	69.6	43.0	64.4#




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: N.D. ng
RT: 5.79 min Scan# 426
Delta R.T. -0.02 min
Lab File: BM015899.D
Acq: 12 Jul 2018 05:25

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.4	38.6	57.8#
63	40.4	19.3	28.9#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: N.D. ng

RT: 7.44 min Scan# 706

Delta R.T. -0.02 min

Lab File: BM015899.D

Acq: 12 Jul 2018 05:25

Instrument :

BNA_M

ClientSampleId :

PB111002BL


Tot Ion: 99 Resp: 835904

Ion Ratio Lower Upper

99 100

42 31.3 11.0 16.4#




71 46.3 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM015767.D (-702) (-)

Ion 42.00 (41.70 to 42.70): BM015767.D (-702) (-)

Ion 71.00 (70.70 to 71.70): BM015767.D (-702) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.12 min Scan# 1331

Delta R.T. -0.03 min

Lab File: BM015899.D

Acq: 12 Jul 2018 05:25

Tgt Ion: 136 Resp: 303441


Ion Ratio Lower Upper

136 100

137 11.2 8.7 13.1

54 9.2 4.6 6.8#

68 4.8 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM015767.D (-1327) (-)

Ion 137.00 (136.70 to 137.70): BM015767.D (-1327) (-)

Ion 54.00 (53.70 to 54.70): BM015767.D (-1327) (-)

Ion 68.00 (67.70 to 68.70): BM015767.D (-1327) (-)









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.47 min Scan# 1052
 Delta R.T. -0.03 min
 Lab File: BM015899.D
 Acq: 12 Jul 2018 05:25




Instrument :
 BNA_M
 ClientSampleId :
 PB111002BL


Tot Ion: 82 Resp: 568648
 Ion Ratio Lower Upper
 82 100
 128 37.2 32.8 49.2
 54 60.9 40.6 60.8#



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.91 min Scan# 1976
 Delta R.T. -0.02 min
 Lab File: BM015899.D
 Acq: 12 Jul 2018 05:25

Tgt Ion:164 Resp: 156245
 Ion Ratio Lower Upper
 164 100
 162 105.2 82.4 123.6
 160 47.0 35.8 53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.39 min Scan# 2228
 Delta R.T. -0.02 min
 Lab File: BM015899.D
 Acq: 12 Jul 2018 05:25

Instrument :
 BNA_M
 ClientSampleID :
 PB111002BL

Tot Ion:330 Resp: 256384
 Ion Ratio Lower Upper
 330 100
 332 96.3 0.0 0.0#
 141 57.5 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.54 min Scan# 1743
 Delta R.T. -0.02 min
 Lab File: BM015899.D
 Acq: 12 Jul 2018 05:25

Tgt Ion:172 Resp: 1131353
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.5 42.7
 170 23.6 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.64 min Scan# 2440
Delta R.T. -0.02 min
Lab File: BM015899.D
Acq: 12 Jul 2018 05:25




Instrument :
BNA_M
ClientSampleId :
PB111002BL


Tot Ion:188 Resp: 314013
Ion Ratio Lower Upper
188 100
94 7.8 8.7 13.1#
80 9.6 9.3 13.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3139
Delta R.T. -0.02 min
Lab File: BM015899.D
Acq: 12 Jul 2018 05:25

Tgt Ion:240 Resp: 256054
Ion Ratio Lower Upper
240 100
120 8.4 8.2 12.2
236 26.5 20.0 30.0





#78

Terphenyl-d14

Concen: N.D. ng

RT: 20.20 min Scan# 2875

Delta R.T. -0.02 min

Lab File: BM015899.D

Acq: 12 Jul 2018 05:25

Instrument :

BNA_M

ClientSampleId :

PB111002BL


Tot Ion:244 Resp: 1368702

Ion Ratio Lower Upper




244 100

212 9.0 4.9 7.3#

122 10.6 6.2 9.4#



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.14 min Scan# 3546

Delta R.T. -0.02 min

Lab File: BM015899.D

Acq: 12 Jul 2018 05:25


Tgt Ion:264 Resp: 259825

Ion Ratio Lower Upper

264 100

260 24.2 18.6 27.8

265 21.5 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

