

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071218\
 Data File : BM015920.D
 Acq On : 12 Jul 2018 18:17
 Operator : SJ/JU
 Sample : J3931-05
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 070918-DBRI-E-U-M

Quant Time: Jul 12 23:06:04 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 05 17:39:50 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.29	152	66587	20.00	ng	-0.03
21) Naphthalene-d8	11.12	136	253674	20.00	ng	-0.03
38) Acenaphthene-d10	14.91	164	136089	20.00	ng	-0.02
63) Phenanthrene-d10	17.63	188	290956	20.00	ng	-0.02
75) Chrysene-d12	21.74	240	288078	20.00	ng	-0.02
86) Perylene-d12	24.14	264	303433	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	173453	44.67	ng	-0.02
7) Phenol-d6	7.44	99	145378	27.35	ng	-0.02
23) Nitrobenzene-d5	9.47	82	588948	113.28	ng	-0.03
41) 2,4,6-Tribromophenol	16.39	330	174468	98.12	ng	-0.03
44) 2-Fluorobiphenyl	13.53	172	1100499	100.39	ng	-0.03
78) Terphenyl-d14	20.20	244	1807073	116.35	ng	-0.02
Target Compounds						
49) Dimethylphthalate	14.36	163	61319	5.109	ng	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071218\
Data File : BM015920.D
Acq On : 12 Jul 2018 18:17
Operator : SJ/JU
Sample : J3931-05
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
070918-DBRI-E-U-M

Quant Time: Jul 12 23:06:04 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 05 17:39:50 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.29 min Scan# 850
Delta R.T. -0.03 min
Lab File: BM015920.D
Acq: 12 Jul 2018 18:17

Instrument :
BNA_M
ClientSampleId :
070918-DBRI-E-U-M




Tot Ion	Ratio	Lower	Upper
152	100		
150	157.3	119.5	179.3
115	64.1	43.0	64.4






#5

2-Fluorophenol
Concen: N.D. ng
RT: 5.79 min Scan# 426
Delta R.T. -0.02 min
Lab File: BM015920.D
Acq: 12 Jul 2018 18:17

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.1	38.6	57.8#
63	39.9	19.3	28.9#





#7

Phenol-d6

Concen: N.D. ng

RT: 7.44 min Scan# 706

Delta R.T. -0.02 min

Lab File: BM015920.D

Acq: 12 Jul 2018 18:17

Instrument :

BNA_M

ClientSampleId :

070918-DBRI-E-U-M





Tot Ion: 99 Resp: 145378

Ion Ratio Lower Upper

99 100

42 33.3 11.0 16.4#

71 47.4 23.4 35.2#



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.12 min Scan# 1331

Delta R.T. -0.03 min

Lab File: BM015920.D

Acq: 12 Jul 2018 18:17

Tgt Ion: 136 Resp: 253674


Ion Ratio Lower Upper


136 100

137 10.7 8.7 13.1

54 8.9 4.6 6.8#

68 4.4 3.7 5.5









#23
 Nitrobenzene-d5
 Concen: N.D. ng
 RT: 9.47 min Scan# 1052
 Delta R.T. -0.03 min
 Lab File: BM015920.D
 Acq: 12 Jul 2018 18:17




Instrument :
 BNA_M
 ClientSampleId :
 070918-DBRI-E-U-M


Tot Ion	82	Resp	588948
Ion	Ratio	Lower	Upper
82	100		
128	36.8	32.8	49.2
54	59.1	40.6	60.8



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.91 min Scan# 1976
 Delta R.T. -0.02 min
 Lab File: BM015920.D
 Acq: 12 Jul 2018 18:17

Tgt Ion	164	Resp	136089
Ion	Ratio	Lower	Upper
164	100		
162	105.7	82.4	123.6
160	46.7	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.39 min Scan# 2227
 Delta R.T. -0.03 min
 Lab File: BM015920.D
 Acq: 12 Jul 2018 18:17

Instrument :
 BNA_M
 ClientSampleId :
 070918-DBRI-E-U-M

Tot Ion:330 Resp: 174468
 Ion Ratio Lower Upper
 330 100
 332 96.1 0.0 0.0#
 141 60.2 0.0 0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.53 min Scan# 1742
 Delta R.T. -0.03 min
 Lab File: BM015920.D
 Acq: 12 Jul 2018 18:17

Tgt Ion:172 Resp: 1100499
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.5 42.7
 170 24.3 18.8 28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 5.109 ng

RT: 14.36 min Scan# 1882

Delta R.T. -0.03 min

Lab File: BM015920.D

Acq: 12 Jul 2018 18:17

Instrument :

BNA_M

ClientSampleId :

070918-DBRI-E-U-M


Tot Ion:163 Resp: 61319

Ion Ratio Lower Upper

163 100

194 3.6 2.7 4.1




164 8.6 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.63 min Scan# 2439

Delta R.T. -0.02 min

Lab File: BM015920.D

Acq: 12 Jul 2018 18:17


Tgt Ion:188 Resp: 290956

Ion Ratio Lower Upper

188 100

94 7.9 8.7 13.1#



80 9.0 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.74 min Scan# 3138

Delta R.T. -0.02 min

Lab File: BM015920.D

Acq: 12 Jul 2018 18:17

Instrument :

BNA_M

ClientSampleId :

070918-DBRI-E-U-M





Tot Ion:240 Resp: 288078

Ion Ratio Lower Upper

240 100

120 9.3 8.2 12.2

236 26.7 20.0 30.0



#78

Terphenyl-d14

Concen: N.D. ng

RT: 20.20 min Scan# 2875

Delta R.T. -0.02 min

Lab File: BM015920.D

Acq: 12 Jul 2018 18:17




Tgt Ion:244 Resp: 1807073


Ion Ratio Lower Upper

244 100

212 8.9 4.9 7.3#

122 10.2 6.2 9.4#





#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.14 min Scan# 3545
Delta R.T. -0.03 min
Lab File: BM015920.D
Acq: 12 Jul 2018 18:17

Instrument :
BNA_M
ClientSampleId :
070918-DBRI-E-U-M

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.8	18.6	27.8
265	22.6	17.3	25.9

