

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071218\
 Data File : BM015929.D
 Acq On : 12 Jul 2018 23:47
 Operator : SJ/JU
 Sample : J3951-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 071018-DBRI-E-D-M

Quant Time: Jul 13 00:58:45 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 05 17:39:50 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.29	152	80203	20.00	ng	-0.03
21) Naphthalene-d8	11.12	136	314918	20.00	ng	-0.03
38) Acenaphthene-d10	14.91	164	166340	20.00	ng	-0.02
63) Phenanthrene-d10	17.63	188	345040	20.00	ng	-0.02
75) Chrysene-d12	21.74	240	339049	20.00	ng	-0.02
86) Perylene-d12	24.13	264	352131	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.79	112	228520	48.86	ng	-0.02
7) Phenol-d6	7.44	99	194817	30.43	ng	-0.02
23) Nitrobenzene-d5	9.47	82	684805	106.10	ng	-0.03
41) 2,4,6-Tribromophenol	16.39	330	202819	93.32	ng	-0.03
44) 2-Fluorobiphenyl	13.53	172	1284877	95.90	ng	-0.03
78) Terphenyl-d14	20.20	244	2009675	109.94	ng	-0.02
Target Compounds						Qvalue
49) Dimethylphthalate	14.36	163	49338	3.363	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071218\
Data File : BM015929.D
Acq On : 12 Jul 2018 23:47
Operator : SJ/JU
Sample : J3951-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
071018-DBRI-E-D-M

Quant Time: Jul 13 00:58:45 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM070518.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 05 17:39:50 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.29 min Scan# 850
Delta R.T. -0.03 min
Lab File: BM015929.D
Acq: 12 Jul 2018 23:47

Instrument :
BNA_M
ClientSampleId :
071018-DBRI-E-D-M




Tot Ion:152 Resp: 80203
Ion Ratio Lower Upper
152 100
150 156.7 119.5 179.3
115 62.6 43.0 64.4



#5

2-Fluorophenol
Concen: Below ng
RT: 5.79 min Scan# 426
Delta R.T. -0.02 min
Lab File: BM015929.D
Acq: 12 Jul 2018 23:47

Tgt Ion:112 Resp: 228520
Ion Ratio Lower Upper
112 100
64 63.7 38.6 57.8#
63 41.7 19.3 28.9#





#7

Phenol-d6

Concen: N.D. ng

RT: 7.44 min Scan# 706

Delta R.T. -0.02 min

Lab File: BM015929.D

Acq: 12 Jul 2018 23:47

Instrument :

BNA_M

ClientSampleId :

071018-DBRI-E-D-M


Tot Ion: 99 Resp: 194817

Ion Ratio Lower Upper

99 100

42 31.7 11.0 16.4#




71 46.4 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BM015767.D (-702) (-)

Ion 42.00 (41.70 to 42.70): BM015767.D (-702) (-)

Ion 71.00 (70.70 to 71.70): BM015767.D (-702) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.12 min Scan# 1331

Delta R.T. -0.03 min

Lab File: BM015929.D

Acq: 12 Jul 2018 23:47

Tgt Ion: 136 Resp: 314918


Ion Ratio Lower Upper

136 100

137 10.5 8.7 13.1

54 9.1 4.6 6.8#

68 4.6 3.7 5.5






Abundance Ion 136.00 (135.70 to 136.70): BM015767.D (-1327) (-)

Ion 137.00 (136.70 to 137.70): BM015767.D (-1327) (-)

Ion 54.00 (53.70 to 54.70): BM015767.D (-1327) (-)

Ion 68.00 (67.70 to 68.70): BM015767.D (-1327) (-)









#23
Nitrobenzene-d5
Concen: N.D. ng
RT: 9.47 min Scan# 1052
Delta R.T. -0.03 min
Lab File: BM015929.D
Acq: 12 Jul 2018 23:47




Instrument :
BNA_M
ClientSampleId :
071018-DBRI-E-D-M


Tot Ion	82	Resp	684805
Ion Ratio	100	Lower	Upper
128	37.3	32.8	49.2
54	59.2	40.6	60.8



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.91 min Scan# 1976
Delta R.T. -0.02 min
Lab File: BM015929.D
Acq: 12 Jul 2018 23:47

Tgt Ion	164	Resp	166340
Ion Ratio	100	Lower	Upper
162	104.5	82.4	123.6
160	46.8	35.8	53.6









#41
 2,4,6-Tribromophenol
 Concen: N.D. ng
 RT: 16.39 min Scan# 2227
 Delta R.T. -0.03 min
 Lab File: BM015929.D
 Acq: 12 Jul 2018 23:47

Instrument :
 BNA_M
 ClientSampleId :
 071018-DBRI-E-D-M

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.9	0.0	0.0#
141	55.5	0.0	0.0#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: N.D. ng
 RT: 13.53 min Scan# 1742
 Delta R.T. -0.03 min
 Lab File: BM015929.D
 Acq: 12 Jul 2018 23:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.5	42.7
170	24.4	18.8	28.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.363 ng

RT: 14.36 min Scan# 1882

Delta R.T. -0.03 min

Lab File: BM015929.D

Acq: 12 Jul 2018 23:47

Instrument :

BNA_M

ClientSampleId :

071018-DBRI-E-D-M


Tot Ion:163 Resp: 49338

Ion Ratio Lower Upper

163 100

194 3.0 2.7 4.1




164 10.8 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.63 min Scan# 2439

Delta R.T. -0.02 min

Lab File: BM015929.D

Acq: 12 Jul 2018 23:47


Tgt Ion:188 Resp: 345040

Ion Ratio Lower Upper

188 100

94 7.5 8.7 13.1#



80 9.1 9.3 13.9#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.74 min Scan# 3138

Delta R.T. -0.02 min

Lab File: BM015929.D

Acq: 12 Jul 2018 23:47

Instrument :

BNA_M

ClientSampleId :

071018-DBRI-E-D-M


Tot Ion:240 Resp: 339049

Ion Ratio Lower Upper

240 100

120 8.5 8.2 12.2




236 26.4 20.0 30.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: Below ng

RT: 20.20 min Scan# 2875

Delta R.T. -0.02 min

Lab File: BM015929.D

Acq: 12 Jul 2018 23:47


Tgt Ion:244 Resp: 2009675

Ion Ratio Lower Upper

244 100

212 8.5 4.9 7.3#



122 9.7 6.2 9.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
 Pervlene-d12
 Concen: 20.000 ng
 RT: 24.13 min Scan# 3544
 Delta R.T. -0.04 min
 Lab File: BM015929.D
 Acq: 12 Jul 2018 23:47

Instrument :
 BNA_M
 ClientSampleId :
 071018-DBRI-E-D-M

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.3	18.6	27.8
265	22.9	17.3	25.9



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

