

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM071224\
 Data File : BM046564.D
 Acq On : 13 Jul 2024 02:54
 Operator : MA/JU
 Sample : P3087-18
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A4BR3

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 07/13/2024
 Supervised By :mohammad ahmed 07/16/2024

Quant Time: Jul 13 03:42:24 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM071024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jul 12 05:09:19 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.510	152	3330	0.400	ng/ul	0.00
4) Naphthalene-d8	10.271	136	8938	0.400	ng/ul	# 0.00
9) Acenaphthene-d10	14.150	164	5648	0.400	ng/ul	0.00
13) Phenanthrene-d10	16.905	188	12398m	0.400	ng/ul	0.00
17) Chrysene-d12	21.108	240	9072	0.400	ng/ul	# 0.00
23) Perylene-d12	23.247	264	9368	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.117	96	11061	4.043	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.871	152	3981	0.276	ng/ul	0.00
18) Fluoranthene-d10	18.942	212	8525	0.309	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.315	128	11144	0.490	ng/ul	97
7) 2-Methylnaphthalene	11.943	142	3843	0.241	ng/ul	99
8) 1-Methylnaphthalene	12.168	142	2625	0.161	ng/ul	100
10) Acenaphthylene	13.868	152	1772	0.069	ng/ul#	85
11) Acenaphthene	14.215	153	11834	0.687	ng/ul	96
12) Fluorene	15.210	166	13797	0.647	ng/ul	96
15) Phenanthrene	16.947	178	217873	6.158	ng/ul	98
16) Anthracene	17.036	178	30714	0.890	ng/ul	98
19) Fluoranthene	18.969	202	244937	6.573	ng/ul#	98
20) Pyrene	19.337	202	190175	4.714	ng/ul	99
21) Benzo(a)anthracene	21.090	228	77257	1.925	ng/ul	100
22) Chrysene	21.143	228	78524m	2.022	ng/ul	
24) Benzo(b)fluoranthene	22.612	252	89447m	2.390	ng/ul	
25) Benzo(k)fluoranthene	22.653	252	31198m	0.849	ng/ul	
26) Benzo(a)pyrene	23.156	252	57624m	1.871	ng/ul	
27) Indeno(1,2,3-cd)pyrene	25.366	276	39054	0.833	ng/ul#	100
28) Dibenzo(a,h)anthracene	25.373	278	9072	0.245	ng/ul#	85
29) Benzo(g,h,i)perylene	26.013	276	38306	1.024	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM071224\
Data File : BM046564.D
Acq On : 13 Jul 2024 02:54
Operator : MA/JU
Sample : P3087-18
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
A4BR3

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 07/13/2024
Supervised By :mohammad ahmed 07/16/2024

Quant Time: Jul 13 03:42:24 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-SIM-BM071024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jul 12 05:09:19 2024
Response via : Initial Calibration

