

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM071719\
 Data File : BM021527.D
 Acq On : 18 Jul 2019 17:17
 Operator : HP/JU
 Sample : K3822-08
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 HD-02-072219

Quant Time: Jul 19 00:43:13 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM070819MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 19 00:39:42 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	159155	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	640489	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.36	164	371467	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.12	188	851038	20.00	ng/ul	0.00
77) Chrysene-d12	21.30	240	839661	20.00	ng/ul	0.00
85) Perylene-d12	23.56	264	976863	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.26	96	5623	1.74	ng/uL	0.00
5) Phenol-d5	6.89	99	106398	8.60	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	230313	31.39	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	290740	27.30	ng/ul	0.00
13) 4-Methylphenol-d8	8.43	113	191901	19.47	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	171574	32.52	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	195017	32.69	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.13	165	359451	30.21	ng/ul	0.00
29) 4-Chloroaniline-d4	10.67	131	30354	2.82	ng/ul	0.01
43) Dimethylphthalate-d6	13.78	166	1156207	35.54	ng/ul	0.00
46) Acenaphthylene-d8	14.05	160	1325017	32.44	ng/ul	0.00
51) 4-Nitrophenol-d4	14.60	143	24435	4.74	ng/ul	0.02
57) Fluorene-d10	15.36	176	997057	34.34	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.50	200	132993	23.25	ng/ul	0.00
70) Anthracene-d10	17.22	188	1545163	34.95	ng/ul	0.00
78) Pyrene-d10	19.51	212	1763665	38.27	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.41	264	2007500	35.73	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
44) Dimethylphthalate	13.83	163	176960	5.841	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM071719\
Data File : BM021527.D
Acq On : 18 Jul 2019 17:17
Operator : HP/JU
Sample : K3822-08
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
HD-02-072219

Quant Time: Jul 19 00:43:13 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM070819MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 19 00:39:42 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 5.841 ng/ul

RT: 13.83 min Scan# 1843

Delta R.T. -0.00 min

Lab File: BM021527.D


Acq: 18 Jul 2019 17:17

Instrument :

BNA_M

ClientSampleId :

HD-02-072219



Tgt Ion:	163	Resp:	176960
Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.6	5.4
164	9.7	8.3	12.5

