

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071719\
 Data File : BM021541.D
 Acq On : 19 Jul 2019 03:02
 Operator : HP/JU
 Sample : K3764-01
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Jul 19 05:05:50 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM070819MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jul 19 00:39:42 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	189105	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	748899	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.36	164	418330	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.11	188	907224	20.00	ng/ul	0.00
77) Chrysene-d12	21.30	240	854575	20.00	ng/ul	-0.01
85) Perylene-d12	23.55	264	996049	20.00	ng/ul	-0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.26	96	13086	3.41	ng/uL	0.00
5) Phenol-d5	6.89	99	257408	17.51	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	152839	17.53	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	218598	17.27	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	207568	17.72	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	103242	16.74	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	111178	15.94	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.13	165	224901	16.17	ng/ul	0.00
29) 4-Chloroaniline-d4	10.65	131	237740	18.90	ng/ul	0.00
43) Dimethylphthalate-d6	13.77	166	691708	18.88	ng/ul	0.00
46) Acenaphthylene-d8	14.05	160	771421	16.77	ng/ul	0.00
51) 4-Nitrophenol-d4	14.59	143	43040	7.41	ng/ul	0.00
57) Fluorene-d10	15.36	176	586897	17.95	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.49	200	43966	7.21	ng/ul	0.00
70) Anthracene-d10	17.21	188	878299	18.64	ng/ul	0.00
78) Pyrene-d10	19.51	212	996276	21.24	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.41	264	1107173	19.33	ng/ul	-0.01

Target Compounds


					Ovalue	
44) Dimethylphthalate	13.82	163	269277	7.893	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM071719\
Data File : BM021541.D
Acq On : 19 Jul 2019 03:02
Operator : HP/JU
Sample : K3764-01
Misc :
ALS Vial : 55 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Jul 19 05:05:50 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM070819MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jul 19 00:39:42 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 7.893 ng/ul

RT: 13.82 min Scan# 1842

Delta R.T. -0.01 min

Lab File: BM021541.D

Acq: 19 Jul 2019 03:02

Instrument :

BNA_M

ClientSampleId :


Tot Ion:163 Resp: 269277

Ion Ratio Lower Upper

163 100

194 4.4 3.6 5.4

164 9.5 8.3 12.5



Abundance Ion 163.00 (162.70 to 163.70): E

250000 Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

