

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072219\
 Data File : BM021586.D
 Acq On : 22 Jul 2019 11:47
 Operator : HP/JU
 Sample : K3770-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 X2H32

Quant Time: Jul 22 15:36:05 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM070819MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Jul 20 05:03:12 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	136867	20.00	ng/ul	0.00
18) Naphthalene-d8	10.49	136	635196	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.35	164	429803	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.10	188	1121158	20.00	ng/ul	0.00
77) Chrysene-d12	21.30	240	1279760	20.00	ng/ul	0.00
85) Perylene-d12	23.55	264	1524713	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.25	96	27740	9.98	ng/uL	0.00
5) Phenol-d5	6.89	99	366413	34.43	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	214297	33.96	ng/ul	0.00
9) 2-Chlorophenol-d4	7.24	132	302351	33.01	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	315684	37.24	ng/ul	0.00
19) Nitrobenzene-d5	8.87	128	159115	30.41	ng/ul	0.00
22) 2-Nitrophenol-d4	9.59	143	189748	32.07	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	357120	30.26	ng/ul	0.00
29) 4-Chloroaniline-d4	10.64	131	450916	42.26	ng/ul	0.00
43) Dimethylphthalate-d6	13.77	166	1305898	34.69	ng/ul	0.00
46) Acenaphthylene-d8	14.05	160	1438192	30.43	ng/ul	0.00
51) 4-Nitrophenol-d4	14.57	143	183151	30.70	ng/ul	-0.01
57) Fluorene-d10	15.35	176	1126618	33.53	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.49	200	202036	26.81	ng/ul	0.00
70) Anthracene-d10	17.20	188	1899397	32.62	ng/ul	0.00
78) Pyrene-d10	19.50	212	2291529	32.63	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.40	264	2869502	32.72	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	6.91	94	233766	22.950	ng/ul 98
17) Hexachloroethane	8.77	117	100662	26.151	ng/ul 95
30) 4-Chloroaniline	10.67	127	543599	53.307	ng/ul 99
40) 1,1'-Biphenyl	13.18	154	1314579	36.544	ng/ul 99
42) 2-Nitroaniline	13.45	65	497140	78.919	ng/ul 96
44) Dimethylphthalate	13.82	163	729338	20.807	ng/ul 99
49) Acenaphthene	14.42	153	542905	18.170	ng/ul 100
56) Diethylphthalate	15.19	149	688792	20.467	ng/ul 99
63) 4,6-Dinitro-2-methylphenol	15.50	198	288106	38.425	ng/ul 98
66) Hexachlorobenzene	16.40	284	478475	29.013	ng/ul 99
71) Anthracene	17.24	178	740686	11.512	ng/ul 99
75) Di-n-butylphthalate	18.07	149	1426336	23.312	ng/ul 99
80) Butylbenzylphthalate	20.43	149	762550	25.416	ng/ul 99
83) Bis(2-ethylhexyl)phthalate	21.20	149	1313673	29.767	ng/ul 99
84) Chrysene	21.33	228	1250182	15.174	ng/ul 99
86) Di-n-octyl phthalate	22.09	149	1388290	16.855	ng/ul 100
90) Benzo(a)pyrene	23.45	252	1010723	11.013	ng/ul 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM072219\
Data File : BM021586.D
Acq On : 22 Jul 2019 11:47
Operator : HP/JU
Sample : K3770-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
X2H32

Quant Time: Jul 22 15:36:05 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM070819MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Jul 20 05:03:12 2019
Response via : Initial Calibration





#6

Phenol

Concen: 22.950 ng/ul

RT: 6.91 min Scan# 667

Delta R.T. -0.01 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47

Instrument :

BNA_M

ClientSampleId :

X2H32


Tot Ion: 94 Resp: 233766

Ion Ratio Lower Upper

94 100

65 29.5 23.0 34.6




66 40.8 31.6 47.4



Abundance Ion 94.00 (93.70 to 94.70): BM021586.D (-634) (-)

Ion 65.00 (64.70 to 65.70): BM021586.D (-634) (-)

Ion 66.00 (65.70 to 66.70): BM021586.D (-634) (-)



#17

Hexachloroethane

Concen: 26.151 ng/ul

RT: 8.77 min Scan# 983

Delta R.T. -0.01 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47


Tgt Ion: 117 Resp: 100662

Ion Ratio Lower Upper

117 100

201 129.8 99.7 149.5



199 82.1 62.2 93.4




Abundance Ion 117.00 (116.70 to 117.70): BM021586.D (-950) (-)

Ion 201.00 (200.70 to 201.70): BM021586.D (-950) (-)

Ion 199.00 (198.70 to 199.70): BM021586.D (-950) (-)









#30
4-Chloroaniline
Concen: 53.307 ng/ul
RT: 10.67 min Scan# 1306
Delta R.T. 0.00 min
Lab File: BM021586.D
Acq: 22 Jul 2019 11:47




Instrument :
BNA_M
ClientSampleId :
X2H32


Tot Ion:127 Resp: 543599
Ion Ratio Lower Upper
127 100
129 31.9 25.0 37.6



#40
1,1'-Biphenyl
Concen: 36.544 ng/ul
RT: 13.18 min Scan# 1733
Delta R.T. -0.01 min
Lab File: BM021586.D
Acq: 22 Jul 2019 11:47

Tgt Ion:154 Resp: 1314579
Ion Ratio Lower Upper
154 100
153 40.2 32.7 49.1
76 11.6 8.5 12.7





#42

2-Nitroaniline

Concen: 78.919 ng/ul

RT: 13.45 min Scan# 1779

Delta R.T. 0.00 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47

Instrument :

BNA_M

ClientSampleId :

X2H32


Tot Ion: 65 Resp: 497140

Ion Ratio Lower Upper

65 100

92 70.0 57.4 86.2




138 106.2 89.0 133.6



Abundance Ion 65.00 (64.70 to 65.70): BM021583.D (-1770) (-)

Ion 92.00 (91.70 to 92.70): BM021583.D (-1770) (-)

Ion 138.00 (137.70 to 138.70): BM021583.D (-1770) (-)



#44

Dimethylphthalate

Concen: 20.807 ng/ul

RT: 13.82 min Scan# 1841

Delta R.T. -0.01 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47


Tgt Ion: 163 Resp: 729338

Ion Ratio Lower Upper

163 100

194 4.3 3.6 5.4



164 10.1 8.3 12.5




Abundance Ion 163.00 (162.70 to 163.70): BM021583.D (-1835) (-)

Ion 194.00 (193.70 to 194.70): BM021583.D (-1835) (-)

Ion 164.00 (163.70 to 164.70): BM021583.D (-1835) (-)





#49

Acenaphthene

Concen: 18.170 ng/ul

RT: 14.42 min Scan# 1943

Delta R.T. -0.01 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47

Instrument :

BNA_M

ClientSampled :

X2H32


Tot Ion:153 Resp: 542905

Ion Ratio Lower Upper

153 100

152 48.3 38.2 57.4




154 87.9 70.0 105.0



Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E



#56

Diethylphthalate

Concen: 20.467 ng/ul

RT: 15.19 min Scan# 2074

Delta R.T. -0.01 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47


Tgt Ion:149 Resp: 688792

Ion Ratio Lower Upper

149 100

177 23.4 18.8 28.2



150 12.2 10.1 15.1




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 177.00 (176.70 to 177.70): E

Ion 150.00 (149.70 to 150.70): E









#63
 4,6-Dinitro-2-methylphenol
 Concen: 38.425 ng/ul
 RT: 15.50 min Scan# 2128
 Delta R.T. -0.01 min
 Lab File: BM021586.D
 Acq: 22 Jul 2019 11:47

Instrument :
 BNA_M
 ClientSampled :
 X2H32

Tot Ion	Ratio	Lower	Upper
198	100		
182	6.0	4.7	7.1
77	21.7	18.1	27.1




Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 182.00 (181.70 to 182.70): E
 Ion 77.00 (76.70 to 77.70): BM






#66
 Hexachlorobenzene
 Concen: 29.013 ng/ul
 RT: 16.40 min Scan# 2281
 Delta R.T. 0.00 min
 Lab File: BM021586.D
 Acq: 22 Jul 2019 11:47

Tgt Ion	Ratio	Lower	Upper
284	100		
142	27.8	22.0	33.0
249	29.7	23.3	34.9



Abundance Ion 284.00 (283.70 to 284.70): E
 Ion 142.00 (141.70 to 142.70): E
 Ion 249.00 (248.70 to 249.70): E





#71

Anthracene

Concen: 11.512 ng/ul

RT: 17.24 min Scan# 2423

Delta R.T. -0.01 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47

Instrument :

BNA_M

ClientSampleId :

X2H32


Tot Ion:178 Resp: 740686

Ion Ratio Lower Upper

178 100

179 15.8 12.2 18.2




176 18.6 14.9 22.3



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#75

Di-n-butylphthalate

Concen: 23.312 ng/ul

RT: 18.07 min Scan# 2565

Delta R.T. 0.00 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47


Tgt Ion:149 Resp: 1426336

Ion Ratio Lower Upper

149 100

150 9.1 7.4 11.0



104 5.2 3.8 5.8




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 104.00 (103.70 to 104.70): E









#80
 Butylbenzylphthalate
 Concen: 25.416 ng/ul
 RT: 20.43 min Scan# 2966
 Delta R.T. -0.01 min
 Lab File: BM021586.D
 Acq: 22 Jul 2019 11:47




Instrument :
 BNA_M
 ClientSampleId :
 X2H32


Tot Ion	Ratio	Lower	Upper
149	100		
91	67.2	53.9	80.9
206	21.7	18.0	27.0



#83
 Bis(2-ethylhexyl)phthalate
 Concen: 29.767 ng/ul
 RT: 21.20 min Scan# 3097
 Delta R.T. -0.01 min
 Lab File: BM021586.D
 Acq: 22 Jul 2019 11:47

Tgt Ion	Ratio	Lower	Upper
149	100		
167	27.9	22.6	33.8
279	4.8	4.0	6.0





#84

Chrysene

Concen: 15.174 ng/ul

RT: 21.33 min Scan# 3119

Delta R.T. -0.01 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47

Instrument :

BNA_M

ClientSampleId :

X2H32


Tot Ion:228 Resp: 1250182

Ion Ratio Lower Upper

228 100

226 29.8 23.8 35.6




229 19.8 15.4 23.0



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#86

Di-n-octyl phthalate

Concen: 16.855 ng/ul


RT: 22.09 min Scan# 3247

Delta R.T. -0.01 min



Lab File: BM021586.D


Acq: 22 Jul 2019 11:47

Tgt Ion:149 Resp: 1388290



Abundance Ion 149.00 (148.70 to 149.70): E





#90

Benzo(a)pyrene

Concen: 11.013 ng/ul

RT: 23.45 min Scan# 3479

Delta R.T. -0.01 min

Lab File: BM021586.D

Acq: 22 Jul 2019 11:47

Instrument :

BNA_M

ClientSampleId :

X2H32


Tot Ion:252 Resp: 1010723

Ion Ratio Lower Upper

252 100

253 22.0 17.5 26.3

125 8.9 6.9 10.3



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E

