

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM072621\
 Data File : BM031185.D
 Acq On : 27 Jul 2021 05:30
 Operator : CG/JU
 Sample : M3091-21
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0059

Manual Integrations
 APPROVED

mohammad
 7/27/2021 12:09:56 PM

Quant Time: Jul 27 06:24:09 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM072221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 22 01:52:16 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.628	152	1247	0.400	ng/ul	-0.01
4) Naphthalene-d8	10.391	136	5165	0.400	ng/ul	-0.01
9) Acenaphthene-d10	14.258	164	4229	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.002	188	9331m	0.400	ng/ul	-0.01
17) Chrysene-d12	21.188	240	8986	0.400	ng/ul	-0.01
23) Perylene-d12	23.355	264	8991	0.400	ng/ul	#-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.210	96	5992	4.574	ng/ul	0.00
6) 2-Methylnaphthalene-d10	11.983	152	3006	0.331	ng/ul	-0.01
18) Fluoranthene-d10	19.031	212	10831	0.395	ng/ul	-0.01
Target Compounds						Qvalue
5) Naphthalene	10.441	128	712	0.046	ng/ul#	82
7) 2-Methylnaphthalene	12.060	142	233	0.021	ng/ul	97
11) Acenaphthene	14.349	153	1209	0.079	ng/ul#	30
15) Phenanthrene	17.044	178	687	0.023	ng/ul#	77
19) Fluoranthene	19.062	202	827	0.023	ng/ul#	65

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM072621\
Data File : BM031185.D
Acq On : 27 Jul 2021 05:30
Operator : CG/JU
Sample : M3091-21
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0059

Manual Integrations
APPROVED

mohammad
7/27/2021 12:09:56 PM

Quant Time: Jul 27 06:24:09 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SFAM-EPA-SIM-BM072221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 22 01:52:16 2021
Response via : Initial Calibration

